PDC 1005, 1030 and 1052 ADC 101, 114, 128, 137, 144, 174, 184, 210, 210B, 245, 245B, 245C, 282, 282A, 293, 311, 317, DLMS Supplement to Federal IC 322, 334, 357, 358, 371, 381, 381A, 386, 425, 435, 448, 448B, 459, 466, 1022 and 1044 842A/W

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

842 Nonconformance Report

Functional Group=NC

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Nonconformance Report Transaction Set (842) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report products and processes that do not fulfill specifications or requirements. The Nonconformance Report Transaction Set provides the ability for the sender to report the nonconformance at the level of detail that is required. It also provides the ability to report the specific nonconformances of a component/part while identifying the assembly as the product that is in nonconformance. The Nonconformance Report Transaction Set may be used to report, initiate, or request actions related to the nonconformance being reported. Financial and accounting information is provided for reporting purposes only. The Nonconformance Report Transaction Set has the capability to report the cause of the nonconformance and to state the proposed action to be followed to prevent a repetition of the problem.

Federal Note:

- 1. Use a single occurrence of this transaction set to transmit single complaint transaction to a single or multiple organizations.
- 2. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

DLMS Note:

- 1. This DLMS Supplement (DS) provides the DOD standard format for SDR submission. In addition, it is specifically designed to transmit complaint transactions originated in the DoD WebSDR program to the appropriate action activity and distribution copy recipients.
- 2. The reply to the SDR will be carried in the DS 842A/R.
- 3. Users operating under the Defense Logistics Management system (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the DLA Logistics Management Standards Office Web site at http://www.dla.mil/j-6/dlmso.
- 4. This transaction may be used to provide IUID (Item Unique Identification) information. Refer to the IUID web at URL: http://www.acq.osd.mil/dpap/sitemap.html for DoD policy and business rules.
- 5. This DLMS Supplement to the Federal 842A/W contains: Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.
- 6. This DLMS Supplement incorporates the Proposed DLMS Change and Approved DLMS Change (ADC) listed. PDC/ADCs are available from the DLA Logistics Management Standards Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp.
- PDC 1005, Enhanced SDR Forwarding Capability for Packaging Discrepancy SDR Distribution to DCMA
- PDC 1030, Implementation of Item Unique Identification (IUID) in the DLMS Shipment Status Supporting DoD IUID Supply Policy Procedures and Associated Supply Discrepancy Report Procedures
- PDC 1052, DOD WebSDR Interface with Electronic Document Access (EDA) System
- ADC 101, DLMS mapping for Standard SDR/DOD WebSDR Output, DS 842A/W
- ADC 114, DLMS Supplement (DS) 842A/R DOD Standard SDR Reply and Additional Data Content for the SDR Report
- ADC 128, Revisions for SDR Transaction Exchange (Formats, Codes, and UID)
- ADC 137, Revisions for SDR Transaction Exchange Supporting SA and Miscellaneous Administrative Changes
- ADC 144, SDR Transaction Exchange Business Rules
- ADC 174, Inclusion of Data Supporting UID of Items in DS 842A/W, SDR, WebSDR
- ADC 184, Redistribution Order (RDO)-based Supply Discrepancy Reports (SDRs)
- ADC 187, Revise SDR Reply Procedures for Forwarding SDRs to New Action Activity, Email Addresses, and Source of Supply (SoS)
- ADC 210, Defense Reutilization and Marketing Service (DRMS) and National Inventory Management Strategy (NIMS) Shipment Types Identified for SDR Processing under DLMS
- ADC 210B, Identification of SDR Document Type (includes NIMS and Non-DSS Receipts) This change publishes in the DS additional notes for the WebSDR field length where needed for clarification because the authorized DLMS length differs from the X12 field size and where the field length might not otherwise be published by an authoritative source.
- ADC 245, Supply Discrepancy Report (SDR) Notification to United States Air Force (USAF) for Distribution Depot (DD) Product Quality Deficiency Report (PQDR) Exhibit Receipt
- ADC 245B, Addendum to ADC Notification for Distribution Depot (DD) Product Quality Deficiency Report (PQDR) Exhibit Receipt (Supply/SDR)
- ADC 245C, Notification for Distribution Depot Product Quality Deficiency Report (PQDR) Exhibit Receipt Product Data Reporting and Evaluation Program-Automated Information System (PDREP-AIS) Interface
- ADC 282, Consolidation Containerization Points (CCP)-Originated Supply Discrepancy Reports (SDRs) including Non-compliant Wood Packaging Material (WPM)
- ADC 282A, Addendum to ADC for Consolidation Containerization Points (CCP)-Originated Supply Discrepancy Reports (SDRs) including Noncompliant Wood Packaging Material (WPM) with Cost Breakdown and New Procedures for Closing WPM and Passive RFID

004030F842A3WP32 January 23, 2013

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

- ADC 293, Revised Time Standards, Codes, and Procedures for Reporting and Processing of Supply Discrepancies
- ADC 311, SDR Attachment Interface
- ADC 317, Revised Business Rules for Transshipper-Prepared Supply Discrepancy Reports (SDRs) (Supply/SDR)
- ADC 322, Addition of Local Catalog ID qualifier to Support Requirements for Theater Enterprise-Wide Logistics System (TEWLS) Requisitions (Supply)
- ADC 334, Supply Discrepancy Report Process for AF Retail Storage Activity Denials (Supply/SDR)
- ADC 357. Revisions to DLMS SDR to Add BDN
- ADC 358, SDR Transaction Content/Business Rule Revisions/Clarification
- ADC 371, Marine Corps SDR Distribution Rules and Navy and Marine Corps SDR and Storage Quality Control Report (SQCR) Procedures and Data Content under BRAC
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- Approved Addendum ADC 381A, Procedures and Additional Data Content supporting Unit of Use Requirements under Marine Corps BRAC Storage and Distribution
- ADC 386, Revised Data Content for DLMS Inventory Adjustment and SDR Supporting Mapping Enterprise Business System (MEBS) and NGA Product Code Update
- ADC 425, Revised SDR Codes and Procedures including Incorrect Part Number Discrepancy Codes and DoD WebSDR Data Edits and Forwarding Enhancements
- ADC 435, DLMS Revisions for SFIS Compliance

Segment Name

- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 459, DLMS Transactions, Discrepancy Codes, SDR Type/Disposition Services Type Codes, and Associated Procedures to Support Supply Discrepancy Reports (SDRs) under Reutilization Business Integration (RBI)

Max Use

Repeat

Notes

Usage

- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 1022, Revised Procedures for Processing Depot Returns (including Receipt, SDR, and Proposed Revision to Time Standard for Reclassification of Supply Condition Code J and K Assets)

Rea

- ADC 1044, Enhanced Interim SDR Reply Capability, Status Update, and Completion Notification

Heading:

ld

<u>. 00</u>	<u>14</u>	oogmont Hamo	1104	Max Occ	Ropout	110100	<u>oougo</u>
0100	ST	Transaction Set Header	M	1			Must use
0200	BNR	Beginning Segment For Nonconformance Report	М	1			Must use
* 0300	REF	Reference Identification	0	>1			Not Used
* 0400	DTM	Date/Time Reference	0	>1			Not Used
* 0500	PID	Product/Item Description	0	>1			Not Used
* LOOP	<u>ID - MEA</u>				<u>>1</u>		
* 0600	MEA	Measurements	0	1			Not Used
* 0700	DTM	Date/Time Reference	0	>1			Not Used
* 0800	REF	Reference Identification	0	>1			Not Used
* LOOP	ID - PWK		,		<u>>1</u>		
* 0900	PWK	Paperwork	0	1			Not Used
* 1000	REF	Reference Identification	0	>1			Not Used
* 1100	DTM	Date/Time Reference	0	>1			Not Used
LOOP ID	<u> </u>				<u>>1</u>		
1200	N1	Name	0	1			Used
* 1300	N2	Additional Name Information	0	2			Not Used
* 1400	N3	Address Information	0	2			Not Used
* 1500	N4	Geographic Location	0	1			Not Used
* 1600	REF	Reference Identification	0	>1			Not Used
1700	PER	Administrative Communications Contact	0	>1			Used

Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
LOOP IE) - HL				<u>>1</u>	N2/0100L	

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
0100	HL	Hierarchical Level	М	1		N2/0100	Used
0200	LIN	Item Identification	0	1			Used
* 0300	PID	Product/Item Description	0	>1			Not Used
* 0400	PRS	Part Release Status	0	>1			Not Used
* 0500	CID	Characteristic/Class ID	0	>1			Not Used
0600	DTM	Date/Time Reference	0	>1			Used
0700	REF	Reference Identification	0	>1			Used
0750	CS	Contract Summary	0	1			Used
* 0800	QTY	Quantity	0	>1			Not Used
* 0900	TMD	Test Method	0	1			Not Used
* 1000	PSD	Physical Sample Description	0	1			Not Used
1020	PWK	Paperwork	0	>1			Used
LOOP ID	- <u>LM</u>				<u>>1</u>		
1040	LM	Code Source Information	0	1			Used
1050	LQ	Industry Code	М	>1			Used
* LOOP I	D - MEA				<u>>1</u>		
* 1100	MEA	Measurements	0	1			Not Used
* 1200	DTM	Date/Time Reference	0	>1			Not Used
* 1300	REF	Reference Identification	0	>1			Not Used
* LOOP I	D - FA1				<u>>1</u>		
* 1350	FA1	Type of Financial Accounting	0	1			Not Used
1000	.,	Data	Ū	•			1101 0000
* 1360	FA2	Accounting Data	М	>1			Not Used
* LOOP I	D - SPS				<u>>1</u>		
* 1400	SPS	Sampling Parameters for	0	1	_		Not Used
		Summary Statistics					
* 1500	REF	Reference Identification	0	>1			Not Used
* 1600	PSD	Physical Sample Description	0	1			Not Used
* LOOP I	D - MEA				<u>>1</u>		
* 1700	MEA	Measurements	0	1			Not Used
* 1800	DTM	Date/Time Reference	0	>1			Not Used
* 1900	REF	Reference Identification	0	>1			Not Used
LOOP ID	- STA				<u>>1</u>		
* 2000	STA	Statistics	0	1			Not Used
* 2100	DTM	Date/Time Reference	0	>1			Not Used
* 2200	REF	Reference Identification	0	>1			Not Used
LOOP ID	- NCD				<u>>1</u>		
2300	NCD	Nonconformance Description	0	1	_		Used
2400	NTE	Note/Special Instruction	0	>1			Used
2500	DTM	Date/Time Reference	0	>1			Used
2600	REF	Reference Identification	0	>1			Used
2700	QTY	Quantity	0	>1			Used
2730	AMT	Monetary Amount	0	>1			Used
* 2740	MEA	Measurements	0	>1			Not Used
* 2750	RC	Root Cause	0	>1			Not Used
* LOOP I					<u>>1</u>		
* 2760	EFI	Electronic Format Identification	0	1			Not Used
* 2770	BIN	Binary Data	М	1			Not Used
-		· ·			<u>.1</u>		
2800		Name	0	1	<u>>1</u>		Head
2800	N1	Name	U	1			Used

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
2900	N2	Additional Name Information	0	2			Used
3000	N3	Address Information	0	2			Used
3100	N4	Geographic Location	0	1			Used
* 3200	REF	Reference Identification	0	>1			Not Used
3300	PER	Administrative Communications Contact	0	>1			Used
LOOP ID	<u>- LM</u>				<u>>1</u>		
3330	LM	Code Source Information	0	1			Used
3340	LQ	Industry Code	M	>1			Used
* LOOP ID - NCA >1							
* 3400	NCA	Nonconformance Action	0	1			Not Used
* 3500	NTE	Note/Special Instruction	0	>1			Not Used
* 3600	DTM	Date/Time Reference	0	>1			Not Used
* 3700	REF	Reference Identification	0	>1			Not Used
* LOOP I	D - PWK				<u>>1</u>		
* 3800	PWK	Paperwork	0	1			Not Used
* 3900	REF	Reference Identification	0	>1			Not Used
* 4000	DTM	Date/Time Reference	0	>1			Not Used
* LOOP I	D - N1				<u>>1</u>		
* 4100	N1	Name	0	1			Not Used
* 4200	N2	Additional Name Information	0	2			Not Used
* 4300	N3	Address Information	0	2			Not Used
* 4400	N4	Geographic Location	0	1			Not Used
* 4500	REF	Reference Identification	0	>1			Not Used
* 4600	PER	Administrative Communications Contact	0	>1			Not Used
LOOP ID	- LM				<u>>1</u>		
* 4640	LM	Code Source Information	0	1			Not Used
* 4650	LQ	Industry Code	М	>1			Not Used
* LOOP I	D - FA1				<u>>1</u>		
* 4660	FA1	Type of Financial Accounting Data	0	1			Not Used
* 4670	FA2	Accounting Data	M	>1			Not Used
4700	SE	Transaction Set Trailer	М	1			Used

Notes:

2/0100L The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item - component, 2) item - product characteristic, 3) component - product characteristic, 4) report - item, 5) item - serial number, and 6) component - serial number.

2/0100 The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item - component, 2) item - product characteristic, 3) component - product characteristic, 4) report - item, 5) item - serial number, and 6) component - serial number.

ST Transaction Set Header

Pos: 0100 Max: 1 Heading - Mandatory Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use	1
		Description: Code uniquely identifying a Transaction Set					
		<u>Code</u> Name842 Nonconformance Report					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
	Federal Note: A unique number assigned by the originator of the transaction set, or the originator's application program.						
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used	1
		Description: Reference assigned to identify Implementation Convention					
		DLMS Note: Use to indicate this transmission uses the 842A Federal IC and the 842A/W DLMS Supplement. Enter the DLMS Supplement: 004030F842A0WA00					

Pos: 0200

Loop: N/A

Heading - Mandatory

Max: 1

Elements: 5

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

BNR Beginning Segment For Nonconformance Report

User Option (Usage): Must use

Purpose: To indicate the beginning of a Nonconformance Report Transaction Set

Semantics:

- 1. BNR02 is the nonconformance report identifier number.
- 2. BNR03 is the date that the nonconformance report was created.
- 3. BNR04 is the time that the nonconformance report was created.

Comments:

1. BNR05 indicates the status or intention of the nonconformance report.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
BNR01	353	Transaction Set Purpose Code	M	ID	2/2	Must use	1

Description: Code identifying purpose of

transaction set

Federal Note: Use any code.

DLMS Note: 1. For DLMS use, the following codes are authorized.

2. Cancellation, Request for Reconsideration, Follow-Up, 2nd Request for Reconsideration for FMS, and Correction (BNR01 Codes 01, 15, 45, 50, and CO, respectively) require point of contact information, action date, and narrative comments. Cancellation, Correction, Follow-up and Requests For Reconsideration must perpetuate data from the original SDR with updates as applicable. SDR transactions identified by these transaction types require an original SDR to be recorded in DoD WebSDR and the recipient's SDR system for successful processing.

Code Name

00 Original

DLMS Note:

- 1. Use to identify a new submission.
- 2. Transaction Set Purpose Code 00 is also used on WebSDR-forwarded SDRs where the original SDR was directed to the wrong action activity (associated with disposition/status reply code 504). It will appear as a new SDR to the new action activity, but will include identification of the forwarding activity and date forwarded (Qualifier 514).
- 01 Cancellation
- 15 Re-Submission

DLMS Note:

Use to request reconsideration on a SDR resolution/disposition (SDR must contain additional information/justification). Use only after having received a reply from the action activity.

22 Information Copy

DLMS Note:

Use to indicate SDR is information copy dissemination to non-action activities. (Use of this code is not comparable to SDR Action Code 1H which informs the action activity that the SDR is provided for

Code Name

information only).

28 Query

DLMS Note:

- 1. Use to indicate a follow-up SDR for status on an open SDR. Use only after interim status has been received. Requires point of contact information and action date. Do not perpetuate data contents from previous submission. This type of follow-up may not be treated as an original SDR because original unchanged data content is not perpetuated.
- 2. Reserved not currently available.
- This is a DLMS enhancement for future implementation and requires coordination prior to use.
- 45 Follow-up
- 47 Transfer

DLMS Note:

- Use to indicate SDR is forwarded by action activity to a secondary action activity.
- 2. DoD WebSDR uses to disseminate an SDR transferred/forwarded to a secondary action activity based upon designated reply codes. Refer to PDC 1005.
- 49 Original - No Response Necessary

DLMS Note:

- 1. Use to indicate SDR is forwarded for update to historical records only. DAAS is intended recipient. When used, the SDR will be recorded in the WebSDR/DAAS data base, but no outgoing transaction will be created. All data content must be provided as comparable to that of non-historical SDRs.
- 2. When Transaction Set Purpose Code 49 is used, the associated date of the SDR action and the Point of Contact (POC) must be specifically identified to the type of action being performed (e.g., cancellation date using Qualifier 177, or follow-up POC using Qualifier SM).
- 3. (not authorized for other purposes)
- 50 Register

DLMS Note:

FMS customers use to contest the U.S. Government decision subsequent to reconsideration request.

CO Corrected

DLMS Note:

Description: Date expressed as

two digits of the calendar year

CCYYMMDD where CC represents the first

Document Number and Suffix may not be modified from the original submission. If these were identified in error the SDR must be cancelled and resubmitted.

Reference Identification BNR02 127 M AN 1/50 Must use 1 **Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DLMS Note: 1. Enter "U" to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use. This applies when the materiel identification is by Local Stock Number assigned for unit of use. This is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 371. 2. When not used for Unit of Use Indicator. must enter Z to satisfy ANSI syntax. BNR03 373 DT 8/8

004030F842A3WP32 7 January 23, 2013

Μ

Must use

1

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Ref	<u>ld</u>	Element Name Federal Note: This date corresponds to the Universal Time Coordinate (UTC).	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
BNR04	337	Time	0	TM	4/8	Must use	1
		Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) Federal Note: 1. Express the originating activity's time in Universal Time Coordinate (UTC).					
		2. Express time in a four-position (HHMM) format.					
BNR06	640	Transaction Type Code	0	ID	2/2	Used	1
		Description: Code specifying the type of transaction					
		Code Name					

Code Name

C1 Claim Information

DLMS Note:

Use to indicate transaction reflects a DoD WebSDR prepared standard SDR transaction.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

N1 Name

Pos: 1200 Max: 1 Heading - Optional Loop: N1 Elements: 5

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. P0304 If either N103 or N104 is present, then the other is required.
- 2. R0203 At least one of N102 or N103 is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

Federal Note:

Must use to identify the organizations sending and receiving the transaction set.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use	1

Description: Code identifying an organizational entity, a physical location,

property or an individual

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

41 Submitter

DLMS Note:

Use to identify the DoDAAC of organization submitting the SDR transaction. (The customer will be identified as the submitter unless using N101 Code Z6 or ZS.)

GP Gateway Provider

DLMS Note:

- 1. Use on DoD WebSDR transaction to identify the DAASC as the originator.
- 2. For SDRs generated outside the DoD WebSDR, may be used to identify DAAS as the receiver, when the action activity is not known and distribution under SDR business rules is required.
- PK Party to Receive Copy

DLMS Note:

Use to identify the organization to receive a distribution copy of the SDR.

Z6 Transferring Party

DLMS Note:

Use with BNR01 Code 47 to indicate the routing identifier of the action activity forwarding the SDR. (Identify the customer at 2/N101/2800 Code LW.)

ZD Party to Receive Reports

DLMS Note:

Use to identify the organization to receive action copy of the SDR.

ZS Monitoring Party

DLMS Note:

Use to identify the (DoDAAC) of the International Logistics Control Office (ILCO). (Identify the customer at 2/N101/2800 Code LW.)

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N102	93	Name	Χ	AN	1/60	Used	1
		Description: Free-form name					
N103	66	Identification Code Qualifier	Х	ID	1/2	Used	1
		Description: Code designating the system/method of code structure used for Identification Code (67)					
		Code Name					
		10 Department of Defense Activity Add	ress Code ((DODAAC)			
		DLMS Note:					
		1. Used for the customer DoDAAC).				
		2. May be used for identification of rules for the DoD WebSDR interface		∕ities in acc	cordance with Com	nponent SDR applic	cation
		M4 Department of Defense Routing Idea	ntifier Code	(RIC)			
N104	67	Identification Code	X	AN	2/80	Used	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Used	1

Code Name

FR Message From

property or an individual

Federal Note:

Description: Code identifying an organizational entity, a physical location,

Use to indicate the organization cited above is originating the transaction set.

TO Message To

Federal Note:

Use to indicate the organization cited above is receiving the transaction set.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

PER Administrative Communications Contact

Pos: 1700 Max: >1 Heading - Optional Loop: N1 Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

Use a second repetition if needed to identify additional communication numbers. Must provide email address and at least one phone number.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PER01	366	Contact Function Code	М	ID	2/2	Must use	1

Description: Code identifying the major duty or responsibility of the person or group named

Code Name

CB Changed By

DLMS Note:

Use to identify the preparing official's information as associated with modified SDR.

CZ Claim Recipient

DLMS Note:

Use to identify the recipient of the SDR report or follow-on action transmitted by email. WebSDR will make email distribution of the SDR transaction to any party identified as a claim recipient. If both qualifiers CZ and ES are used, CZ will be considered the primary recipient and ES will be considered the alternate/backup recipient. (May be used with any 1/N101 addressee.) Refer to ADC 187 and ADC 459.

ES Electronic Submission Recipient

DLMS Note:

Use to identify the recipient of the SDR report or follow-on action transmitted by email. WebSDR will make email distribution of the SDR transaction to any party identified as an electronic submission recipient. If both qualifiers CZ and ES are used, CZ will be considered the primary recipient and ES will be considered the alternate/backup recipient. (May be used with any 1/N101 addressee.) Refer to ADC 187.

FC Forwarder Contact

DLMS Note:

Use to identify a point of contact at the action activity forwarding the SDR.

PI Preparer

DLMS Note:

Use to identify the preparing official's information as associated with cancelled SDR. An ANSI data maintenance request has been prepared to request a new data element 1270 code qualifier.

PU Report Preparer

DLMS Note:

Use to identify the preparing official's information as associated with a new SDR submission.

RQ Requestor

DLMS Note:

Use to identify preparing official's information as associated with a contested SDR (ILCO POC for contested SDR or request for reconsideration is identified using Qualifier SE).

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

	Code	Name
--	------	------

SE Service Organization

DLMS Note:

Use to identify the ILCO POC.

A data maintenance action was approved in version 5030. The approved code/name is "IL - International Logistics Control Office Point of Contact".

Used

Used

1

SM Submitting Contact

DLMS Note:

Use to identify submitting contact as associated with an SDR followup.

PER02 93 Name O AN 1/60 Used 1

Description: Free-form name

DLMS Note: WebSDR field length = 25

PER03 365 Communication Number Qualifier X ID 2/2

Description: Code identifying the type of communication number

Code Name

AU Defense Switched Network

DLMS Note:

For AU: WebSDR field length = 8

EM Electronic Mail

DLMS Note:

For EM: WebSDR field length = 50

FX Facsimile

DLMS Note:

- 1. Use to identify the commercial FAX number.
- 2. For FX: WebSDR field length = 16
- TE Telephone

DLMS Note:

- 1. Use to identify the commercial number.
- 2. For TE: WebSDR field length = 16
- WF Work Facsimile Number

DLMS Note:

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

PER04 364 Communication Number X AN 1/256 Used 1

Description: Complete communications number including country or area code when applicable

Χ

ID

2/2

PER05 365 Communication Number Qualifier

Description: Code identifying the type of communication number

DLMS Note: Use to identify an alternate communications number which can be used to contact the specified point of contact.

Code Name

AU Defense Switched Network

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

DLMS Note:

For AU: WebSDR field length = 8

EM Electronic Mail

DLMS Note:

For EM: WebSDR field length = 50

FX Facsimile

DLMS Note:

- 1. Use to identify the commercial FAX number.
- 2. For FX: WebSDR field length = 16
- TE Telephone

DLMS Note:

- 1. Use to identify the commercial number.
- 2. For TE: WebSDR field length = 16
- WF Work Facsimile Number

DLMS Note:

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

PER06	364	Communication Number	Х	AN	1/256	Usea	1
		Description: Complete communications					

number including country or area code when applicable

when applicable

PER07 365 Communication Number Qualifier X ID 2/2 Used 1

Description: Code identifying the type of communication number

Code Name

AU Defense Switched Network

DLMS Note:

For AU: WebSDR field length = 8

EM Electronic Mail

DLMS Note:

For EM: WebSDR field length = 50

FX Facsimile

DLMS Note:

- 1. Use to identify the commercial FAX number.
- 2. For FX: WebSDR field length = 16
- TE Telephone

DLMS Note:

- 1. Use to identify the commercial number.
- 2. For TE: WebSDR field length = 16
- WF Work Facsimile Number

DLMS Note:

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

PER08 364 Communication Number X AN 1/256 Used 1

Description: Complete communications

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

<u>Ref</u>	<u>ld</u>	Element Name number including country or area code when applicable	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PER09	443	Contact Inquiry Reference	0	AN	1/20	Used	1
		Description: Additional reference number or description to clarify a contact number					
		Federal Note: Use as needed to identify the office symbol or activity code for the party identified.					
		DLMS Note: Also may reflect position title of the point of contact.					

HL Hierarchical Level

Pos: 0100 Max: 1

Detail - Mandatory

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use	1
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure					
		DLMS Note: Cite numeric 1 to satisfy ANSI syntax requirement.					
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use	1

Description: Code defining the characteristic of a level in a hierarchical structure

Code Name

Item

DLMS Note:

Use to identify IUID data consistent with IUID data requirements. The IUID data is carried in the REF and N1 segments; the NCD segment is required by ANSI syntax; and no other segments are used in the IUID loop. Use a separate IUID loop for each item. Skip this level when not applicable. The UII value and some of the associated data elements are DLMS enhancements. These elements may not be received or understood by the recipient's automated processing system.

RP Report

DLMS Note:

Use in all transactions to satisfy ANSI syntax requirement.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

LIN Item Identification

Pos: 0200 Max: 1

Detail - Optional

Loop: HL Elements: 8

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Element Summary:

		=						
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LIN02	235	Produ	uct/Service ID Qualifier	M	ID	2/2	Must use	1
		type/s in Pro	ription: Code identifying the ource of the descriptive number used duct/Service ID (234)					
			ral Note: Use for materiel fication.					
		<u>Code</u>	<u>Name</u>					
		А3	Locally Assigned Control Number					
			DLMS Note:					

- Defense Medical Logistics Standard Support (DMLSS)/Theater Enterprise-Wide Logistics System (TEWLS) use to cite the Local Catalog Identification.
- 2. DLMS enhancement; see introductory DLMS Note 3a. Refer to ADC 322.
- 3. Under DLMS, field length is restricted to a maximum of 30 positions.

FS National Stock Number

DLMS Note:

- 1. Use to identify the NSN for the materiel.
- 2. For FS: WebSDR field length = 13.

MG Manufacturer's Part Number

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

- 1. Use to identify the part number for the item.
- 2. For MG: WebSDR field length = 32.

SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. When used for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.
- 3. When used for a unit of use LSN applicable to part numbered items, the original part-numbered item LSN will also be included for cross-reference.
- 4. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381/Approved Addendum 381A.

ZZ Mutually Defined

DLMS Note:

- 1. Use to identify materiel by other than NSN or part number (includes management control number or locally assigned materiel identification control numbers).
- 2. Discrepancies reported by transshippers may use "UNKNOWN" or "MIXED" when specific materiel identification is not available or the shipment level SDR applies to mixed content.
- 3. For ZZ: WebSDR field length = 15.

LIN03	234	Product/Service ID	M	AN	1/48	Must use	1
		Description: Identifying number for a product or service					
LIN04	235	Product/Service ID Qualifier	Χ	ID	2/2	Used	1

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Federal Note: Use to further identify an item. Use multiple Product/Service ID pairs as needed.

DLMS Note: The sequence of data content for secondary materiel identification is dependent upon the applicable primary materiel identification. The referred sequence of secondary information is: end item description or next higher assembly (applicable only to SA product quality) part number; manufacturer's CAGE; nomenclature. However, part number, manufacturer's CAGE, and nomenclature may be cited in any order without causing transaction failure.

Code Name

CN Commodity Name

DLMS Note:

- 1. Use to identify the nomenclature associated with the item identified.
- 2. For CN: WebSDR field length = 25.
- F7 End-Item Description

- 1. Use to identify the end item associated with the Security Assistance (SA) product quality deficient materiel.
- 2. For F7: WebSDR field length = 32

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

F8 Next Higher Used Assembly

DLMS Note:

- 1. Use to identify the next higher assembly associated with the Security Assistance (SA) product quality deficient material.
- 2. For F8: WebSDR field length = 50
- FS National Stock Number

DLMS Note:

- 1. Use to identify the NSN.
- 2. The NSN is provided as a cross-reference when unit of use indicator is included and the Local Stock Number (LSN) is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- MG Manufacturer's Part Number

DLMS Note:

- 1. Use to identify the part number when primary materiel identification is previously identified.
- 2. For MG: WebSDR field length = 32.
- SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. The LSN is provided as a cross-reference when unit of use indicator is included and the unit of use LSN is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use to identify manufacturer associated with a previously identified part number.

ZZ Mutually Defined

DLMS Note:

Use to identify material by an unspecified stock number. This field is used administratively by DoD WebSDR when the originating system or original order contained material identification that does not meet standard edits for a valid NSN.

LIN05 234	234	Product/Service ID	Χ	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN06	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1

Description: Code identifying the

type/source of the descriptive number used

in Product/Service ID (234)

DLMS Note: The sequence of data content for secondary materiel identification is dependent upon the applicable primary materiel identification. The referred sequence of secondary information is: end item description or next higher assembly (applicable only to SA product quality) part number; manufacturer's CAGE; nomenclature. However, part number, manufacturer's CAGE, and nomenclature may be cited in any order without causing transaction failure.

Code Name

CN Commodity Name

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

- 1. Use to identify the nomenclature associated with the item identified.
- 2. For CN: WebSDR field length = 25.
- MG Manufacturer's Part Number

DLMS Note:

- Use to identify the part number when primary materiel identification is previously identified.
- 2. For MG: WebSDR field length = 32.
- ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use to identify manufacturer associated with a previously identified part number.

LIN07 234 Product/Service ID X AN 1/48 Used 1

Description: Identifying number for a product or service

LIN08 235 Product/Service ID Qualifier X ID 2/2 Used 1

Description: Code identifying the type/source of the descriptive number used

in Product/Service ID (234)

DLMS Note: The sequence of data content for secondary materiel identification is dependent upon the applicable primary materiel identification. The referred sequence of secondary information is: end item description or next higher assembly (applicable only to SA product quality) part number; manufacturer's CAGE; nomenclature. However, part number, manufacturer's CAGE, and nomenclature may be cited in any order without causing transaction failure.

Code Name

CN Commodity Name

DLMS Note:

- 1. Use to identify the nomenclature associated with the item identified.
- 2. For CN: WebSDR field length = 25.
- MG Manufacturer's Part Number

DLMS Note:

- 1. Use to identify the part number when primary material identification is previously identified.
- 2. For MG: WebSDR field length = 32.
- ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use to identify manufacturer associated with a previously identified part number.

LIN09 234 Product/Service ID X AN 1/48 Used 1

Description: Identifying number for a

product or service

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

DTM Date/Time Reference

Pos: 0600 Max: >1
Detail - Optional
Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. C0403 If DTM04 is present, then DTM03 is required.
- 2. P0506 If either DTM05 or DTM06 is present, then the other is required.
- 3. R020305 At least one of DTM02, DTM03 or DTM05 is required.

Federal Note:

Use multiple repetitions as needed to identify dates associated with the complaint.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1
		Description: Code specifying type of date or time, or both date and time Federal Note: Use any code.					

DLMS Note: For DLMS use, the following codes are authorized.

Code Name 003 Invoice

DLMS Note:

Use to identify the date of the invoice for billing/financial discrepancies.

007 Effective

DLMS Note:

Use for receipt of mapping products to identify the map effective date. Authorized DLMS enhancement.

043 Publication

DLMS Note:

Use for receipt of mapping products to identify the map edition date. Authorized DLMS enhancement.

094 Manufacture

DLMS Note:

Use to identify the date of manufacture for expired shelf-life discrepancies.

119 Test Performed

DLMS Note:

Use to identify the test date for Type II (extendible) expired shelf-life discrepancies.

177 Cancellation

DLMS Note:

Use to identify the date of the customer's request to cancel a previously submitted SDR.

328 Changed

DLMS Note:

Use to identify the date of the customer's request to change a previously submitted SDR.

510 Date Packed

DLMS Note:

Use to identify the date the materiel was packed for expired shelf-life discrepancies.

511 Shelf Life Expiration

DLMS Note:

Use to identify the expiration date for Type 1 (non-extendible) expired shelf-life discrepancies.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

513 Overhauled

DLMS Note:

Use to identify the overhaul/rebuilt date for product quality deficiencies.

514 Transferred

DLMS Note:

Use on forwarded SDRs to identify the date the SDR was forwarded to a new or secondary action party by the action party designated on the original submission.

516 Discovered

DLMS Note:

Use to identify the date a product quality deficiency was discovered.

517 Inspected

DLMS Note:

Use to identify the date inspected for Type II (extendible) expired shelf-life discrepancies.

868 Last Follow-up

DLMS Note:

Use to identify the date of the customer's follow-up for status of a previously submitted SDR.

881 Request

DLMS Note:

Use to identify the date of the customer's request for reconsideration.

909 Contestability

DLMS Note:

Use to identify the date on which the FMS customer contested the action activities response to an SDR subsequent to a reconsideration request.

947 Preparation

DLMS Note:

Use to identify the customer's preparation date of the SDR.

DTM02 373 **Date** X DT 8/8 Must use

Description: Date expressed as

CCYYMMDD where CC represents the first

two digits of the calendar year

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

REF Reference Identification

Pos: 0700 Max: >1

Detail - Optional

Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Federal Note:

Must use to identify the requisition document number. Use multiple repetitions as needed to identify additional reference numbers associated with a complaint.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	Min/Max	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the					

Reference Identification

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

08 Carrier Assigned Package Identification Number

DLMS Note:

For 08: WebSDR field length = 17

17 Client Reporting Category

DLMS Note:

- 1. Use to identify SA product quality deficiencies as either Category I or II.
- 2. Enter value as "I" or "II" when applicable.
- 6E Map Reference

DLMS Note:

- 1. Use for receipt of mapping products to identify the National Geospatial-Intelligence Agency (NGA) Reference Number (NRN). Authorized DLMS enhancement.
- 2. For 6E: WebSDR field length = 15.
- 6G Map Number

DLMS Note:

- Use for receipt of mapping products to identify the map edition number. Authorized DLMS enhancement.
- 2. For 6G: WebSDR field length = 3.
- 86 Operation Number

DLMS Note:

- 1. Use to identify the Key Operation (KO) Number associated with the JO.
- 2. Authorized DLMS enhancement for industrial activity support. Refer to ADC 371.
- 87 Functional Category

DLMS Note:

Use to identify the type of SDR. Select one of the following: S (Shipping/Item), P (Packaging), or D (Dual Action).

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

9R Job Order Number

DLMS Note:

- 1. Use to identify Job Order (JO) Number.
- 2. Authorized DLMS enhancement for industrial activity support. Refer to ADC 371.
- BL Government Bill of Lading

DLMS Note:

For BL: WebSDR field length = 17

BM Bill of Lading Number

DLMS Note:

- 1. Use to identify the shipment unit commercial bill of lading number.
- 2. For BM: WebSDR field length = 17
- BY Repair Category Number

DLMS Note:

- Use to identify SA product quality deficient item as new or repaired/overhauled (N=New, R=Repaired/Overhauled).
- 2. Enter "N" for new, or "R" for repaired/overhauled.
- F8 Original Reference Number

DLMS Note:

- 1. Use to identify the SDR Customer Reference Number when provided separately. Component SDR applications maintain this number and perpetuate to outgoing transactions.
- 2. May be used when a manually assigned reference number is to be retained as a cross-reference to a system assigned number.
- 3. Used for FMS SDRs to ensure visibility of the ILCO assigned control number within Component SDR applications.
- 4. Use to identify the Air Force maintenance document number/suffix associated with an SDR resulting from depot denial under DLA/AF industrial activity support agreement. The number is constructed with the M-series maintenance site identifier in the first six positions of the document number. Refer to ADC 334.
- 5. Use to identify the Navy maintenance document number/suffix associated with an SDR resulting from DLA stock positioning/procurement action/requisitioning from another Component source of supply. The Navy document number/suffix (normally applicable to the requisition alert) will be perpetuated from the Prepositioned Materiel Receipt Document (PMRD) provided by DLA under DLA/Navy industrial activity support agreement. Refer to ADC 371.
- 6. For F8: WebSDR maximum field length = 18.
- GO Exhibit Identifier

DLMS Note:

- 1. Use to identify the Deficiency Report Unique Identifier (DRUI) assigned to the PQDR exhibit for USAF in conjunction with discrepancy code Q11. Refer to ADC 245C.
- 2. For GO: WebSDR field Length = min 6; max 7
- IK Invoice Number

DLMS Note:

For IK: WebSDR field length = 15

IZ Insured Parcel Post Number

DLMS Note:

For IZ: WebSDR field length = 17

K2 Certified Mail Number

DLMS Note:

For K2: WebSDR field length = 17

K3 Registered Mail Number

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

DLMS Note:

For K3: WebSDR field length = 17

KL Contract Reference

DLMS Note:

- 1. Storage activities use to provide a Contract Reference when reporting non-procurement materiel receipts in a suspended condition. Cite "NONE" when unavailable.
- 2. Enter the contract number retained on the packaging/labeling from the original shipment of the materiel by the vendor. Do not enter the contract number applicable to the physical shipment. The contract number applicable to new procurement receipts or direct vendor deliveries is carried at 2/CS01/0750. Refer to ADC 484.
- NN Nonconformance Report Number

DLMS Note:

- 1. Use to identify the originator's SDR report control number. This will be the originator's system assigned number. Identify the originating system in REF03 (see REF03 for values).
- 2. If the SDR was originated using the DoD WebSDR, this will be the web-generated control number. A WebSDR control number will also be assigned to transactions during processing. WebSDR transaction processing will repeat the REF segment to include each previously identified SDR report control number on the outgoing transaction.
- 3. For NN: WebSDR maximum field length = 20 (actual length for originating applications will differ)
- PO Purchase Order Number

DLMS Note:

For PO: WebSDR field length = 13

QR Quality Report Number

DLMS Note:

- 1. Use to identify the PQDR Report Control Number (RCN) for cross reference to the PQDR exhibit when the discrepancy code is Q11. Refer to ADC 245C.
- 2. For QR: WebSDR field length =15
- S2 Data Source

DLMS Note:

1. Use on SA SDR to identify Portal Submission Indicator indicating the activity submitting SDRs as authorized by SA customers, e.g., SA Customer Submission, STARR PC Submission, ILCO Submission (mailed copy submissions), Freight Forwarder Submission - as authorized by SA customer or Other Activity as authorized by SA customer. If other, use REF03 to provide an explanation.

A data maintenance action was approved in version 5020. The approved code/name is "PSC Portal Submission Code".

- 2. For S2: WebSDR field length = 50
- SI Shipper's Identifying Number for Shipment (SID)

DLMS Note:

For SI: WebSDR field length = 17

TG Transportation Control Number (TCN)

DLMS Note:

For TG: WebSDR field length = 17

TN Transaction Reference Number

- 1. Use to indicate the requisition document number. This entry is required in DoD WebSDR.
- 2. The document number cited on SDRs prepared by the Distribution Depot for new procurement receipts (document type 9) and by the CCP (document type W), will be assigned for this purpose based upon the current date and the DoDAAC of the receiving depot or CCP.
- 3. For TN: WebSDR field length = 14
- W4 Procurement Request Number

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

DLMS Note:

- 1. Use to identify the purchase request number.
- 2. For W4: WebSDR field length = 13
- WO Work Order Number

DLMS Note:

- 1. Use to identify the Build Directive Number (BDN) for medical/surgical or other component assembly/kit.
- 2. For future consideration, a data maintenance action was approved in X12 version 5010. The approved code/name is "BDN Build Directive Number."
- XY Other Unlisted Type of Reference Number

DLMS Note:

- 1. Use to identify other unlisted type of transportation number.
- 2. For XY: WebSDR field length = 17
- PGD Downstream Package Identifier

DLMS Note:

Code Name

Storage activities must use to indicate original unopened packaging (yes/no) when reporting non-procurement material receipts in a suspended condition. Enter Y or N as applicable. Refer to ADC 484.

		тот.					
REF02	127	Reference Identification	Χ	AN	1/50	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF03	352	Description	Χ	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content DLMS Note: Use to identify the generating-system associated with the SDR report control number identified in the REF01, e.g., • WEBSDR (must use if assigned) • ISDR & ADRS (Distribution Depot applications) • BSM (indicates DLA EBS), • AEPS (Army), • NSDRS or PDREP (Navy applications) • D035K & ESS (AF applications) • ILCO (Security Assistance application, currently AFSAC only).					
REF04	C040	Reference Identifier	0	Comp		Used	1
		Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier DLMS Note: Use multiple Reference					
		Identification pairs as needed.					
REF04-01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification					
		O. L. Maria					

Disposal Turn-In Document Number

Code Name

DLMS Note:

- 1. Use in conjunction with the controlling document number for the transaction cited in REF01 code TN.
- 2. The DTID number is used by DLA Disposition Services as a unique number to identify property that was turned into a DLA Disposition Service Field Office. The value of the DTID may be the original turn-in document number or may be a unique control number (UCN) assigned by the Field Office during receipt processing when the original DTID number is not adequate to uniquely identify the property. Applicable on the SDR for intra-DLA use when the controlling document number for the shipment is not the DTID used for tracking the property. Refer to ADC 459.
- 3. When there is no Suffix Code (REF04 Code W8), associated with the controlling Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04. DLMS enhancement, see ADC 466.

W8 Suffix

DLMS Note:

- 1. When citing the requisition number (using Transaction Reference Number, Code TN), use to identify the document number suffix if one is provided.
- 2. For W8: WebSDR field length = 1

PSM Credit Card

DLMS Note:

Only send this value when citing the requisition number (using Transaction Reference Number, Code TN) and enter a "Y" indicator to indicate payment by either Government purchase card or commercial credit card.

URL Uniform Resource Locator

DLMS Note:

Only send this value when citing the requisition number (using Transaction Reference Number, Code TN) and enter a "Y" indicator to identify the order was originated in the DoD EMALL program.

REF04-02 127 Reference Identification AN 1/50 Must use **Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier REF04-03 128 Reference Identification Qualifier Χ ID 2/3 Used

Description: Code qualifying the Reference Identification

Code Name

60 Account Suffix Code

DLMS Note:

- 1. Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Number Suffix Code, when applicable.
- 2. When the DTID Number is provided in REF04-02, enter the correlating DTID Suffix using this location. DLMS enhancement, see ADC 466.

W1 Disposal Turn-In Document Number

DLMS Note:

- 1. Use in conjunction with the controlling document number (REF01 Code TN) to identify the applicable DTID Number. Applicable on the SDR for intra-DLA use when the controlling document number for the shipment is not the DTID used for tracking the property.
- 2. When there is no Suffix Code (REF04 Code W8), associated with the controlling Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04. DLMS enhancement, see ADC 466.

REF04-04 127 Reference Identification X AN 1/50 Used 1

Description: Reference information as defined for a particular Transaction Set or

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Ref	<u>ld</u>	Element Name as specified by the Reference Identificat Qualifier	Req tion	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
REF04-05	128	Reference Identification Qualifier	X	ID	2/3	Used	1
		Description: Code qualifying the Reference Identification					
		Code Name					
		60 Account Suffix Code					
		DLMS Note:					
		 Use in conjunction with the D Code, when applicable. When the DTID Number is particular. 	·		·		
		location. DLMS enhancement,		,	3	3	
REF04-06	127	Reference Identification	X	AN	1/50	Used	1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

CS Contract Summary

Pos: 0750 Max: 1

Detail - Optional

Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To provide information about a contract

Syntax Rules:

1. P0405 - If either CS04 or CS05 is present, then the other is required.

Semantics:

- 1. CS09 is the permissible overage as a percentage of the total contract line item number (CLIN) quantity.
- 2. CS10 is the permissible shortage as a percentage of the total contract line item number (CLIN) quantity.
- 3. CS11 is the permissible overage dollar value specified by the contract above which discrepancy action is taken.
- 4. CS14 is the Unit of Measure stipulated in the contract.
- 5. CS15 is the contract line item number (CLIN) unit price specified in the contract.
- 6. CS17 conveys the Critical Application Indicator. A "Y" indicates that a Critical Application Indicator is specified in the contract; an "N" indicates that no Critical Application Indicator is specified in the contract.
- 7. CS18 conveys the Special Requirements Indicator. A "Y" indicates that a Special Requirements Indicator (requiring special testing and or evaluation) is specified in the contract; an "N" indicates that no Special Requirements Indicator is specified in the contract.

Comments:

- 1. CS04 may be used to identify the Contract Line Item Number (CLIN) or Extended (or Exhibit) Line Item Number (ELIN).
- 2. CS07 and CS13 can be used to indicate two different types of special services required.

as specified by the Reference Identification

Qualifier

Element Summary:

Ref CS01	<u>ld</u> 367	Element Name Contract Number	<u>Req</u> O	<u>Type</u> AN	Min/Max 1/30	<u>Usage</u> Used	<u>Rep</u> 1
0001	001	Description: Contract number	Ü	7.114	1700	0000	·
CS03	328	Release Number	0	AN	1/30	Used	1
		Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction DLMS Note: Use to identify the call or order number if applicable.					
CS04	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification	X	ID	2/3	Used	1
		Code Name					
		C7 Contract Line Item Number					
		DLMS Note: Use as needed to identify the CLIN of	or the CLI	IN including	the SUBCLIN, a	s appropriate.	
CS05	127	Reference Identification	Χ	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or					

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

PWK **Paperwork**

Pos: 1020 Max: >1 **Detail - Optional** Loop: HL Elements: 3

User Option (Usage): Used

Purpose: To identify the type or transmission or both of paperwork or supporting information

Syntax Rules:

1. P0506 - If either PWK05 or PWK06 is present, then the other is required.

Comments:

- 1. PWK05 and PWK06 may be used to identify the addressee by a code number.
- 2. PWK07 may be used to indicate special information to be shown on the specified report.
- 3. PWK08 may be used to indicate action pertaining to a report.

DLMS Note:

PWK07

352

Description

Use a separate PWK segment for each attachment identified by filename. Repeat up to five times.

with the original report.

Description: A free-form description to

ΕI

Ref	<u>ld</u>	Element Name	Req	Type	Min/Max	<u>Usage</u>	Rep
PWK01	755	Report Type Code	M	ID	2/2	Must use	1
		Description: Code indicating the title or contents of a document, report or supporting item					
		Federal Note: Use any code.					
		DLMS Note: For DLMS use, the following codes are authorized.					
		Code Name AE Attachment					
		DLMS Note:					
		 Use to indicate that supporting images or files and is available fo Use with Code FT (PWK02) w 	r download 1	rom the Do	D WebSDR.	·	
		the interfacing application.					
		R6 Miscellaneous Information					
		DLMS Note:		. ,			
		Use to indicate that additional info	ormation is b	eing submi	tted to the action a	activity off-line.	
PWK02	756	Report Transmission Code	0	ID	1/2	Used	1
		Description: Code defining timing, transmission method or format by which reports are to be sent					
		<u>Code</u> <u>Name</u> FT File Transfer					
		DLMS Note:					
		1. Use to indicate attachment is b	eing sent ele	ectronically	in a separate tran	nsmission.	
		2. Up to five attachments may be	J	·			
		2. Op to live attachments may be	sont per trai	isaction.			
		3. Information copies generated b	y WebSDR/	DAAS (BNI	R01=22) will carry	the attachments as	sociated

0

AN

1/80

Used

1

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Ref Id Element Name
clarify the related data elements and their content

DLMS Note: 1. Use to indicate the SDR
Attachment File Name being sent electronically in a separate transmission.
Refer to ADC 311.

2. WebSDR field length = 50.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

LM Code Source Information

Pos: 1040 Max: 1

Detail - Optional

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Use to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					

CodeNameDFDepartment of Defense (DoD)

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

LQ Industry Code

Pos: 1050 Max: >1

Detail - Mandatory

Loop: LM Elements: 2

User Option (Usage): Used

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use	1

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

D Court Document Type Code

DLMS Note:

- 1. Must use to identify the Discrepancy Report Document Type Code to identify the type of discrepancy report and type of shipment involved. This data element is required for the DoD WebSDR interface.
- 2. Valid entries are for SDR types are:
- 6 Customer originated, direct vendor/contractor delivery:

This type is used primarily for shipment of requisitioned material sourced by the item manger by contracted vendor shipment rather than from stock.

• 7 - Customer originated, depot/lateral shipment/other:

This type is used primarily for shipment of requisitioned material sourced by the item manager from stock; may be used for other customer SDRs.

- V Customer originated, lateral shipment under TAV: This type is used exclusively for customer reported discrepancies resulting from item manager directed lateral redistribution (initiated via MILSTRIP DIC Code A4_ with Distribution Code 2 or 3).
- 8 Depot originated, depot receipt from non-procurement source other than RDO
- A Storage site receipt, customer return/other (Note: Comparable to Type 8, but originated outside DSS; requires authorization prior to use.)
- 9 Depot originated procurement source receipt
- D DLA Distribution Field Office originated (Note: Used in conjunction with Disposition Services SDR Type Code to further distinguish the type of shipment scenario involved.)
- P Storage site receipt procurement source receipt (Note: Comparable to Type 9, but originated outside DSS; requires authorization prior to use.)
- R Depot originated, redistribution order receipt
- N Storage site receipt, depot shipment (RDO) (Note: Comparable to Type R, but originated outside DSS; requires authorization prior to use.
- W Transshipper originated SDR: This type is used exclusively by ports and CCPs for discrepancies discovered while materiel is intransit. Because this type of SDR may apply to a shipment unit (rather than a single document number), data element requirements different significantly from other SDR types.
- 3. For future consideration, a data maintenance action was approved in version 5030. The approved code/name is "TDC Discrepancy Report Type Code".
- 40 Type Pack Code

- 1. Use to identify the DoD Type of Pack Code. May be provided when reporting packaging discrepancies. Required for CCP-originated discrepancies.
- 2. For 40: WebSDR field Length = 2
- 83 Supply Condition Code

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

DLMS Note:

Use to identify the condition of the materiel as intended for shipment. Applicable to condition code discrepancies where the condition upon receipt is later specified.

85 Country and Activity Code

DLMS Note:

- 1. Use to identify the Security Cooperation Customer Code.
- 2. For 85: WebSDR field length = 2
- 99 Purpose Code
- A4 Case Designator Number

DLMS Note:

Must use in SA SDRs to identify the FMS case number.

A9 Supplemental Data

DLMS Note:

- 1. Use to identify supplemental address/data.
- During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions.
- 3. For A9: WebSDR field length = 6
- DE Signal Code
- DG Fund Code
- EQ Controlled Inventory Item Code
- FD Demilitarization Code
- GQ Group Qualifier Code

DLMS Note:

Use to identify the Material Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

HB Discrepancy Advice Code

DLMS Note:

Use to identify the SDR Action Code indicating the initiator's requested action.

ST Special Marketing Type Code

DLMS Note:

- 1. Use to identify the DLA Disposition Services SDR Type Code used to identify the type of discrepant report and type of shipment involved.
- 2. For SDRs prepared via DoD WebSDR for Recycling Control Point (RCP) receipts, this data element is used in conjunction with SDR Document Type Code 7:
 - D DLA Disposition Services Donated Materiel
 - R DLA Disposition Services Reutilization
 - F DLA Disposition Services Transferred Materiel
 - S DLA Disposition Services Sale
 - O Other DLA Disposition Services Shipment
- 3. For SDRs prepared via Distribution Standard System for DLA Disposition Field Office receipts, this data element is used in conjunction with SDR Document Type Code D.
 - T DLA Disposition Services Field Office Turn-in
 - E DLA Disposition Services Field Office Redistribution
 - B Distribution Depot shipment to a DLA Disposition Services Field Office
- 4. Refer to ADC 210 and ADC 459.
- TG Title Document Code List

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

1. Use on SA SDR to identify the SA Document Number Requirement Type as one of the following: Follow-on Support Requirement (FSR), Government Furnished Equipment/Materiel (GFE), System Sale (SYS), Repair/Replace Requirement (RRP), Repair/Return Requirement (RPT), or World Wide Redistribution System Requirement (WWR). An ANSI data maintenance action will be taken to obtain a more appropriate code for use in a future version/release.

2. For TG: WebSDR field length = 3

TR Report Code

DLMS Note:

- 1. Use for SA SDR to identify the SDR initiating office (SIO).
- 2. For TR: WebSDR field length = 1

COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Applicable to US Navy only.

AN

1/30

Must use

Χ

Description: Code indicating a code from a

specific industry code list

Industry Code

1271

LQ02

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

NCD Nonconformance Description

Pos: 2300 Max: 1
Detail - Optional
Loop: NCD Elements: 2

User Option (Usage): Used

Purpose: To describe the nonconformance condition

Syntax Rules:

1. R0102 - At least one of NCD01 or NCD02 is required.

Federal Note:

Use to reflect information related to the nonconformance condition and identify related organizations.

DLMS Note:

Begin a new NCD loop for each IUID loop. The UII value and some of the associated data elements are future DLMS enhancements and require coordination prior to use.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>	
NCD02	888	Nonconformance Determination Code	Χ	ID	1/1	Must use	1	
		Description: Code indicating whether a nonconforming condition was the reason for submitting or the basis upon which a nonconformance report is initiated Code Name Discrepant						
		DLMS Note:						
		For all transactions, use to satisfy ANSI requirement.						
NCD03	350	Assigned Identification	0	AN	1/20	Must use	1	

Description: Alphanumeric characters assigned for differentiation within a transaction set

DLMS Note: 1. Use as a counter to satisfy ANSI syntax. Cite numeric 1 EXCEPT where additional NCD loops are used to report multiple missing component parts or when providing unique identification of discrepant items. In these instances, increase incrementally by 1 for each missing component or uniquely identified item.

- 2. When providing item unique identification due to a mismatch (including shortage/overage) resulting from comparison between shipping notice, due-in, or documentation, and the packaging or item, follow the numeric counter by an indicator to distinguish the item(s) received from the anticipated item(s) not received. Suffix the counter by the letter R for items received and N for items not received. See PDC 1030.
- 3. Use of this looping structure to describe multiple incorrect items received in association with Discrepancy Code W5, Mixed Stock, is reserved for future implementation

004030F842A3WP32 35 January 23, 2013

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Ref Id Element Name Req Type Min/Max Usage Rep

NTE Note/Special Instruction

Pos: 2400 Max: >1
Detail - Optional
Loop: NCD Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Comments:

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processible. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
NTE01	363	Note Reference Code	0	ID	3/3	Must use	1
		Description: Code identifying the functional area or purpose for which the note applies					
		Federal Note: Use any code.					
		DLMS Note: For DLMS use, the following codes are authorized.					

Code Name

ACI Additional Claim Information

DLMS Note:

Use to identify the narrative comments associated with a contested SDR or request for reconsideration.

ACN Action Taken

DLMS Note:

Use to identify the narrative comments which describe the action taken by the initiator in regard to an SA product quality deficiency.

AES Actual Evaluation Summary

DLMS Note:

Use to perpetuate general narrative remarks associated with the SDR reply to an SDR transferred/forwarded to a secondary action activity (Beginning Segment Code 47, Transfer). Refer to PDC 1005.

APS Appropriation Specifications

DLMS Note:

Use to identify funding and accounting information provided by the submitter.

CIR Circumstances Prior to Difficulty

DLMS Note:

Use to identify the narrative comments which describe the circumstances prior to difficulty in regard to an SA product quality deficiency.

COD Corrected Data

DLMS Note:

Use to identify the narrative comments associated with and SDR correction/change.

DGN Diagnosis Description

DLMS Note:

Use to identify the narrative comments which describe the suspected cause identified by the initiator in regard to an SA product quality deficiency.

EBK Other Reason for Withdrawal

DLMS Note:

Use to identify the narrative comments associated with cancellation of an SDR.

ODD Originator Deficiency Description

DLMS Note:

Use to identify the narrative comments which describe the deficiency by the initiator in regard to an SA

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

product quality deficiency.

POL Property Owner Location Information

DLMS Note:

Use to identify the location of discrepant/deficient materiel.

REC Recommendation

DLMS Note:

Use to identify the narrative comments which describe the initiator's recommendation in regard to an SA product quality deficiency.

RPT Report Remarks

DLMS Note:

- 1. Use to identify the narrative comments associated with the SDR.
- 2. CCP-generated SDRs prepared at the TCN level may use the remarks block to identify specific document numbers consolidated on the shipment or other detailed information where available.
- 3. Submitter report remarks shall be perpetuated to an SDR transferred/forwarded to a secondary action activity (Beginning Segment Code 47, Transfer). Refer to PDC 1005.
- RST Place Where a Report was Submitted

DLMS Note:

- 1. Use to identify remarks provided by the action activity to which the SDR was originally submitted. This is an additional separate remarks block for the purpose for relaying the original action activity's reply remarks when the SDR has been forwarded to a new activity using forwarding Reply Code 504.
- 2. Remarks will be perpetuated to new original report as originally provided on the reply transaction (limited to 500 positions).
- 3. This is an enhancement for future implementation planned for _____
- SSC Status Comment

DLMS Note:

Use to identify the narrative comments associated with an SDR followup.

TPO Third Party Organization Notes

DLMS Note:

Use to identify remarks provided by the ILCO.

A data maintenance action was approved in version 5020. The approved code/name is "ILC - International Logistics Control Office".

WHI Warehouse Instruction

DLMS Note:

- 1. Use to identify Instructions to Depot remarks. May be used by the materiel owner to provide instructions or additional information to the distribution depot.
- 2. This is a separate additional remarks block reserved for use in association with SDR reports forwarded transactionally by the primary action activity to a distribution depot for research using Beginning Segment Code 47.

NTE02 352 **Description** M AN 1/80 Must use

Description: A free-form description to clarify the related data elements and their content

DLMS Note: 1. Use multiple repetitions of NTE, with up to 80 positions for each line. WebSDR maximum field for note = 500.

Special characters are not allowed except as identified. Valid characters are:
 #\$()-=+,/&; and.

004030F842A3WP32 38 January 23, 2013

Date/Time Reference

Pos: 2500 Max: >1 **Detail - Optional** Loop: NCD Elements: 6

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. C0403 If DTM04 is present, then DTM03 is required.
- 2. P0506 If either DTM05 or DTM06 is present, then the other is required.
- 3. R020305 At least one of DTM02, DTM03 or DTM05 is required.

DLMS Note:

Use in IUID loop to associate a date with a specific batch/lot or item as identified by UII or serial number.

Element Summary:

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
DTM01	374	Date/Time Qualifier	M	ID	3/3	Used	1
		Description: Code specifying type of d or time, or both date and time	ate				
		Code Name 512 Warranty Expiration					
		DLMS Note: Reserved for future use. Not a	wailahla at thia	tim o			
		Reserved for future use. Not a	ivaliable at triis	ume.			
DTM02	373	Date	Χ	DT	8/8	Used	1
		Description: Date expressed as CCYYMMDD where CC represents the two digits of the calendar year	first				
DTM03	337	Time	Χ	TM	4/8	Used	1
		Description: Time expressed in 24-hou clock time as follows: HHMM, or HHMM or HHMMSSDD, where hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decir seconds; decimal seconds are expresse as follows: D = tenths (0-9) and DD = hundredths (00-99)	SS, H = : mal				
DTM04	623	Time Code	0	ID	2/2	Used	1
		Description: Code identifying the time. accordance with International Standard Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow All valid standard codes are used.	s ve n				
DTM05	1250	Date Time Period Format Qualifier	Х	ID	2/3	Used	1
		Description: Code indicating the date format, time format, or date and time fo All valid standard codes are used.	rmat				
DTM06	1251	Date Time Period	Х	AN	1/35	Used	1
004030F842A3\	WP32		39			Janu	ary 23, 2013

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Ref Id Element Name Req Type Min/Max Usage Rep

Description: Expression of a date, a time, or range of dates, times or dates and times

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

REF Reference Identification

Pos: 2600 Max: >1

Detail - Optional

Loop: NCD Elements: 4

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

- 1. Use in 2/HL/0100 IUID loop to provide IUID information. Repeat the REF segment within each IUID loop to identify relevant IUID information.
- 2. This transaction will support item identification based upon the UII or the serial number. Data elements associated with the UII may be identified separately. Use the appropriate data elements to satisfy the desired functionality.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1

Description: Code qualifying the

Reference Identification

Federal Note: Use any code.

DLMS Note: 1. For DLMS use, the following codes are authorized.

2. Use codes separately or in combination, to identify appropriate information for DoD IUID Supply Policy, including, but not limited to unique item tracking (UIT) programs. Authorized DLMS Enhancement. See PDC 1030.

Code Name

BT Batch Number

DLMS Note:

- 1. Use in IUID loop to identify the batch, lot, or production run related to the discrepant materiel.
- 2. The batch/lot number may not exceed 20 characters in accordance with IUID policy.
- M1 Material Storage Location

DLMS Note:

Use on SA SDR to identify the storage location where the discrepant materiel is being held. This information will be needed to calculate a transportation reimbursement to the customer, if applicable and provide adequate disposition instructions for the return of materiel. Coded entry identifies: in-country depot, freight forwarder, USG facility or contractor facility.

NS National Stock Number

DLMS Note:

- 1. Use to identify the missing component by NSN.
- 2. For NS: WebSDR field length = 13
- SE Serial Number

- 1. Use in IUID loop to identify the serial number.
- 2. The serial number may not exceed 30 characters in accordance with IUID policy.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

U3 Unique Supplier Identification Number (USIN)

DLMS Note:

1. Use in IUID loop to identify the UII value. Cite the UII in REF03.

A data maintenance action was approved in version 5020. The approved code/name is "UII - Department of Defense Unique Item Identifier.

- 2. The UII may not exceed 50 characters in accordance with IUID Policy.
- XA Substitute National Stock Number

DLMS Note:

- 1. Use to identify the incorrect (wrong) item received by NSN. If multiple incorrect items are received under a single document number (Discrepancy Code W5), identify the first item and use the remarks text to clarify shipment contents.
- 2. For XA: WebSDR field length = 13
- XB Substitute Manufacturer's Part Number

- 1. Use to identify the incorrect (wrong) item received by part number. If neither part number nor the NSN are identified enter the word "UNKNOWN" as the reference information field (REF02) and provide a description of the item in REF03. When a value is passed in the part number field, also include the manufacture's CAGE Code (2/N101/2800, Qualifier SU).
- 2. If multiple incorrect items are received under a single document number (Discrepancy Code W5), identify the first item and use the remarks text to clarify shipment contents.
- 3. For XB: WebSDR field length = 32

REF02	127	Reference Identification	X	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DLMS Note: Use to indicate serial number					
		when REF01=SE.					
REF03	352	Description	Χ	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					
		DLMS Note: Use to indicate UII value when REF01 = U3.					
REF04	C040	Reference Identifier	0	Comp		Used	1
		Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier					
REF04-01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification					
REF04-02	127	Reference Identification	М	AN	1/50	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF04-03	128	Reference Identification Qualifier	X	ID	2/3	Used	1
		Description: Code qualifying the					

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

<u>Ref</u>	<u>ld</u>	Element Name Reference Identification All valid standard codes are used.	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF04-04	127	Reference Identification	Χ	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

QTY Quantity

Pos: 2700 Max: >1
Detail - Optional
Loop: NCD Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

Syntax Rules:

- 1. E0204 Only one of QTY02 or QTY04 may be present.
- 2. R0204 At least one of QTY02 or QTY04 is required.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1
		Description: Code specifying the type of quantity					

Federal Note: Use any code.

DLMS Note: For DLMS use, the following codes are authorized.

Code Name

17 Quantity on Hand

DLMS Note:

- 1. Use to identify the quality in stock when reporting product quality deficient materiel.
- 2. For 17: WebSDR field length = 7
- 39 Shipped Quantity
- 75 Receipts

DLMS Note:

- 1. Use to indicate the number of incorrect (wrong) items received.
- 2. For 75: WebSDR field length = 7
- 86 Nonconformance Quantity

DLMS Note:

- 1. Must be used to indicate the discrepant/deficient quantity.
- 2. By exception, may be blank for CCP originated SDRs (Document Type= W). Refer to ADC 282.
- 3. For 86: WebSDR field length = 7
- 87 Quantity Received

DLMS Note:

For 87: WebSDR field length = 7

D1 Billed

DLMS Note:

For D1: WebSDR field length = 7

FL Units

- 1. Use to identify the number of discrepant pieces as specified by the type of pack, e.g., the number of discrepant boxes, skids, etc when reporting a packaging discrepancy. May be provided when reporting packaging discrepancies. Required for CCP-originated discrepancies.
- 2. When used the value for type pack is identified from the DoD code list (2/LQ01/1050). Unit of issue is not used.

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

3. For FL: WebSDR field Length = 3

OT Number of Operating Periods at Failure

DLMS Note:

1. Use to indicate the operating time at the time of failure of the discrepant item. Expressed as 4 numeric hours and 2 position minutes.

2. For OT: WebSDR field length = 50

VR Variance

DLMS Note:

Use to indicate the number of missing component parts.

QTY02	380	Quantity	Χ	R	1/15	Must use	1
		Description: Numeric value of quantity					
QTY03	C001	Composite Unit of Measure	0	Comp		Used	1
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use)					
		Federal Note: Use to identify the discrepant/deficient quantity. Use multiple repetitions as needed to identify additional quantities associated with the complaint.					
		DLMS Note: DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.					
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		DLMS Note: Use to identify the unit of					

issue.

AMT Monetary Amount

Pos: 2730 Max: >1
Detail - Optional

Elements: 2

Loop: NCD

User Option (Usage): Used

Purpose: To indicate the total monetary amount

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
AMT01	522	Amount Qualifier Code	M	ID	1/3	Must use	1

Description: Code to qualify amount

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

10 Shipment Value in U.S. Dollars

DLMS Note:

- 1. Use to indicate the total dollar value of the discrepant materiel.
- 2. For 10: WebSDR field length = 13
- Z1 Repackaging Labor Cost

DLMS Note:

- 1. Use to indicate repackaging labor costs. Cost may be estimated. See ADC 282A.
- 2. For Z1: WebSDR field length = 12
- Z2 Repackaging Material Cost

DLMS Note:

- 1. Use to indicate repackaging materiel costs. Cost may be estimated. See ADC 282A
- 2. For Z2: WebSDR field length = 12
- Z3 Unit Cost of Discrepant Material

DLMS Note:

- 1. Use to identify the unit value (price) of the discrepant materiel.
- 2. For Z3: WebSDR field length = 11

RPC Repackaging Cost

DLMS Note:

- 1. Use to include the dollar value for corrective action. Include material and labor needed to complete a packing, packaging, preservation, palletization and/or marking project. Cost may be estimated. See ADC 282A.
- 2. For RPC: WebSDR field length = 12

AMT02 782 **Monetary Amount** M R 1/18 Must use 1

Description: Monetary amount

Federal Note: Dollar values may be expressed in whole dollars (with no decimal) or in dollar and cents (with a

decimal included).

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

N1 Name

Pos: 2800 Max: 1

Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. P0304 If either N103 or N104 is present, then the other is required.
- 2. R0203 At least one of N102 or N103 is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Use in IUID loop to identify the Enterprise Identifier.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use	1

Description: Code identifying an organizational entity, a physical location,

property or an individual

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

42 Component Manufacturer

DLMS Note:

Use with REF01 PM to identify the CAGE code of the manufacturer of the missing component.

BT Bill-to-Party

DLMS Note:

- 1. Use for SFIS compliant systems to identify the BPN of the party to receive the bill. BPN may only be used when the corresponding DoDAAC is also provided. This will require a second iteration of the N1 loop with the same qualifier.
- 2. Authorized DLMS enhancement; see introductory note 6.
- C4 Contract Administration Office

DLMS Note:

- 1. Use to identify the DoDAAC of Contract Administration Office (CAO) for the identified contract number.
- 2. Populated via EDA interface with WebSDR when available for contract-related discrepant shipments.
- KA Item Manager

DLMS Note:

Use to identify the item manager for the incorrect (wrong) item received by Routing Identifier (RI).

LW Customer

- 1. Use to identify the SDR report initiator by DODAAC/MAPAC and/or clear text address (if not identified by 1/N101/1200/41).
- 2. For LW: WebSDR field length = 35 if clear text is used
- MF Manufacturer of Goods

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

DLMS Note:

- 1. Use to identify the manufacturer by name and/or CAGE Code. Applicable to expired shelf-life or product quality discrepancies.
- 2. For MF: WebSDR field length = 20 if clear text is used
- SH Shipper

DLMS Note:

- 1. Use to identify the shipping activity by Routing Identifier Code, DoDAAC, or vendor/contractor CAGE Code.
- 2. This will be the returning activity DoDAAC for SDRs associated with storage activity receipts of returns/retrograde shipments.
- SU Supplier/Manufacturer

DLMS Note:

- 1. Use with REF01 XB to identify the name or CAGE code of the manufacturer of the incorrect (wrong) item received. This is a mandatory entry associated with the part number field incorrect. CAGE value may be zero-filled to satisfy application edit rules.
- 2. For SU: WebSDR field length = 5 for CAGE; 20 if clear text is used.
- Z6 Transferring Party

DLMS Note:

Use on forwarded SDRs to identify the Routing Identifier of the previous action party. This is the party forwarding the SDR.

ZB Party to Receive Credit

DLMS Note:

- 1. Use for SFIS compliant systems to identify the BPN of the party to receive credit. BPN may only be used when the corresponding DoDAAC is also provided. This will require a second iteration of the N1 loop with the same qualifier.
- 2. Authorized DLMS enhancement; see introductory note 6.
- DIR Distribution Recipient

DLMS Note:

- 1. Use to identify the recipient of the distribution copy forwarded by email or other non-transaction method.
- 2. For DIR: WebSDR field length = 50
- SUS Supply Source

DLMS Note:

Description: Code designating the system/method of code structure used for

Identification Code (67)

Use to identify the supply source by Routing Identifier; this is the party that directed the shipment.

N102 93 Χ Name AN 1/60 Used **Description:** Free-form name DLMS Note: 1. Use to identify the name of the manufacturer. 2. Equates to address line 1 for the submitter or shipper clear text name. Used when customer input for the reporting activity information or shipper's information is not available or differs from data extracted from the DOD Activity Address Directory (DODAAF). N103 66 Χ ID 1/2 **Identification Code Qualifier** Used 1

004030F842A3WP32 48 January 23, 2013

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

1 D-U-N-S Number, Dun & Bradstreet

DLMS Note:

Corresponds to IAC 'UN'.

8 UCC/EAN Global Product Identification Prefix

DLMS Note:

Corresponds to IAC '0-9'.

10 Department of Defense Activity Address Code (DODAAC)

DLMS Note:

- 1. Use with N101 code 91.
- 2. Corresponds to IAC 'LD'.
- 33 Commercial and Government Entity (CAGE)

DLMS Note:

Corresponds to IAC 'D'.

41 Telecommunications Carrier Identification Code

DLMS Note:

Corresponds to IAC 'LB' (ANSI T1.220, Commercial Telecommunications Standards).

50 Business License Number

DLMS Note:

- 1. Use for SFIS to map to SFIS Data element "Business Partner Number TP3". Enter the buyer's BPN in N104.
- 2. Authorized DLMS enhancement; see introductory note 6.
- A2 Military Assistance Program Address Code (MAPAC)

DLMS Note:

Use to identify the structured MAPAC.

- M4 Department of Defense Routing Identifier Code (RIC)
- M6 Division Office Code

DLMS Note:

Use with N101 code 91.

N104 67 Identification Code X AN 2/80 Used 1

Description: Code identifying a party or

other code

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

N2 Additional Name Information

Pos: 2900 Max: 2

Detail - Optional

Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify additional names

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N201	93	Name	М	AN	1/60	Must use	1

Description: Free-form name

DLMS Note: 1. This equates to address line 2. Used when customer input for the reporting activity information is not available or differs from data extracted from the DODAAF.

2. WebSDR field length =35

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

N3 Address Information

Pos: 3000 Max: 2
Detail - Optional
Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N301	166	Address Information	M	AN	1/55	Must use	1

Description: Address information

DLMS Note: 1. This equates to street address. Used when customer input for the reporting activity information is not available or differs from data extracted from the DODAAF.

2. WebSDR field length =35

N4 Geographic Location

Pos: 3100 Max: 1

Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Syntax Rules:

- 1. C0605 If N406 is present, then N405 is required.
- 2. C0704 If N407 is present, then N404 is required.
- 3. E0207 Only one of N402 or N407 may be present.

Comments:

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

Element Summary:

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N401	19	City Name	0	AN	2/30	Used	1
		Description: Free-form text for city name					
N402	156	State or Province Code	Χ	ID	2/2	Used	1
		Description: Code (Standard State/Province) as defined by appropriate government agency					
N403	116	Postal Code	0	ID	3/15	Used	1
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States) DLMS Note: WebSDR field length = 9					
N404	26	Country Code	Х	ID	2/3	Used	1

Description: Code identifying the country **DLMS Note:** 1. Use to identify the country. Pending transition to the new country code standard (refer to ADC 448B for future implementation), use code values for Data Element 1270, Code 85, Country and Activity Code.

2. WebSDR field length = 2

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

PER Administrative Communications Contact

Pos: 3300 Max: >1
Detail - Optional
Loop: N1 Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

- 1. Use to identify the report preparer when the customer DoDAAC is identified in this loop (rather than in the transaction header). Only one POC may be identified as the report preparer.
- 2. Use a second repetition if needed to identify additional communication numbers. When used, must provide email address and at least one phone number.

Element Summary:

Ref	<u>ld</u>		<u>ient Name</u>	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
PER01	366	Cont	act Function Code	М	ID	2/2	Must use	1
			cription: Code identifying the major or responsibility of the person or group ed					
		<u>Code</u> PU	Report Preparer DLMS Note: Use to identify the preparing official's	informat	ion as asso	ociated with a nev	v SDR submission.	
PER02	93	Nam	e	0	AN	1/60	Used	1
			ription: Free-form name S Note: WebSDR field length = 25					
PER03	365	Com	munication Number Qualifier	Χ	ID	2/2	Used	1
		Description: Code identifying the type of communication number						
		Code	<u>Name</u>					
		AU	Defense Switched Network					
			DLMS Note: For AU: WebSDR field length = 8					
		EM	Electronic Mail					
			DLMS Note:					
			For EM: WebSDR field length = 50					
		FX	Facsimile					
			DLMS Note:	/ .aa.b. a	_			
			1. Use to identify the commercial FAX	(number	'.			
			2. For FX: WebSDR field length = 16					
		TE	Telephone					
			DLMS Note:					
			Use to identify the commercial num	nber.				
			2. For TE: WebSDR field length = 16					_

PDC 1005, 1030 and 1052 ADC 101, 114, 128, 137, 144, 174, 184, 210, 210B, 245, 245B, 245C, 282, 282A, 293, 311, 317, DLMS Supplement to Federal IC 842A/W 322, 334, 357, 358, 371, 381, 381A, 386, 425, 435, 448, 448B, 459, 466, 1022 and 1044 DLM 4000.25

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code	Name
Code	Name

WF Work Facsimile Number

DLMS Note:

Communication Number

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

Description: Complete communications number including country or area code

when applicable

PER05 365 **Communication Number Qualifier**

PER04

364

Χ

Χ

ID

AN

2/2

1/256

Used

Used

Description: Code identifying the type of

communication number

DLMS Note: Use to identify an alternate communications number which can be used to contact the specified point of contact.

Code Name

ΑU Defense Switched Network

DLMS Note:

For AU: WebSDR field length = 8

ΕM Electronic Mail

DLMS Note:

For EM: WebSDR field length = 50

FΧ Facsimile

DLMS Note:

- 1. Use to identify the commercial FAX number.
- 2. For FX: WebSDR field length = 16

TE Telephone

DLMS Note:

- 1. Use to identify the commercial number.
- 2. For TE: WebSDR field length = 16

WF Work Facsimile Number

DLMS Note:

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

PER06 364 **Communication Number Description:** Complete communications

> number including country or area code when applicable

PER07 365 **Communication Number Qualifier** ID 2/2

ΑN

1/256

Χ

Χ

Used

Used

1

1

Description: Code identifying the type of communication number

Code Name

ΑU Defense Switched Network

DLMS Note:

For AU: WebSDR field length = 8

ΕM Electronic Mail

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

Code Name

For EM: WebSDR field length = 50

FX Facsimile

DLMS Note:

- 1. Use to identify the commercial FAX number.
- 2. For FX: WebSDR field length = 16
- TE Telephone

DLMS Note:

- 1. Use to identify the commercial number.
- 2. For TE: WebSDR field length = 16
- WF Work Facsimile Number

DLMS Note:

- 1. Use to identify the DSN FAX number.
- 2. For WF: WebSDR field length = 8

PER08	364	Communication Number	Χ	AN	1/256	Used	1
		Description: Complete communications number including country or area code when applicable					
PER09	443	Contact Inquiry Reference	0	AN	1/20	Used	1

Description: Additional reference number or description to clarify a contact number

Federal Note: Use as needed to identify the office symbol or activity code for the party identified.

DLMS Note: Also may reflect position title of the point of contact.

004030F842A3WP32 55 January 23, 2013

Standard Supply Discrepancy Report (SDR), Follow-up, Correction, Cancellation, & Reconsideration Request

LM Code Source Information

Pos: 3330 Max: 1

Detail - Optional

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Use to identify agency unique coded data related to the characteristics and coding requirements for the nonconformance condition.

Element Summary:

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					
		Code Name					

DF Department of Defense (DoD)

LQ Industry Code

Pos: 3340 Max: >1
Detail - Mandatory
Loop: LM Elements: 2

User Option (Usage): Used

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use	1

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, the following

codes are authorized.

Code Name

83 Supply Condition Code

DLMS Note:

Use to identify the condition of the discrepant materiel.

BG Condition

DLMS Note:

Use to identify the Supply Condition Code of the incorrect (wrong) item received.

EQ Controlled Inventory Item Code

DLMS Note:

Use to identify the CIIC associated with the wrong item received.

FD Demilitarization Code

DLMS Note:

Use to identify Demilitarization Code associated with the wrong item received.

GY Cause of Loss Code

DLMS Note:

Use to identify the Cause Code.

A data maintenance action was approved in version 5030. The approved code/name is "DCC - Cause Code".

HA Discrepancy Code

DLMS Note:

Use up to three repetitions in the report loop to identify the customer identified discrepancy codes for type 6 (customer originated, vendor shipment) and 7 (customer originated, depot shipment) SDRs. Use up to two repetitions on type 8 (depot originated, customer return) and 9 (depot originated, vendor shipment) SDRs. (Refer to 2/LQ01/1050, Qualifier D for type document code.).

HD Discrepancy Status or Disposition Code

DLMS Note:

Use to identify the Receiver's Reply Code.

LQ02 1271 Industry Code X AN 1/30 Must use 1

Description: Code indicating a code from a

specific industry code list

SE Transaction Set Trailer

Pos: 4700 Max: 1

Detail - Mandatory

Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

Element Summary:

96	N I				<u>Usage</u>	<u>Rep</u>
	Number of Included Segments	М	N0	1/10	Must use	1
	included in a transaction set including ST					
329	Transaction Set Control Number	М	AN	4/9	Must use	1
	that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as					
32	29	Description: Total number of segments included in a transaction set including ST and SE segments Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as the one cited in ST02.	included in a transaction set including ST and SE segments 29 Transaction Set Control Number M Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as	included in a transaction set including ST and SE segments 29 Transaction Set Control Number M AN Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as	included in a transaction set including ST and SE segments 29 Transaction Set Control Number M AN 4/9 Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as	included in a transaction set including ST and SE segments 29 Transaction Set Control Number M AN 4/9 Must use Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as