



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J51504 Rt 0176/10	0.7				007	02	06			3	1	1	1		4	30	5	30	E	37	18	18	5	100	5
Official	J51504 Rt 0177/10	0.1				007	02	06			3	1	1	1		4	30	5	30	E	37	18	3	1	100	1
Official	J51504 Rt 0178/10	0.1				007	02	06			3	1	1	1		4	30	5	30	E	37	18	3	1	100	1
Official	J51504 Rt 0179/10	0.2				007	02	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Official	J51504 Rt 0179/20	0.2				007	02	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Official	J51504 Rt 0413/10	3.7				007	02	06	1974		4	3	6	2		1	0	2	30	G	74	12	185	1,100	100	1,100
Official	J51504 Rt 0413/810	0.3				007		06				1	6	2		1		2	30						100	
Official	J51506 Rt 1240/810	0.7				019		06				1	5	2		5		5	30						100	
Official	J51506 Rt 2390/10	0.8				019	15	06			3	1	5	2	4	4	30	7	30	E	37	18	20	6	100	6
Official	J51506 Rt 2441/810	0.8				019		06				1	5	2		5		5	30						100	
Official	J51507 Rt 0165/810	0.3				033		06				1	5	2		4		5	30						100	
Official	J51507 Rt 0502/810	0.3				033		06				1	5	2		5		5	30						100	
Official	J51507 Rt 5027/810	0.9				033		06				1	5	2		4		5	30						100	
Official	J51508 Rt 0092/10	0.1				005	14	06			3	1	2	2		4	26	5	30	E	37	18	3	1	100	1
Official	J51508 Rt 0092/810	0.6				005		06				1	5	2		4		5	30						100	
Official	J51511 Rt 0126/10	0.4				019	15	06			3	1	5	2		4	30	3	30	E	37	18	10	100	100	100
Official	J51511 Rt 0126/20	0.2				019	15	06			3	1	1	1		4	50	7	30	E	37	18	5	2	100	2
Official	J51511 Rt 0229/10	1.5				019	15	06			3	1	2	2		5	0	2	30	E	37	18	38	369	100	369
Official	J51511 Rt 0229/20	0.7				019	15	06			3	1	1	0	1	5	70	5	30	E	37	18	18		100	
Official	J51511 Rt 1635/10	5.1				019	15	06	1984		4	3	5	2		4	30	5	30	G	74	12	255	267	100	267
Official	J51512 Rt 0045/810	0.5				011		06				1	3	2		5		5	30						29	
Official	J51512 Rt 0155/10	0.7				011	02	06			3	1	1	1		4	30	4	30	E	37	18	18	174	100	174
Official	J51513 Rt 0236/10	4.7				011	02	06	1984		4	2	1	1	2	5	50	5	30	G	74	11	235	219	100	219
Official	J51515 Rt 0093/10	0.6				097	01	06	2001		4	2	1	1		4	10	5	30	G	74	11	30	28	100	28
Official	J51515 Rt 0093/20	0.3				097	01	06	2001		4	2	1	1		4	10	4	30	G	74	11	15	57	100	57
Official	J51516 Rt 0029/810	0.4				033		06				1	3	2		5		5	30						29	
Official	J51516 Rt 0232/10	0.3				033	01	06			3	1	1	1	2	5	50	3	30	E	37	18	8	75	100	75
Official	J51516 Rt 0232/20	0.3				033	01	06			3	1	1	1		4	50	3	30	E	37	18	8	75	100	75
Official	J51516 Rt 0236/10	0.1				033	01	06	2000		67	4	1	1	1	1	0	2	30	G	99	10	7	72	100	72
Official	J51516 Rt 0315/810	0.1				033		06				1	5	2		3		5	30						100	
Official	J51516 Rt 0315/820	0.4				033		06				1	5	2		4		5	30						100	
Official	J51516 Rt 3151/810	0.3				033		06				1	5	2		4		5	30						100	
Official	J51516 Rt 3151/820	0.1				033		06				1	5	2		4		5	30						100	
Official	J51516 Rt 3153/810	0.1				033		06				1	5	2		4		5	30						100	
Official	J51516 Rt 3155/810	0.2				033		06				1	5	2		4		5	30						100	
Official	J51517 Rt 0116/10	0.8				007	02	06	2001		75	4	3	1	1	1	0	2	30	G	111	12	60	238	100	238
Official	J51517 Rt 0116/20	0.5				007	02	06	2001		75	4	3	1	1	1	0	2	30	G	111	12	38	149	100	149
Official	J51517 Rt 0116/30	0.3				007	02	06	2001		75	4	3	1	1	1	0	2	30	G	111	12	23	89	100	89
Official	J51519 Rt 0225/10	0.2				021	02	06			4	2	1	4				30	G	74	11	10	57	100	57	
Official	J51519 Rt 0225/20	0.1				021	02	06			4	2	1	4				30	G	74	11	5	28	100	28	
Official	J51519 Rt 0226/10	0.1				021	02	06			4	2	1	4				30	G	74	11	5	28	100	28	
Official	J51519 Rt 0226/20		J008	1	255	021	02	06			4		1	1				30						805	100	805
Official	J51519 Rt 0226/30	0.4				021	02	06			4	2	1	4				30	G	74	11	20	114	100	114	
Official	J51519 Rt 0227/10	0.2				021	02	06			3	1	1	1	1	1	0	2	30	E	37	18	5	49	100	49
Official	J51519 Rt 0227/20	0.1				021	02	06			3	1	1	1		4	0	2	30	E	37	18	3	25	100	25
Official	J51519 Rt 0227/30	0.1				021	02	06			3	1	1	1		4	0	2	30	E	37	18	3	25	100	25
Official	J51519 Rt 0227/40	0.1				021	02	06			3	1	1	1		4	0	2	30	E	37	18	3	25	100	25
Official	J51519 Rt 0227/50	0.1				021	02	06			3	1	1	1		4	0	2	30	E	37	18	3	25	100	25
Official	J51519 Rt 0253/50	0.2				021	02	06			3	1	1	1		4	0	2	30	E	37	18	5	49	100	49
Official	J51519 Rt 0305/810	0.3				021		06				1	5	2		4		5	30						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J51520 Rt 0217/10	0.2				051	18	06			3	1	5	0	2	5	30	4	30	E	37	18	5		100		
Official	J51520 Rt 0217/20	0.3				051	18	06			3	1	5	0	2	5	30	4	30	E	37	18	8		100		
Official	J51520 Rt 0217/30	0.9				051	18	06			3	1	1	0	2	5	30	4	30	E	37	18	23		100		
Official	J51520 Rt 0217/40	0.1				051	18	06			3	1	1	0	2	5	30	4	30	E	37	18	3		100		
Official	J51520 Rt 0217/50	0.6				051	18	06			3	1	5	0	2	5	30	4	30	E	37	18	15		100		
Official	J51521 Rt 0105/810	0.4				045		06				1	5	2		4		5	30							100	
Official	J51521 Rt 0105/820	0.6				045		06				1	5	2		4		5	30							100	
Official	J51521 Rt 0117/810	0.9				045		06				1	5	2		4		5	30							100	
Official	J51521 Rt 0118/810	0.2				045		06				1	5	2		4		5	30							100	
Official	J51521 Rt 0118/820	0.4				045		06				1	5	2		4		5	30							100	
Official	J51521 Rt 0175/810	0.2				045		06				1	3	2		5		5	30							29	
Official	J51521 Rt 0301/10	0.1				045	01	06			3	1	1	1	1	4	100	5	30	E	37	18	3	1	100	1	
Official	J51521 Rt 0301/20	0.2				045	01	06			3	1	1	1	1	1	0	2	30	E	37	18	5	49	100	49	
Official	J51521 Rt 0401/10	0.3				045	01	06	2001	159	4	2	1	1	4	20	3	30	G	236	11	48	57	100	57		
Official	J51521 Rt 0402/10	0.2				045	01	06	2001	157	4	2	1	1	1	0	2	30	G	233	11	31	57	100	57		
Official	J51521 Rt 1051/810	0.5				045		06				1	5	2		4		5	30						100		
Official	J51521 Rt 1161/810	1.4				045		06				1	5	2		4		5	30						100		
Official	J51522 Rt 0001/810	0.2				005		06				1	5	2		5		5	30						100		
Official	J51522 Rt 0097/810	0.2				005		06				1	2	2		5		5	30						100		
Official	J51524 Rt 0167/10	0.5				045	01	06			3	1	1	1	4	0	4	30	E	37	18	13	124	100	124		
Official	J51524 Rt 0167/20	0.3				045	01	06			3	1	1	1	4	30	3	30	E	37	18	8	75	100	75		
Official	J51524 Rt 0167/30	0.3				045	01	06			3	1	1	1	4	70	3	30	E	37	18	8	75	100	75		
Official	J51524 Rt 0167/40		J007	9	61	045	01	06			3	1	1	1			5	30							100		
Official	J51524 Rt 3190/810	0.2				045		06				1	5	2		1		2	30						100		
Official	J51524 Rt 3190/820	0.3				045		06				1	5	2		4		5	30						100		
Official	J51525 Rt 0097/10	0.9				027	20	06			3	1	1	1	4	70	3	30	E	37	18	23	224	100	224		
Official	J51525 Rt 0097/20	2.0				027	20	06			3	1	1	1	4	70	3	30	E	37	18	50	498	100	498		
Official	J51525 Rt 0097/30	0.6				027	20	06			3	1	1	1	4	30	3	30	E	37	18	15	149	100	149		
Official	J51525 Rt 0226/10	0.2				027	20	06	2000		4	1	1	1	1	0	2	30	G	74	10	10	144	100	144		
Official	J51525 Rt 0395/810	0.6				027		06				1	3	2		5		5	30						29		
Official	J51525 Rt 3029/810	0.2				027		06				1	5	2		4		5	30						100		
Official	J51525 Rt 3036/810	0.2				027		06				1	5	2		4		5	30						100		
Official	J51527 Rt 0508/810	0.3				045		06				1	5	2		5		5	30						100		
Official	J51527 Rt 5081/810	0.8				045		06				1	5	2		4		5	30						100		
Official	J51527 Rt 5101/810	0.8				045		06				1	5	2		4		5	30						100		
Official	J51528 Rt 0029/810	0.4				033		06				1	3	2		1		2	30						29		
In-Process	J51528 Rt 0100/10	0.3				033	01	06			3		1	1	5	20		30	E	37	18	8		100			
In-Process	J51528 Rt 0101/10	0.2				033	01	06			3		1	1	3	20		30	E	37	18	5		100			
In-Process	J51528 Rt 0102/10	0.1				033	01	06			3		1	1	3	20		30	E	37	18	3		100			
In-Process	J51528 Rt 0103/10	0.1				033	01	06			3		1	1	1	0		30	E	37	18	3		100			
In-Process	J51528 Rt 0104/10	0.1				033	01	06			3		1	1	1	0		30	E	37	18	3		100			
In-Process	J51528 Rt 0104/20	0.2				033	01	06			3		1	1	5	20		30	E	37	18	5		100			
In-Process	J51528 Rt 0105/10	0.1				033	01	06			3		1	1	5	20		30	E	37	18	3		100			
In-Process	J51528 Rt 0105/20	0.2				033	01	06			3		1	1	5	20		30	E	37	18	5		100			
In-Process	J51528 Rt 0106/10	0.4				033	01	06			3		1	4				30	E	37	18	10	99	100	99		
In-Process	J51528 Rt 0106/20	0.2				033	01	06			3		1	4				30	E	37	18	5	49	100	49		
In-Process	J51528 Rt 0107/10	0.3				033	01	06			3		1	1	1	5	20		30	E	37	18	8		100		
In-Process	J51528 Rt 0108/10	0.2				033	01	06			4	2	1	1	1	0		30	G	74	11	10	22	100	22		
In-Process	J51528 Rt 0108/20	0.2				033	01	06			4	2	1	1	1	0		30	G	74	11	10	22	100	22		
Official	J51528 Rt 0220/10	0.6				033	01	06			3	1	1	1	1	0	2	30	E	37	18	15	148	100	148		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J51530 Rt 0011/810	0.3				027		06				1	5	2	5		5	30							100		
Official	J51530 Rt 0219/10	2.9				027	20	06			3	1	1	1	1	4	20	3	30	E	37	18	73	721	100	721	
Official	J51530 Rt 0222/10	0.2				027	20	06			3	1	1	1	1	1	0	2	30	E	37	18	5	49	100	49	
Official	J51530 Rt 0223/10	0.4				027	20	06			3	1	1	1	1	4	20	3	30	E	37	18	10	100	100	100	
Official	J51530 Rt 0224/10	0.1				027	20	06			3	1	1	1	1	4	20	3	30	E	37	18	3	25	100	25	
Official	J51530 Rt 0395/810	0.2				027		06				1	3	2	5		5	30							29		
Official	J51530 Rt 3009/810	0.4				027		06				1	5	2	4		5	30							100		
Official	J51530 Rt 3011/810	0.5				027		06				1	5	2	4		5	30							100		
Official	J51530 Rt 3048/810	0.8				027		06				1	5	2	4		5	30							100		
Official	J51530 Rt 3049/810	0.5				027		06				1	5	2	4		5	30							100		
Official	J51530 Rt 3050/810	0.2				027		06				1	5	2	4		5	30							100		
Official	J51530 Rt 3051/810	0.3				027		06				1	5	2	5		5	30							100		
Official	J51532 Rt 0098/810	0.4				043		06				1	5	2	4		5	30							100		
Official	J51532 Rt 0140/810	0.7				043		06				1	3	2	5		5	30							29		
Official	J51532 Rt 0209/10	0.6				039	18	06	1974	40		2	1	3	1		0	2	30			59			100		
Official	J51532 Rt 0213/10	0.8				039	18	06	1996		4	2	1	1	1		0	2	30			74	11	40	228	100	228
Official	J51532 Rt 0221/10	0.6				043	15	06			3	1	1	1	1		0	2	30	E	37	18	15	148	100	148	
Official	J51532 Rt 0221/20	0.4				043	15	06			3	1	1	1	3		30	3	30	E	37	18	10	100	100	100	
Official	J51532 Rt 0225/10	0.8				029	20	06	1985		4	1	2	2	1		0	2	30	G	74	10	40	577	100	577	
Official	J51532 Rt 0225/20	0.4				029	20	06	1985		4	2	2	2	1		0	2	30	G	74	11	20	114	100	114	
Official	J51532 Rt 0254/10	0.6				039	18	06	1997		4	2	1	1	1		0	2	30	G	74	11	30	171	100	171	
Official	J51533 Rt 0006/810	0.6				103		06				1	2	2	4		5	30							100		
Official	J51534 Rt 0417/810	1.3				039		06				1	5	2	5		5	30							100		
Official	J51535 Rt 0223/810	0.1				045		06				1	5	2	5		5	30							100		
Official	J51535 Rt 0225/810	1.0				045		06				1	5	2	4		5	30							100		
Official	J51537 Rt 2482/810	0.5				045		06				1	5	2	4		5	30							100		
Official	J51539 Rt 0046/810	0.6				045		06				1	5	2	4		5	30							100		
Official	J51539 Rt 0255/10	0.4				045	01	06			3	1	1	1	5		30	3	30	E	37	18	10	100	100	100	
Official	J51539 Rt 0256/10	0.1				045	01	06			3	1	1	1	1		0	2	30	E	37	18	3	25	100	25	
Official	J51540 Rt 0162/810	4.3				045		06				1	3	2	5		5	30							29		
Official	J51540 Rt 0204/10	1.2				045	01	06			3	1	1	1	4		40	3	30	E	37	18	30	299	100	299	
Official	J51540 Rt 0204/20	0.2				045	01	06			3	1	1	1	4		40	3	30	E	37	18	5	50	100	50	
Official	J51540 Rt 0204/30	0.1				045	01	06			3	1	1	1	1		0	2	30	E	37	18	3	25	100	25	
Official	J51540 Rt 0210/10	0.2				045	01	06			3	1	1	1	1		0	2	30	E	37	18	5	49	100	49	
Official	J51540 Rt 0210/20	0.2				045	01	06			3	1	5	2	1		0	2	30	E	37	18	5	49	100	49	
Official	J51540 Rt 0240/10	0.6				045	01	06			3	1	1	1	1		0	2	30	E	37	18	15	148	100	148	
Official	J51540 Rt 0240/20	1.4				045	01	06			3	1	1	1	1		0	2	30	E	37	18	35	345	100	345	
Official	J51540 Rt 0301/10	0.1				045	01	06			3	1	1	1	1		0	2	30	E	37	18	3	25	100	25	
Official	J51540 Rt 0302/10	0.2				045	01	06			3	1	1	1	1		0	2	30	E	37	18	5	49	100	49	
Official	J51540 Rt 0303/10	0.1				045	01	06			3	1	1	1	1		0	2	30	E	37	18	3	25	100	25	
Official	J51540 Rt 0304/10	0.1				045	01	06			3	1	1	1	1		0	2	30	E	37	18	3	25	100	25	
Official	J51540 Rt 0305/10	0.2				045	01	06			3	1	1	1	1		0	2	30	E	37	18	5	49	100	49	
Official	J51540 Rt 0336/810	6.0				045		06				1	5	2	4		5	30							100		
Official	J51540 Rt 0336/820	1.4				045		06				1	5	2	5		5	30							100		
Official	J51540 Rt 0337/810	0.9				045		06				1	5	2	4		5	30							100		
Official	J51540 Rt 0339/810	0.2				045		06				1	5	2	3		5	30							100		
Official	J51540 Rt 0339/820	0.9				045		06				1	5	2	4		5	30							100		
Official	J51540 Rt 0340/810	1.2				045		06				1	5	2	4		5	30							100		
Official	J51540 Rt 0341/810	2.5				045		06				1	5	2	3		5	30							100		
Official	J51540 Rt 0343/810	0.2				045		06				1	5	2	1		5	30							100		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J51540 Rt 0343/820	0.4				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 0344/810	1.7				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3340/810	1.1				045		06				1	5	2		5		5	30							100	
Official	J51540 Rt 3370/810	0.2				045		06				1	5	2		1		2	30							100	
Official	J51540 Rt 3370/820	0.7				045		06				1	5	2		3		5	30							100	
Official	J51540 Rt 3370/830	0.7				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/840	0.7				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/850	1.0				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/860	0.5				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/870	2.4				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/880	0.5				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/890	0.8				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/900	0.5				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/910	1.3				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/920	1.8				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/930	1.4				045		06				1	5	2		4		5	30							100	
Official	J51540 Rt 3370/940	0.8				045		06				1	5	2		5		5	30							100	
Official	J51540 Rt 8167/810	0.7				045		06				1	5	2		3		5	30							100	
Official	J51540 Rt 8179/810	0.1				045		06				1	5	2		1		2	30							100	
Official	J51541 Rt 0016/810	0.4				113		06				1	3	2		5		5	30							29	
Official	J51541 Rt 0751/810	0.4				113		06				1	5	2		4		5	30							100	
Official	J51542 Rt 0128/10	0.5				031	17	06			3	1	1	1		5	60	3	30	E		37	18	13	124	100	124
Official	J51542 Rt 0128/20	0.5				031	17	06			3	1	1	1		5	0	3	30	E		37	18	13	124	100	124
Official	J51542 Rt 0128/30	0.5				031	17	06			3	1	1	1		5	50	3	30	E		37	18	13	124	100	124
Official	J51542 Rt 3002/810	0.5				031		06				1	5	2		5		5	30							100	
Official	J51542 Rt 3102/810	0.5				031		06				1	5	2		5		5	30							100	
Official	J51545 Rt 0112/810	0.2				063		06				1	5	2		4		5	30							100	
Official	J51545 Rt 1123/10	0.4				063	14	06			3	1	5	2		1	0	2	30	E		37	18	10	99	100	99
Official	J51546 Rt 0050/810	0.2				017		06				1	3	2		5		5	30							29	
Official	J51546 Rt 0214/30	0.7				017	14	06			3	1	1	1	2	5	40	5	30	E		37	18	18	5	100	5
Official	J51546 Rt 0214/40	0.8				017	14	06			3	1	1	1	2	5	40	5	30	E		37	18	20	6	100	6
Official	J51546 Rt 0214/50	0.2				017	14	06			3	1	1	1	2	5	40	5	30	E		37	18	5	2	100	2
Official	J51546 Rt 0315/10	0.2				017	14	06			4	1	2	2		0	0	0	30	G		74	10	10	144	100	144
Official	J51547 Rt 0001/810	0.9				097		06				1	5	2		4		5	30							100	
Official	J51547 Rt 0137/10	0.6				097	01	06			3	1	1	1		1	0	2	30	E		37	18	15	148	100	148
Official	J51547 Rt 3001/810	0.3				097		06				1	5	2		1		5	30							100	
Official	J51549 Rt 0159/10	1.3				027	20	06			3	1	1	1		4	50	5	30	E		37	18	33	10	100	10
Official	J51549 Rt 0159/20		J003	9	21	027	20	06			3	1	1	1				5	30							100	
Official	J51549 Rt 0159/30	0.3				027	20	06			3	1	1	1		1	0	2	30	E		37	18	8	74	100	74
Official	J51549 Rt 0159/40		J004	9	26	027	20	06			3	1	1	1				5	30							100	
Official	J51549 Rt 0159/50	0.4				027	20	06			3	1	1	4		0	0	0	30	E		37	18	10	99	100	99
Official	J51549 Rt 0160/10	0.1				027	20	06			3	1	1	4		0	0	0	30	E		37	18	3	25	100	25
Official	J51549 Rt 0168/810	1.3				027		06				1	3	2		5		5	30							29	
Official	J51549 Rt 0395/810	0.8				027		06				1	3	2		5		5	30							29	
Official	J51549 Rt 1033/810	1.0				027		06				1	5	2		4		5	30							100	
Official	J51549 Rt 1059/810	0.9				027		06				1	5	2		4		5	30							100	
Official	J51549 Rt 1060/810	1.0				027		06				1	5	2		4		5	30							100	
Official	J51549 Rt 1061/810	1.5				027		06				1	5	2		4		5	30							100	
Official	J51549 Rt 1062/810	1.0				027		06				1	5	2		4		5	30							100	
Official	J51549 Rt 1063/810	0.5				027		06				1	5	2		5		5	30							100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J51551 Rt 0840/10	0.5				039	18	06			3	1	5	2		4	70	3	30	E	37	18	13	124	100	124
Official	J51553 Rt 0070/10	0.7				107	17	06	1999	1778	4	2	1	1		5	70	4	30	P	2,640	11	1,245	133	100	133
In-Process	J51553 Rt 0070/20		J017	9	84	107	17	06			4		1	1					30						100	
Official	J51553 Rt 0070/20		J190	9	57	107	17	06			4	1	5	2				5	30						100	
Official	J51553 Rt 0070/30	5.2				107	17	06	2001	300	4	1	1	1		5	40	3	30	P	446	10	1,560	5,376	100	5,376
Official	J51553 Rt 0070/40	1.7				107	17	06	2001		4	3	1	1		1	0	2	30	G	74	12	85	505	100	505
Official	J51553 Rt 0211/10	2.4				107	17	06			3	1	1	1	1	4	70	5	30	E	37	18	60	18	100	18
Official	J51553 Rt 0212/10	9.2				107	17	06	1974	100	4	3	5	2		1	0	2	30	G	149	12	920	2,734	100	2,734
Official	J51553 Rt 0212/20		J092	7	38	107	17	06			4	1	5	2				5	30						100	
Official	J51553 Rt 0212/30	0.6				107	17	06	2001	250	4	3	5	2		1	0	2	30	P	371	12	150	234	100	234
Official	J51553 Rt 0212/40		J098	7	21	107	17	06			4	1	5	2				5	30						100	
Official	J51553 Rt 0212/50	0.2				107	17	06	2001	250	4	3	5	2		1	0	2	30	P	371	12	50	78	100	78
Official	J51553 Rt 0233/10	0.5				107	17	06			3	1	1	1		3	70	3	30	E	37	18	13	124	100	124
Official	J51553 Rt 0234/10	0.4				107	17	06			3	1	1	1		4	70	3	30	E	37	18	10	100	100	100
Official	J51553 Rt 0235/10	0.3				107	17	06			3	1	1	1		3	70	3	30	E	37	18	8	75	100	75
Official	J51553 Rt 0235/20		J180	9	300	107	17	06			3	1	1	1				5	30						100	
Official	J51553 Rt 0235/30	0.2				107	17	06			3	1	1	1	4	5	70	3	30	E	37	18	5	50	100	50
Official	J51553 Rt 0236/10	0.2				035	14	06	2004		3	1	1	4		0	0	30	E	37	18	5	49	100	49	
Official	J51553 Rt 0240/10	0.5				107	17	06	2001	79	4	2	2	2		1	0	2	30	G	117	11	40	142	100	142
Official	J51553 Rt 0240/20	2.1				107	17	06	2001	79	4	3	1	1		1	0	2	30	G	117	12	166	624	100	624
Official	J51553 Rt 0240/30	0.3				107	17	06	1985		4	3	1	1		1	0	2	30	G	74	12	15	89	100	89
Official	J51553 Rt 0240/40	2.1				107	17	06	2001		4	2	2	2		1	0	2	30	G	74	11	105	597	100	597
Official	J51553 Rt 0241/10	1.8				107	17	06	2001		4	3	2	0		1	0	2	30	G	74	12	90		100	
Official	J51553 Rt 0242/10	1.0				107	17	06	2001		4	2	2	2		1	0	2	30	G	74	11	50	284	100	284
Official	J51553 Rt 0243/10	0.6				107	17	06	2001		4	2	2	2		1	0	2	30	G	74	11	30	171	100	171
Official	J51553 Rt 0244/10	0.1				107	17	06			3	1	2	2		1	0	2	30	E	37	18	3	25	100	25
Official	J51553 Rt 0245/10	0.2				107	17	06			4	1	1	4		0	0	0	30	G	74	10	10	144	100	144
Official	J51553 Rt 0246/10	0.3				107	17	06	2001		4	2	2	2		1	0	2	30	G	74	11	15	85	100	85
Official	J51553 Rt 0247/10	0.3				107	17	06			3	1	2	2	1	4	50	5	30	E	37	18	8	2	100	2
Official	J51553 Rt 0248/10	0.4				107	17	06			3	1	2	2	1	4	50	5	30	E	37	18	10	3	100	3
In-Process	J51553 Rt 0248/20		J190	0	57	107	17	06			3		1	1					30						100	
Official	J51553 Rt 0248/20		J010	0	85	107	17	06			3	1	2	2				5	30						100	
Official	J51553 Rt 0248/30	0.3				107	17	06			3	1	2	2	1	4	50	5	30	E	37	18	8	2	100	2
Official	J51624 Rt 0163/10	0.5				027	20	06			3	1	1	1		1	0	2	30	E	37	18	13	123	100	123
Official	J51624 Rt 0163/20	1.2				027	20	06			3	1	1	1		4	50	3	30	E	37	18	30	299	100	299
Official	J51624 Rt 0395/810	0.2				027		06			1	3	2			5		5	30						29	
Official	J51624 Rt 4021/810	0.5				027		06			1	5	2			4		5	30						100	
Official	J51624 Rt 4041/810	0.5				027		06			1	5	2			4		5	30						100	
Official	J51624 Rt 4042/810	0.6				027		06			1	5	2			4		5	30						100	
Official	J51624 Rt 4043/810	0.5				027		06			1	5	2			4		5	30						100	
Official	J51626 Rt 0078/10	0.4				007	04	06			3	1	1	1		4	10	3	30	E	37	18	10	100	100	100
Official	J51626 Rt 0078/20	0.1				007	04	06			3	1	1	1	2	4	10	3	30	E	37	18	3	25	100	25
Official	J51626 Rt 0079/10	0.1				007	04	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25
Official	J51626 Rt 0080/10	0.2				007	04	06			3	1	1	1		4	10	3	30	E	37	18	5	50	100	50
Official	J51626 Rt 0081/10	0.1				007	04	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25
Official	J51626 Rt 0082/10	0.1				007	04	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25
Official	J51626 Rt 0083/10	0.1				007	04	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25
Official	J51629 Rt 0215/10	1.2				045	01	06			3	1	2	2		1	0	2	30	E	37	18	30	296	100	296
Official	J51629 Rt 0302/10	0.3				045	01	06			3	1	1	1		4	10	3	30	E	37	18	8	75	100	75
Official	J51629 Rt 0303/10	0.1				045	01	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J51629 Rt 0304/10	0.1				045	01	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25	
Official	J51629 Rt 0305/10	0.1				045	01	06			3	1	1	1		4	10	3	30	E	37	18	3	25	100	25	
Official	J51629 Rt 0306/10	0.3				045	01	06			4	1	1	4		0	0	0	30	G	74	10	15	216	100	216	
Official	J51629 Rt 0307/10	0.3				045	01	06			4	1	1	4		0	0	0	30	G	74	10	15	216	100	216	
Official	J51629 Rt 0308/10	0.4				045	01	06	2004		3	1	1	4		0	0	0	30	E	37	18	10	99	100	99	
Official	J51632 Rt 0120/10	0.7				033	01	06			3	1	1	1	1	4	10	5	30	E	37	18	18	5	100	5	
Official	J51632 Rt 0120/20	0.8				033	01	06			3	1	1	1	1	4	10	5	30	E	37	18	20	6	100	6	
Official	J51634 Rt 0130/10	0.3				109	18	06			3	1	5	2		4	20	4	30	E	37	18	8	75	100	75	
Official	J51634 Rt 0130/20	1.2				109	18	06			3	1	5	2		4	10	4	30	E	37	18	30	299	100	299	
Official	J51634 Rt 0130/30	0.9				109	18	06			3	1	5	2		4	10	4	30	E	37	18	23	224	100	224	
Official	J51634 Rt 0131/10	0.4				109	18	06	2002		4	3	1	4		0	0	0	30	G	74	12	20	119	100	119	
Official	J51634 Rt 0132/10	0.5				109	18	06	2002		4	3	1	4		0	0	0	30	G	74	12	25	149	100	149	
Official	J51634 Rt 0133/10	0.1				109	18	06			4	1	1	1		1	0	2	30	G	74	10	5	72	100	72	
Official	J51634 Rt 0133/20		J050	1	31	109	18	06			4	1	1	1					30					98	100	98	
Official	J51634 Rt 0133/30	0.1				109	18	06			4	1	1	1		1	0	2	30	G	74	10	5	72	100	72	
Official	J51634 Rt 0134/10	0.5				109	18	06	2002		3	1	1	1	1	5	50	4	30	E	37	18	13	124	100	124	
Official	J51634 Rt 0135/10	0.3				109	18	06	2002		4	3	1	4		0	0	0	30	G	74	12	15	89	100	89	
Official	J51634 Rt 0136/10	0.1				109	18	06			3	1	1	1		1	0	2	30	E	37	18	3	25	100	25	
Official	J51634 Rt 0137/10	0.5				109	19	06			4	2	1	4					30	G	74	11	25	142	100	142	
Official	J51634 Rt 0138/10	0.3				109	19	06			4	2	1	4					30	G	74	11	15	85	100	85	
Official	J51634 Rt 0138/20	0.3				109	19	06			4	2	1	4					30	G	74	11	15	85	100	85	
Official	J51634 Rt 0139/10	0.6				109	19	06			4	3	1	1		3	20	3	30	G	74	12	30	189	100	189	
Official	J51634 Rt 0140/10	0.2				109	18	06	2002		3	1	1	4		0	0	0	30	E	37	18	5	49	100	49	
Official	J51634 Rt 0141/10		J006	1	30	109	19	06			3	1	1	1					30					95	100	95	
Official	J51634 Rt 0141/20	0.1				109	19	06			3	1	1	1		4	24	4	30	E	37	18	3	25	100	25	
Official	J51634 Rt 0142/10	0.7				109	19	06			4	3	1	1		1	0	2	30	G	74	12	35	208	100	208	
Returned-To-Fi	J51634 Rt 0144/10	0.6				109	18	06	2002		4	3	1	4		0	0	0	30	G	74	12	30	178	100	178	
In-Process	J51634 Rt 0145/10	0.3				109	18	06	2002		4	3	1	4		0	0	0	30	G	74	12	15	89	100	89	
Official	J51634 Rt 0146/10	0.2				109	19	06			4	3	1	1		4	20	3	30	G	74	12	10	47	100	47	
Official	J51636 Rt 0301/810	0.1				045		06				1	5	2		1	2	30							100		
Official	J51636 Rt 0301/820	0.6				045		06				1	5	2		4	5	30							100		
Official	J51636 Rt 3131/810	0.5				045		06				1	5	2		1	5	30							100		
Official	J51636 Rt 3131/820	1.2				045		06				1	5	2		4	5	30							100		
Official	J51636 Rt 8091/810	0.1				045		06				1	5	2		1	2	30							100		
Official	J51638 Rt 0228/10	1.2				045	01	06			3	1	1	1		4	10	3	30	E	37	18	30	299	100	299	
Official	J51638 Rt 0228/20	0.3				045	01	06			3	1	1	1		4	10	3	30	E	37	18	8	75	100	75	
Official	J51638 Rt 0228/30	0.2				045	01	06			3	1	1	4		0	0	0	30	E	37	18	5	49	100	49	
Official	J51691 Rt 0216/10	1.0				051	18	06			4	2	1	4		0	0	0	30	G	74	11	50	284	100	284	
Official	J51691 Rt 0218/10	0.3				051	18	06			3	1	1	1		5	10	3	30	E	37	18	8	75	100	75	
Official	J51691 Rt 0218/20	0.7				051	18	06			3	1	1	1		4	10	3	30	E	37	18	18	174	100	174	
Official	J51691 Rt 0218/30	0.3				051	18	06			3	1	5	2		1	0	2	30	E	37	18	8	74	100	74	
In-Process	J52502 Rt 0079/10	0.3				049	14	06			3	1	1	1		4	0	3	30	E	37	18	8	75	100	75	
Official	J52502 Rt 0079/10	0.3				049	14	06			3	1	1	1		4	0	3	30	E	37	18	8	75	100	75	
Official	J52505 Rt 0451/10	0.3				089	02	06	2001		4	2	2	2		4	46	4	30	G	74	11	15	57	100	57	
Official	J52518 Rt 0001/810	0.6				049		06				1	2	2		3	5	30							100		
Official	J52518 Rt 0002/810	0.7				049		06				1	2	2		1	2	30							100		
Official	J52518 Rt 0096/10	1.1				049	14	06			3	1	1	0		4	10	5	30	E	37	18	28	100			
Official	J52518 Rt 0096/20	0.5				049	14	06			3	1	1	0		4	10	5	30	E	37	18	13	100			
Official	J52518 Rt 0096/30	0.3				049	14	06			3	1	1	0		4	10	4	30	E	37	18	8	100			
Official	J52518 Rt 0150/810	0.7				049		06				1	3	2		5	5	30							29		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J52518 Rt 0301/10	0.3				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	8	74	100	74
Official	J52518 Rt 0302/10	0.3				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	8	74	100	74
Official	J52518 Rt 0303/10	0.1				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	3	25	100	25
Official	J52518 Rt 0304/10	0.1				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	3	25	100	25
Official	J52518 Rt 0305/10	0.1				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	3	25	100	25
Official	J52518 Rt 0306/10	0.1				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	3	25	100	25
Official	J52518 Rt 0307/10	0.1				049	14	06			3	1	1	1	1	1	0	2	30	E	37	18	3	25	100	25
Official	J52518 Rt 0602/810	0.3				049		06			3	1	5	2	4	4	5	30							100	
Official	J52526 Rt 0078/10	0.2				049	14	06			3	1	5	2	1	1	0	2	30	E	37	18	5	49	100	49
Official	J52526 Rt 0087/810	0.3				049		06				1	5	2	4	4	5	30							100	
In-Process	J52529 Rt 0001/810	0.1				089		06				1	2	2	1	1	2	30							100	
Official	J52529 Rt 0001/810	0.1				089		06				1	2	2	1	1	2	30							100	
Official	J52529 Rt 0157/10	0.9				089	02	06	2001		4	3	1	1	4	4	50	5	30	G	74	12	45	47	100	47
Official	J52529 Rt 0157/20	0.4				089	02	06	2001		4	3	1	1	4	4	50	5	30	G	74	12	20	21	100	21
Official	J52536 Rt 0075/10	0.2				049	14	06			3	1	1	0	2	4	60	5	30	E	37	18	5		100	
Official	J52536 Rt 0076/10	0.8				049	14	06			3	1	1	0	2	4	60	5	30	E	37	18	20		100	
Official	J52536 Rt 0076/20		J001	9	128	049	14	06			3	1	1	0			5	30							100	
Official	J52536 Rt 0076/30	0.5				049	14	06			3	1	1	0	2	4	60	5	30	E	37	18	13		100	
Official	J52536 Rt 0076/40		J020	1	24	049	14	06			3	1	1	0			5	30							100	
Official	J52536 Rt 0077/10	0.7				049	14	06			3	1	1	0	4	4	50	5	30	E	37	18	18		100	
In-Process	J52536 Rt 0079/10					089	02	05					1					00							100	
Returned-To-R	J52536 Rt 0080/10	0.1				089	02	06			5	1	1	1	1	1	0	3	30	G	74	13	5	22	100	22
Official	J52536 Rt 0081/10	0.1				049	02	06			4	1	1	1	3	3	30	4	30	G	74	10	5	77	100	77
Official	J52536 Rt 0081/20	0.4				049	02	06			4	2	1	1	3	100	1	30	G	74	11	20	114	100	114	
Official	J52536 Rt 0081/30	0.5				049	02	06			4	1	1	1	3	0	1	30	G	74	10	25	360	100	360	
Official	J52536 Rt 0082/10	3.0				049	02	06			4	1	1	1	3	0	1	30	G	74	10	150	2,162	100	2,162	
Official	J52536 Rt 0158/10	0.2				089	02	06			4	1	1	1	3	100	2	30	G	74	10	10	144	100	144	
Official	J52536 Rt 0159/10	0.5				089	02	06			4	1	1	1	1	0	1	30	G	74	10	25	360	100	360	
Official	J52536 Rt 0160/10	0.1				089	02	06			3		1	1	5	25	4	30	E	37	18	3	25	100	25	
Official	J52536 Rt 0161/10	0.3				089	02	06			4	1	1	1	3	100	1	30	G	74	10	15	216	100	216	
Official	J52536 Rt 0162/10	0.1				089	02	06			4	1	1	1	3	100	1	30	G	74	10	5	72	100	72	
Official	J52536 Rt 0299/810	0.9				049		06				1	3	2	5		5	30						29		
Official	J52536 Rt 0395/810	7.2				049		06				1	3	2	5		5	30						29		
Official	J52538 Rt 0158/10	0.4				089	02	06			3	1	2	2	4	5	70	7	30	E	37	18	10	3	100	3
Official	J52538 Rt 0158/20	0.1				089	02	06			3	1	2	2	0	0	30	E	37	18			3	25	100	25
Official	J52538 Rt 3030/810	0.6				089		06				1	5	2	5		5	30							100	
In-Process	J52550 Rt 0025/810	2.1				035	04	06	2006	1387	4	1	5	2	1	5	37	5	30	P	2,060	10	2,913	1,384	100	1,384
In-Process	J52550 Rt 0025/820		SR01	9	250	035	14	06			4		5	2				30							100	
In-Process	J52550 Rt 0025/830	2.5				035	14	06			4	1	5	2	1	5	37	5	30	G	74	10	125	339	100	339
In-Process	J52550 Rt 0025/840	0.4				035	14	06			4	1	5	2	1	5	42	5	30	G	74	10	20	54	100	54
In-Process	J52550 Rt 0025/850	0.2				035	14	06			4	1	5	2	3	5	42	5	30	G	74	10	10	27	100	27
In-Process	J52550 Rt 0025/860	0.5				035	14	06	2006	2823	4	1	5	2	1	5	44	5	30	P	4,192	10	1,412	202	100	202
In-Process	J52550 Rt 0036/810	2.0				035	14	06			1	2	3	2	3	5	35	5	30	P		2		1,920	29	548
In-Process	J52550 Rt 0036/820		7-66	9	33	035	14	06			1		3	2				30							100	
In-Process	J52550 Rt 0036/830	0.6				035	14	06	2006	15712	1	2	3	2	3	5	35	5	30	P	23,332	2	2,690	576	29	164
In-Process	J52550 Rt 0036/840		7-33	9	145	035	14	06			1		3	2				30							100	
In-Process	J52550 Rt 0036/850	0.2				035	14	06			1	2	3	2	3	5	35	5	30	P		2		192	29	55
In-Process	J52550 Rt 0036/860	1.2				035	14	06	2006	24228	1	2	3	2	4	5	40	5	30	P	35,979	2	8,295	1,152	29	329
Official	J52550 Rt 0132/10	0.5				035	14	06			3	1	1	1	4	50	2	30	E	37	18		13	123	100	123
Official	J52550 Rt 0133/10	0.5				035	14	06			3	1	1	1	4	30	4	30	E	37	18		13	124	100	124



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52550 Rt 0139/810	1.4				035	14	06			4	2	3	2	3	5	34	5	30	G	74	11	20	65	29	19
In-Process	J52550 Rt 0139/820	9.4				035	14	06	2006	1234	4	2	3	2	1	5	34	5	30	P	1,832	11	3,309	2,300	29	656
In-Process	J52550 Rt 0208/810	0.6				063	14	06			4	3	5	2		5	28	5	30	G	74	12	30	31	100	31
In-Process	J52550 Rt 0208/820	0.8				035	14	06			4	3	5	2		5	28	5	30	G	74	12	40	42	100	42
In-Process	J52550 Rt 0208/830	0.9				063	14	06			4	3	5	2		5	28	5	30	G	74	12	45	47	100	47
In-Process	J52550 Rt 0208/840	4.5				035	14	06	2006	1067	4	3	5	2	4	5	30	6	30	P	1,584	12	4,802	1,019	100	1,019
Official	J52550 Rt 0226/10	0.7				035	14	06			3	1	1	0		1	0	2	30	E	37	18	18		100	
Official	J52550 Rt 0226/20	0.7				035	14	06			3	1	1	0		1	0	2	30	E	37	18	18		100	
Official	J52550 Rt 0226/30	0.4				035	14	06			3	1	1	0		4	30	2	30	E	37	18	10		100	
In-Process	J52550 Rt 0227/10	0.3				035	14	06			3		1	2	4	5	24	7	30	E	37	18	8	2	100	2
Official	J52550 Rt 0227/10	0.3				035	14	06			3	1	1	4		0	0	0	30	E	37	18	8	74	100	74
In-Process	J52550 Rt 0228/10	0.3				035	14	06			3		1	2	4	5	24	6	30	E	37	18	8	2	100	2
Official	J52550 Rt 0228/10	0.3				035	14	06			3	1	1	4		0	0	0	30	E	37	18	8	74	100	74
Official	J52550 Rt 0334/10	0.2				035	14	06			3	1	1	0		4	60	5	30	E	37	18	5		100	
Official	J52550 Rt 0335/10	0.2				035	14	06			3	1	1	1		4	0	2	30	E	37	18	5	49	100	49
Official	J52550 Rt 0336/10	0.2				035	14	06			3	1	1	1		4	30	3	30	E	37	18	5	50	100	50
Official	J52550 Rt 0336/20	0.5				035	14	06			3	1	1	1		4	30	3	30	E	37	18	13	124	100	124
Official	J52550 Rt 0337/10	0.4				035	14	06			3	1	1	1	4	4	40	3	30	E	37	18	10	100	100	100
Official	J52550 Rt 0337/20	0.3				035	14	06			3	1	1	1		4	30	3	30	E	37	18	8	75	100	75
Official	J52550 Rt 0338/10	0.1				035	14	06			3	1	1	1	4	4	50	3	30	E	37	18	3	25	100	25
Official	J52550 Rt 0339/10	0.2				035	14	06			3	1	1	1	4	4	50	3	30	E	37	18	5	50	100	50
Official	J52550 Rt 0339/20	0.1				035	14	06			3	1	1	1	4	4	50	3	30	E	37	18	3	25	100	25
Official	J52550 Rt 0340/10	0.2				035	14	06			3	1	1	1	4	4	30	3	30	E	37	18	5	50	100	50
In-Process	J52550 Rt 0341/10	0.3				035	14	06			3		1	2		4	100	5	30	E	37	18	8	2	100	2
Official	J52550 Rt 0341/10	0.3				035	14	06			4	1	1	1		1	0	2	30	G	74	10	15	216	100	216
Official	J52550 Rt 0342/10	0.3				035	04	06			4	1	1	4					30	G	74	10	15	216	100	216
Official	J52550 Rt 0342/20	0.1				035	04	06			4	1	1	4					30	G	74	10	5	72	100	72
Official	J52550 Rt 0343/10	0.1				035	14	06	2004		3	1	1	1	4	4	50	7	30	E	37	18	3	1	100	1
Official	J52550 Rt 0343/20	0.1				035	14	06	2004		3	1	1	1		4	50	5	30	E	37	18	3	1	100	1
Official	J52550 Rt 0343/30	0.1				035	14	06	2004		3	1	1	1		4	50	5	30	E	37	18	3	1	100	1
Official	J52550 Rt 0343/40	0.1				035	14	06	2004		3	1	1	1		4	48	5	30	E	37	18	3	1	100	1
Official	J52550 Rt 0344/10	0.4				035	14	06			4	2	1	1	1	4	70	5	30	G	74	11	20	19	100	19
Official	J52550 Rt 0344/20	0.6				035	14	06	2001		4	2	1	4		0	0	30	G	74	11	30	171	100	171	
In-Process	J52550 Rt 0395/500	0.3				035	14	06	2006	7441	2	2	7	2	3	5	36	5	30	P	11,050	5	2,232	165	100	165
In-Process	J52550 Rt 0395/510	0.1				035	14	06			2	2	7	2	3	5	36	5	30	P	149	8	10	29	100	29
In-Process	J52550 Rt 0395/520	1.4				035	14	06			2	2	7	2	3	5	36	5	30	P	149	8	140	403	100	403
In-Process	J52550 Rt 0395/530	3.7				035	14	06			2	2	7	2	3	5	36	5	30	P	149	8	370	1,065	100	1,065
In-Process	J52550 Rt 0395/540	1.0				035	14	06			2	2	7	2	3	5	36	5	30	P	149	8	100	288	100	288
In-Process	J52550 Rt 0395/550	4.4				035	14	06			2	2	7	2	3	5	29	5	30	P	149	8	440	1,266	100	1,266
In-Process	J52550 Rt 0395/560	1.0				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	100	288	100	288
In-Process	J52550 Rt 0395/570	2.2				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	220	633	100	633
In-Process	J52550 Rt 0395/580	0.3				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	30	86	100	86
In-Process	J52550 Rt 0395/590	0.8				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	80	230	100	230
In-Process	J52550 Rt 0395/600	0.4				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	40	115	100	115
In-Process	J52550 Rt 0395/610	0.3				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	30	86	100	86
In-Process	J52550 Rt 0395/620	1.2				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	120	345	100	345
In-Process	J52550 Rt 0395/630	0.3				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	30	86	100	86
In-Process	J52550 Rt 0395/640	0.6				035	14	06	2006	7394	2	2	7	2	3	5	31	5	30	P	10,980	5	4,436	330	100	330
In-Process	J52550 Rt 0395/650	0.6				035	14	06	2006	7774	2	2	7	2	3	5	31	5	30	P	11,544	5	4,664	330	100	330
In-Process	J52550 Rt 0395/660	0.7				035	14	06			2	2	7	2	3	5	31	5	30	P	149	8	70	201	100	201



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52550 Rt 0395/670	1.5				035	14	06			2	2	7	2	3	5	35	5	30	P	149	8	150	432	100	432
In-Process	J52550 Rt 0395/680	1.6				035	14	06			2	2	7	2	3	5	35	5	30	P	149	8	160	460	100	460
In-Process	J52550 Rt 0395/690	1.3				035	14	06			2	2	7	2	3	5	35	5	30	P	149	8	130	374	100	374
In-Process	J52550 Rt 0395/700	2.7				035	14	06			2	2	7	2	3	5	35	5	30	P	149	8	270	777	100	777
In-Process	J52550 Rt 0395/710	1.3				035	14	06	2006	5567	2	2	7	2	1	5	38	5	30	P	8,267	5	7,237	715	100	715
In-Process	J52550 Rt 0395/720		7-30	9	27	035	14	06			2		7	2					30						100	
In-Process	J52550 Rt 0395/730	8.9				035	14	06			2	2	7	2	1	5	27	5	30	P	149	8	890	2,561	100	2,561
In-Process	J52550 Rt 0395/740		7-80	9	296	035	14	06			2		7	2					30					100		
In-Process	J52550 Rt 0395/750	0.6				035	14	06			2	2	7	2	3	5	42	5	30	P	149	8	60	124	100	124
In-Process	J52550 Rt 0395/760		7-81	9	296	035	14	06			2		7	2					30					100		
In-Process	J52550 Rt 0395/770	0.1				035	14	06			2	2	7	2	3	5	42	5	30	P	149	8	10	21	100	21
In-Process	J52550 Rt 0395/780		7-34	9	132	035	14	06			2		7	2					30					100		
In-Process	J52550 Rt 0395/790	0.3				035	14	06			2	2	7	2	3	5	42	5	30	P	149	8	30	62	100	62
In-Process	J52550 Rt 0395/800	0.2				035	14	06			2	2	7	2	3	5	42	5	30	P	149	8	20	41	100	41
In-Process	J52550 Rt 0395/810	15.9				035	14	06	2006	2480	2	2	7	2	3	5	42	5	30	P	3,683	5	39,432	5,541	100	5,541
In-Process	J52550 Rt 0395/820		SR03	9	34	035	14	06			2		7	2					30					100		
In-Process	J52550 Rt 0395/830	19.6				035	14	06			2	2	7	2	3	5	42	5	30	P	149	8	1,960	4,041	100	4,041
In-Process	J52550 Rt 0502/810	10.0				035	14	06	2006	147	4	2	5	2	1	5	45	5	30	G	218	11	1,470	466	100	466
In-Process	J52550 Rt 0526/810	9.8				035	14	06	2006	73	4	2	5	2		1	2	30	G	108	11	715	2,787	100	2,787	
In-Process	J52550 Rt 1001/810	11.4				035	14	06			4	3	2	2		1	2	30	G	74	12	570	3,388	100	3,388	
In-Process	J52550 Rt 1002/810	0.1				035	14	06			5	3	2	2		1	1	30	G	74	15	5	31	100	31	
In-Process	J52550 Rt 1003/810	0.6				035	14	06	2006	12325	2	2	5	2	4	5	46	5	30	P	18,303	5	7,395	209	100	209
In-Process	J52550 Rt 1007/810	0.5				035	14	06			5	3	2	2		1	1	30	G	74	15	25	155	100	155	
In-Process	J52550 Rt 1008/810	0.1				035	14	06			5	2	2	4					30	G	74	14	5	17	100	17
In-Process	J52550 Rt 1009/810	0.1				035	14	06			3		2	4					30	E	37	18	3	25	100	25
In-Process	J52550 Rt 1010/810	0.5				035	14	06	2006	1781	4	2	5	2	2	5	39	7	30	P	2,645	11	891	122	100	122
In-Process	J52550 Rt 1013/810	0.4				035	14	06			3		5	2	4	5	31	7	30	E	37	18	10	3	100	3
In-Process	J52550 Rt 1014/810	1.0				035	14	06	2006	2588	3		5	2	4	5	35	7	30	P	3,843	18	2,588	493	100	493
In-Process	J52550 Rt 1014/820	0.3				035	14	06			3		5	2	1		2	30	E	37	18	8	74	100	74	
In-Process	J52550 Rt 1015/810	0.4				035	14	06	2006	910	3		5	2	4	5	38	7	30	P	1,351	18	364	197	100	197
In-Process	J52550 Rt 1015/820	0.5				035	14	06	2006	1633	3		5	2		5	34	5	30	P	2,425	18	817	246	100	246
In-Process	J52550 Rt 1016/810	0.5				035	14	06	2006	3411	4	2	5	2	1	5	34	6	30	P	5,065	11	1,706	122	100	122
In-Process	J52550 Rt 1016/820	0.8				035	14	06	2006	1948	4	2	5	2	3	5	34	5	30	P	2,893	11	1,558	196	100	196
In-Process	J52550 Rt 1017/810	0.2				035	14	06	2006	5458	4	2	5	2	4	5	42	6	30	P	8,105	11	1,092	27	100	27
In-Process	J52550 Rt 1017/820	0.7				035	14	06			4	2	5	2	3	5	38	5	30	G	74	11	35	33	100	33
In-Process	J52550 Rt 1018/810	0.6				035	14	06	2006	2864	3		5	2	4	5	34	7	30	P	4,253	18	1,718	296	100	296
In-Process	J52550 Rt 1019/810	0.6				035	14	06			3		5	2	4	5	34	7	30	E	37	18	15	5	100	5
In-Process	J52550 Rt 1020/810	0.1				035	14	06			3		5	2	4	5	48	7	30	E	37	18	3	1	100	1
In-Process	J52550 Rt 1021/810	0.1				035	14	06			3		5	2	4	5	48	7	30	E	37	18	3	1	100	1
In-Process	J52550 Rt 1022/810	0.5				035	14	06	2006	4923	6		5	2	4	5	36	7	30	P	7,311	16	2,462	246	100	246
In-Process	J52550 Rt 1022/820	0.2				035	14	06	2006	322	6		5	2		5	38	5	30	P	478	16	64	99	100	99
In-Process	J52550 Rt 1023/810	0.6				035	14	06			4	2	2	4					30	G	74	11	30	171	100	171
In-Process	J52550 Rt 1024/810	0.1				035	14	06			9		2	2		5										
In-Process	J52550 Rt 1025/810	0.1				035	14	06			9		2	2		5										
In-Process	J52550 Rt 1026/810	0.1				035	14	06			9		2	2		5										
In-Process	J52550 Rt 2001/810	0.2				035	14	06	2006	204	4	1	2	2	4	5	28	7	30	P	303	10	41	132	100	132
In-Process	J52550 Rt 2003/810	0.1				035	14	06			3		2	2	4	5	34	7	30	E	37	18	3	1	100	1
In-Process	J52550 Rt 2005/810	0.1				035	14	06			3		2	2	4	5	34	7	30	E	37	18	3	1	100	1
In-Process	J52550 Rt 2011/810	0.4				035	14	06			4	1	2	2		3	25	3	30	G	74	10	20	306	100	306
In-Process	J52550 Rt 2012/810	0.8				035	14	06			8		2	2		5			30		30	19	16	20	100	20



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52550 Rt 3001/810	0.9				035	14	06			5	2	5	2	1		1	30	G		74	14	45	157	100	157
In-Process	J52550 Rt 4001/810	0.9				063	14	06			5	3	2	2	1		1	30	G		74	15	45	278	100	278
In-Process	J52550 Rt 4002/810	0.1				063	14	06			4	3	2	2	1		1	30	G		74	12	5	30	100	30
In-Process	J52550 Rt 4003/810	0.1				063	14	06			4	3	2	2	1		1	30	G		74	12	5	30	100	30
In-Process	J52550 Rt 4004/810	0.4				063	14	06			4	3	2	2	1		1	30	G		74	12	20	119	100	119
Official	J52554 Rt 0020/10	0.3				023	01	06	1999	78	4	3	1	0		5	96	5	30	G	116	12	23		100	
Official	J52554 Rt 0020/20	0.2				023	01	06	1989		4	2	1	0	2	4	60	5	30	G	74	11	10		100	
Official	J52554 Rt 0220/10	0.1				023	01	06	2001	175	4	1	1	1	4	4	0	7	30	P	260	10	18	66	100	66
Official	J52555 Rt 0001/810	0.3				093		06				1	5	2		5	5	30							100	
In-Process	J52555 Rt 0022/10	1.5				093	02	06			4	3	1	4		0	0	0	30	G	74	12	75	446	100	446
Official	J52555 Rt 0022/10	1.5				093	02	06			4	3	1	4		0	0	0	30	G	74	12	75	446	100	446
Official	J52555 Rt 0023/10	0.4				023	01	06			3	1	1	4		0	0	0	30	E	37	18	10	99	100	99
Official	J52555 Rt 0024/10	0.3				093	02	06			3	1	1	4		0	0	0	30	E	37	18	8	74	100	74
Official	J52555 Rt 0025/10	0.1				093	02	06			3	1	1	1		4	32	3	30	E	37	18	3	25	100	25
Official	J52555 Rt 0026/10	0.1				093	02	06			3	1	1	1		4	32	3	30	E	37	18	3	25	100	25
Official	J52555 Rt 0027/10	0.1				093	02	06			3	1	1	1		4	32	3	30	E	37	18	3	25	100	25
Official	J52555 Rt 0028/10	0.1				093	02	06			3	1	1	1		4	32	3	30	E	37	18	3	25	100	25
Official	J52555 Rt 0029/10	0.2				093	02	06			3	1	1	4		0	0	0	30	E	37	18	5	49	100	49
Official	J52555 Rt 0032/10	0.2				093	02	06			3	1	1	4		0	0	0	30	E	37	18	5	49	100	49
Official	J52555 Rt 0033/10	0.1				093	02	06			3	1	1	4		0	0	0	30	E	37	18	3	25	100	25
Official	J52555 Rt 0034/10	0.1				093	02	06			3	1	1	4		0	0	0	30	E	37	18	3	25	100	25
Official	J52555 Rt 0035/10	0.1				093	02	06			3	1	1	4		0	0	0	30	E	37	18	3	25	100	25
Official	J52555 Rt 0036/10	0.2				093	02	06			3	1	1	4		0	0	0	30	E	37	18	5	49	100	49
Official	J52555 Rt 0037/10	2.1				093	02	06			3	1	1	4		0	0	0	30	E	37	18	53	517	100	517
Official	J52555 Rt 0038/10	0.2				093	02	06			3	1	1	4		0	0	0	30	E	37	18	5	49	100	49
Official	J52555 Rt 0039/10	0.5				023	01	06			4	3	1	4		0	0	0	30	G	74	12	25	149	100	149
Official	J52555 Rt 0040/10	0.1				023	01	06			3	1	1	1		1	0	2	30	E	37	18	3	25	100	25
Approved	J52555 Rt 0041/10	0.2				093	02	06					1													
Official	J52555 Rt 0041/10	0.2				093	02	06			9		1	4												
Approved	J52555 Rt 0042/10	0.6				093	02	06					1													
Official	J52555 Rt 0042/10	0.6				093	02	06			3		1	1		1	0	1	30	E	37	18	15	148	100	148
Approved	J52555 Rt 0043/10	0.7				093	02	06					1													
Official	J52555 Rt 0043/10	0.7				093	02	06			5	3	1	1		3	40	3	30	G	74	15	35	217	100	217
Approved	J52555 Rt 0044/10	0.1				093	02	06					1													
Official	J52555 Rt 0044/10	0.1				093	02	06			3		1	1		5	0	5	30	E	37	18	3	1	100	1
Approved	J52555 Rt 0045/10	0.1				093	02	06					1													
Official	J52555 Rt 0045/10	0.1				093	02	06			3		1	1		5	100	7	30	E	37	18	3	1	100	1
Approved	J52555 Rt 0046/10	0.1				023	01	06					1													
Official	J52555 Rt 0046/10	0.1				023	01	06			3		1	4					30	E	37	18	3	25	100	25
Approved	J52555 Rt 0047/10	0.1				093	02	06					1													
Official	J52555 Rt 0047/10	0.1				093	02	06			3		1	1		5	5	5	30	E	37	18	3	1	100	1
Official	J52555 Rt 0096/10	0.9				023	01	06			2	3	3	2	3	5	100	5	30	P	149	9	26	311	29	89
Official	J52555 Rt 0096/20		4-61	9	180	023	01	06			2		3	2					30							
Official	J52555 Rt 0096/30	7.3				023	01	06			2	3	3	2	3	5	0	5	30	P	149	9	208	2,523	29	720
Official	J52555 Rt 0096/40		4-66	5	151	023	01	06			2		3	2					30							
Official	J52555 Rt 0096/50	1.3				023	01	06	2005	970	2	3	3	2	3	5	60	5	30	P	1,440	6	360	623	29	178
Official	J52555 Rt 0096/60		4-69	9	770	023	01	06			2		3	2					30							
Official	J52555 Rt 0096/70	0.9				023	01	06	2005	970	2	3	3	2	3	5	60	5	30	P	1,440	6	249	431	29	123
Official	J52555 Rt 0096/80		4-240	9	376	023	01	06			2		3	2					30							
Official	J52555 Rt 0096/90	5.5				023	01	06	2005	410	2	3	3	2	3	5	60	5	30	P	609	6	643	2,635	29	752



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52555 Rt 0096/100		2-177	9	879	093	02 06				2		3	2												100	
Official	J52555 Rt 0096/110	5.0		9	904	093	02 06	2005	410	2	3	3	2	3	5	40	5	30	P	609	6		585	2,395	29	683	
Official	J52555 Rt 0096/120		2-156	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/130	0.7		9	908	093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		20	242	29	69	
Official	J52555 Rt 0096/140		2-157	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/150	1.5		9		093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		43	518	29	148	
Official	J52555 Rt 0096/160		2-22	7	280	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/170	1.0		9		093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		29	346	29	99	
Official	J52555 Rt 0096/180		2-23	1	24	093	02 06			2		3	2					30						76	100	76	
Official	J52555 Rt 0096/190	0.9		9		093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		26	311	29	89	
Official	J52555 Rt 0096/200		2-24	1	26	093	02 06			2		3	2					30						82	100	82	
Official	J52555 Rt 0096/210	2.9		9	133	093	02 06			2	3	3	2	3	5	40	5	30	P	149	9		83	1,002	29	286	
Official	J52555 Rt 0096/220		2-27	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/230	3.6		9	540	093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		103	1,244	29	355	
Official	J52555 Rt 0096/240		2-132	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/250	0.5		9	251	093	02 06			2	3	3	2	3	5	100	5	30	P	149	9		14	173	29	49	
Official	J52555 Rt 0096/260		2-35	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/270	7.1		9		093	02 06			2	3	3	2	3	5	60	5	30	P	149	9		203	2,454	29	700	
Official	J52555 Rt 0096/280		2-70	1	89	093	02 06			2		3	2					30						281	100	281	
Official	J52555 Rt 0096/290	9.4		9	230	093	02 06	2004	190	2	3	3	2	3	5	60	5	30	P	282	9		510	3,249	29	927	
Official	J52555 Rt 0096/300		2-51	7		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/310	1.8		9		093	02 06			2	3	3	2	3	5	100	5	30	P	149	9		51	622	29	177	
Official	J52555 Rt 0096/320		2-53	7	74	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/330	5.7		9	88	093	02 06	2004	540	2	3	3	2	3	5	100	5	30	P	802	6		878	2,731	29	779	
Official	J52555 Rt 0096/340		2-242	9		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/350	1.0		9	330	093	02 06	2005	1150	2	1	3	2	3	5	60	5	30	P	1,708	4		328	136	29	39	
Official	J52555 Rt 0096/360		2-49	5		093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/370	11.5		9		093	02 06	2004	1950	2	3	3	2	3	5	60	5	30	P	2,896	6		6,398	5,509	29	1,572	
Official	J52555 Rt 0096/380		2-68	7	125	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/390	7.7		9		093	02 06	2004	630	2	3	3	2	3	5	60	5	30	P	936	6		1,384	3,689	29	1,052	
Official	J52555 Rt 0096/400		2-72	7	156	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/410	1.0		9		093	02 06	2004	640	2	1	3	2	3	5	60	5	30	P	950	4		183	136	29	39	
Official	J52555 Rt 0096/420		2-119	7	384	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/430	10.1		9		093	02 06			2	3	3	2	3	5	100	5	30	P	149	9		288	3,491	29	996	
Official	J52555 Rt 0096/440		2-79	7	229	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/450	5.9		9		093	02 06	2004	440	2	3	3	2	3	5	100	5	30	P	653	6		741	2,826	29	806	
Official	J52555 Rt 0096/460		2-117	7	419	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/470	2.9		9		093	02 06			2	2	3	2	3	5	100	5	30	P	149	8		83	835	29	238	
Official	J52555 Rt 0096/480		2-120	7	24	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/490	2.6		9		093	02 06			2	2	3	2	3	5	100	5	30	P	149	8		74	748	29	213	
Official	J52555 Rt 0096/500		2-100	7	34	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/510	5.6		9		093	02 06			2	2	3	2	3	5	100	5	30	P	149	8		160	1,612	29	460	
Official	J52555 Rt 0096/520		2-81	9	151	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/530	4.8		9		093	02 06			2	3	3	2	3	5	100	5	30	P	149	9		137	1,659	29	473	
Official	J52555 Rt 0096/540		2-86	9	28	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/550	0.0		9		093	02 06			2	1	3	2	3	5	100	5	30						29			
Official	J52555 Rt 0096/560		2-87	9	28	093	02 06			2		3	2					30						100			
Official	J52555 Rt 0096/570	10.3		9		093	02 06	2005	890	2	3	3	2	3	5	100	5	30	P	1,322	6		2,615	4,934	29	1,408	
Official	J52555 Rt 0108/10	0.4				093	02 06			3	1	1	1		5	50	5	30	E	37	18		10	3	100	3	
Official	J52555 Rt 0108/20	0.1				093	02 06			3	1	1	1		4	30	5	30	E	37	18		3	1	100	1	



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52555 Rt 0109/10	1.0				093	02	06			3	1	1	4	0	0	0	30	E		37	18	25	246	100	246	
Official	J52555 Rt 0110/10	0.3				093	02	06			3	1	1	1	4	30	3	30	E		37	18	8	75	100	75	
Official	J52555 Rt 0111/10	0.3				093	02	06			3	1	1	4	0	0	0	30	E		37	18	8	74	100	74	
In-Process	J52555 Rt 0112/10	0.1				093	02	06			3	1	1	4	0	0	0	30	E		37	18	3	25	100	25	
Official	J52555 Rt 0112/10	0.1				093	02	06			3	1	1	4	0	0	0	30	E		37	18	3	25	100	25	
Official	J52555 Rt 0113/10	0.1				093	02	06			3	1	1	4	0	0	0	30	E		37	18	3	25	100	25	
Official	J52555 Rt 0325/10	0.2				023	01	06			3	1	1	1	1	0	2	30	E		37	18	5	49	100	49	
Official	J52555 Rt 0326/10	0.3				023	01	06			3	1	1	1	1	0	2	30	E		37	18	8	74	100	74	
Official	J52555 Rt 0327/10	0.1				023	01	06			3	1	1	1	1	0	2	30	E		37	18	3	25	100	25	
Official	J52555 Rt 0328/10	0.1				023	01	06			3	1	1	1	1	0	2	30	E		37	18	3	25	100	25	
Official	J52555 Rt 0329/10	0.1				023	01	06			3	1	1	1	1	0	2	30	E		37	18	3	25	100	25	
At-The-Bia/Dot	J52555 Rt 1005/10	7.0				093	02	06	2004	14800	1	2	3	2	3	5	60	5	30	P	21,978	2	29,557	4,150	29	1,184	
At-The-Bia/Dot	J52555 Rt 1005/20		2-148	9	532	093	02	06			1		3	2											100		
At-The-Bia/Dot	J52555 Rt 1005/30	2.9				093	02	06	2004	14400	5	3	3	2	3	5	60	5	30	P	21,384	15	11,914	1,249	29	356	
At-The-Bia/Dot	J52555 Rt 1005/40		2-150	9	125	093	02	06			1		3	2											100		
At-The-Bia/Dot	J52555 Rt 1005/50	0.7				093	02	06	2004	15300	1	2	3	2	3	5	60	5	30	P	22,721	2	3,056	672	29	192	
Official	J52555 Rt Q100/10	0.3				023	01	06	2006	268	2	3	5	2	2	4	60	3	30	P	398	9	80	211	100	211	
Official	J52555 Rt Q100/20		4C-117	1	22	023	01	06			2		5	2										69	100	69	
Official	J52555 Rt Q100/30	3.6				023	01	06	2006	268	2	2	5	2	4	60	3	30	P	398	8	965	2,178	100	2,178		
Official	J52555 Rt Q100/40		4C-162	9	150	023	01	06			2		5	2										100			
Official	J52555 Rt Q100/50	2.8				023	01	06	2006	268	2	3	5	2	4	40	3	30	P	398	9	750	1,971	100	1,971		
Official	J52555 Rt R100/10	0.3				023	01	06	2006	181	2	3	5	2	2	4	40	3	30	P	269	9	54	211	100	211	
Official	J52555 Rt R100/20		4C-181	1	50	023	01	06			2		5	2										158	100	158	
Official	J52555 Rt R100/30	2.7				023	01	06	2006	181	2	3	5	2	4	40	3	30	P	269	9	489	1,901	100	1,901		
Official	J52555 Rt R100/40		4C-223	9	87	023	01	06			2		5	2										100			
Official	J52555 Rt R100/50	4.6				023	01	06	2006	181	2	3	5	2	4	0	3	30	P	269	9	833	3,238	100	3,238		
Official	J52555 Rt R100/60		2C-27	9	712	023	01	06			2		5	2										100			
Official	J52555 Rt R200/10	0.3				023	01	06			2	1	5	2	2	4	60	3	30	P	149	7	30	191	100	191	
Official	J52555 Rt R263/10	7.0				093	02	06	2005	1650	2	2	3	2	3	5	60	5	30	P	2,450	5	3,295	3,852	29	1,099	
Official	J52555 Rt R263/20		2-134	9	236	093	02	06			2		3	2										100			
Official	J52556 Rt 0308/10	0.3				015	01	06	2001	79	4	2	1	1	1	0	2	30	G		117	11	24	85	100	85	
Official	J52556 Rt 0309/10	0.5				015	01	06			3	1	1	0	2	4	50	5	30	E			13	100			
Official	J52556 Rt 0310/10	0.4				015	01	06	2001	55	4	1	1	0	4	50	2	30	G		82	10	22	100			
Official	J52556 Rt 0511/810	1.6				015		06				1	5	2	4	5	30							100			
Official	J52558 Rt 0101/10	0.3				023	01	06			3	1	1	1	3	5	100	5	30	E		37	18	8	2	100	2
Official	J52558 Rt 5020/810	0.2				023		06				1	5	2	4	5	30							100			
Official	J52558 Rt 5025/810	0.3				023		06				1	5	2	4	5	30							100			
In-Process	J52559 Rt 0082/810	0.3				015	01	06	2007	50	5	2	5	2	4	1	5	30	G		74	14	15	1	100	1	
In-Process	J52559 Rt 0083/810	0.4				015	01	06	2007	438	5	1	5	2	1	4	1	5	30	P		650	13	175	99	100	99
In-Process	J52559 Rt 0084/810	0.5				015	01	06	2007	1975	5	1	5	2	3	5	1	5	30	P		2,933	13	988	123	100	123
In-Process	J52559 Rt 0085/810	1.1				015	01	06	2007	5244	5	2	5	2	4	5	1	5	30	P		7,787	14	5,768	479	100	479
In-Process	J52559 Rt 0085/820	1.4				015	01	06	2007	5244	4	2	4	2	3	5	1	5	30	P		7,787	11	7,342	342	100	342
In-Process	J52559 Rt 0085/830	2.1				015	01	06	2007	5244	4	2	5	2	3	5	1	5	30	P		7,787	11	11,012	514	100	514
In-Process	J52559 Rt 0086/810	0.5				015	01	06	2007	382	5	2	5	2	3	5	1	5	30	P		567	14	191	218	100	218
In-Process	J52559 Rt 0086/820	1.7				015	01	06	2007	382	4	2	5	2	3	5	1	5	30	P		567	11	649	416	100	416
In-Process	J52559 Rt 0087/810	0.1				015	01	06	2007	3828	4	2	5	2	5	5	1	5	30	P		5,685	11	383	24	100	24
In-Process	J52559 Rt 0087/820	0.6				015	01	06	2007	3828	4	2	5	2	3	5	1	5	30	P		5,685	11	2,297	147	100	147
In-Process	J52559 Rt 0087/830	0.3				015	01	06	2007	3828	4	2	5	2	3	5	1	5	30	P		5,685	11	1,148	73	100	73
In-Process	J52559 Rt 0088/810	1.5				015	01	06	2007	2303	4	2	5	2	3	5	1	5	30	P		3,420	11	3,455	367	100	367
In-Process	J52559 Rt 0101/510	0.2				015	01	06	2007	14700	1	2	3	2	3	5	1	5	30	P		21,830	2	839	192	29	55



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52559 Rt 0101/520	2.1				015	01	06	2007	14700	1	2	3	2	3	5	1	5	30	P	21,830	2	8,807	2,016	29	575
In-Process	J52559 Rt 0101/530	0.5				015	01	06	2007	15300	1	2	3	2	3	5	1	5	30	P	22,721	2	2,183	480	29	137
In-Process	J52559 Rt 0101/540		1-23	9	100	015	01	06			1		3	2					30						100	
In-Process	J52559 Rt 0101/550	0.2				015	01	06	2007	15300	1	2	3	2	3	5	1	5	30	P	22,721	2	873	192	29	55
In-Process	J52559 Rt 0101/560	3.2				015	01	06	2007	15300	1	2	3	2	3	5	1	5	30	P	22,721	2	13,968	3,072	29	876
In-Process	J52559 Rt 0101/570		1-20	9	350	015	01	06			1		3	2					30						100	
In-Process	J52559 Rt 0101/580	0.2				015	01	06	2007	13500	1	2	3	2	3	5	1	5	30	P	20,048	2	770	192	29	55
In-Process	J52559 Rt 0101/590			9	120	015	01	06			1		3	2												
In-Process	J52559 Rt 0197/810	6.7				015	01	06	2005	4200	2	2	3	0	3	5	20	5	30	P	6,237	5	8,028		29	
In-Process	J52559 Rt 0199/810	0.3				015	01	06	2005	6800	2	3	3	0	3	5	20	5	30	P	10,098	6	582		29	
In-Process	J52559 Rt 0199/820	3.4				015	01	06	2005	7900	2	3	3	0	3	5	20	5	30	P	11,732	6	7,663		29	
Approved	J52560 Rt 0101/810	1.1				023	01	06	2005	41400			3													
Official	J52560 Rt 0101/810	1.1				023	01	06	2005	41400	2	2	3	0	3	5	0	5	30	P	61,479	5	12,993		29	
Approved	J52560 Rt 0101/820		0113	9	39	023	01	06					3													
Official	J52560 Rt 0101/820		0113	9	39	023	01	06			2		3	0					30						100	
Approved	J52560 Rt 0101/830	0.9				023	01	06	2005	41500			3													
Official	J52560 Rt 0101/830	0.9				023	01	06	2005	41500	2	2	3	2	3	5	0	5	30	P	61,628	5	10,656	495	29	141
Approved	J52560 Rt 0101/840		0112	9	34	023	01	06					3													
Official	J52560 Rt 0101/840		0112	9	34	023	01	06			2		3	2					30						100	
Approved	J52560 Rt 0101/850	0.7				023	01	06	2005	35000			3													
Official	J52560 Rt 0101/850	0.7				023	01	06	2005	35000	2	2	3	2	3	5	0	5	30	P	51,975	5	6,990	385	29	110
Approved	J52560 Rt 0311/10	0.1				023	01	06					1													
Official	J52560 Rt 0311/10	0.1				023	01	06			3		1	1		3	3	2	30	E	37	18	3	25	100	25
In-Process	J52560 Rt 0312/10	0.2				023	01	06			3		1	0	4	4	60	7	30	E	37	18	5		100	
Official	J52560 Rt 0312/10	0.2				023	01	06			3	1	1	0	4	4	60	7	30	E	37	18	5		100	
At-The-Region	J52560 Rt 0313/10	0.1				023	01	06			3		1	4					30	E	37	18	3	25	100	25
Approved	J52560 Rt 0315/10	0.1				023	01	06					4													
Official	J52560 Rt 0315/10	0.1				023	01	06			3		4	2		5	0	7	30	E	37	18	3	1	100	1
Approved	J52560 Rt 0316/10	0.1				023	01	06	2007	129			1													
Official	J52560 Rt 0316/10	0.1				023	01	06	2007	129	3		1	1		4	4	2	30	G	192	18	13	25	100	25
Approved	J52560 Rt 0316/20	0.3				023	01	06	2007	129			1													
Official	J52560 Rt 0316/20	0.3				023	01	06	2007	129	3		1	1		4	4	2	30	G	192	18	39	74	100	74
Approved	J52560 Rt 0317/10	0.1				023	01	06					1													
Official	J52560 Rt 0317/10	0.1				023	01	06			3		1	4					30	E	37	18	3	25	100	25
Approved	J52560 Rt 0318/10	0.4				023	01	06					1													
Official	J52560 Rt 0318/10	0.4				023	01	06			3		1	4					30	E	37	18	10	99	100	99
Approved	J52560 Rt 0319/10	0.4				023	01	06					1													
Official	J52560 Rt 0319/10	0.4				023	01	06			3		1	4					30	E	37	18	10	99	100	99
Approved	J52560 Rt 0320/10	0.1				023	01	06					1													
Official	J52560 Rt 0320/10	0.1				023	01	06			3		1	4					30	E	37	18	3	25	100	25
Approved	J52560 Rt 0321/10	0.1				023	01	06					1													
Official	J52560 Rt 0321/10	0.1				023	01	06			3		1	4					30	E	37	18	3	25	100	25
Approved	J52560 Rt F324/810	0.8				023	01	06	2007	4577			5													
Official	J52560 Rt F324/810	0.8				023	01	06	2007	4577	7		5	2	4	5	40	7	30	P	6,797	17	3,662	394	100	394
Approved	J52560 Rt F324/820		40211	7	42	023	01	06					5													
Official	J52560 Rt F324/820		40211	7	42	023	01	06			7		5	2					30						100	
Approved	J52560 Rt F324/830	1.4				023	01	06	2007	4577			5													
Official	J52560 Rt F324/830	1.4				023	01	06	2007	4577	7		5	2	4	5	40	7	30	P	6,797	17	6,408	690	100	690
Approved	J52560 Rt F325/810	0.1				023	01	06	2007	147			4													
Official	J52560 Rt F325/810	0.1				023	01	06	2007	147	3		4	2	4	5	60	6	30	G	218	18	15	1	100	1



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Approved	J52560 Rt F326/810	1.0				023	01	06	2007	4055			4														
Official	J52560 Rt F326/810	1.0				023	01	06	2007	4055	6		4	2	4	5	10	7	30	P	6,022	16	4,055	493	100	493	
In-Process	J52560 Rt F327/810	0.1				023	01	06	2007	750	3		4	2	3	5	40	7	30	P	1,114	18	75	49	100	49	
Approved	J52560 Rt H322/810	0.1				023	01	06	2007	702			4														
Official	J52560 Rt H322/810	0.1				023	01	06	2007	702	3		4	2		5	40	4	30	P	1,042	18	70	73	100	73	
Approved	J52560 Rt H322/820	0.2				023	01	06	2007	702			4														
Official	J52560 Rt H322/820	0.2				023	01	06	2007	702	3		4	2		5	40	3	30	P	1,042	18	140	147	100	147	
In-Process	J52560 Rt H323/810	1.8				023	01	06	2006	2050	4	2	5	2		5	40	4	30	P	3,044	11	3,690	698	100	698	
Official	J52561 Rt 0001/10	10.3				023	01	06			4	3	1	1		1	0	2	30	G		12	515	3,061	100	3,061	
Official	J52561 Rt 0002/10	1.6				023	01	06			4	3	1	1		1	0	2	30	G		12	80	476	100	476	
Official	J52561 Rt 0004/10	0.5				023	01	06	2001	105	4	3	1	1		5	90	5	30	G		12	53	26	100	26	
Returned-To-Rt	J52561 Rt 0004/10	1.1				023	01	06	2006	125	5	3	1	1		5	80	6	30	G		15	138	6	100	6	
Official	J52561 Rt 0004/20	0.4				023	01	06	2001		4	3	1	1		5	0	4	30	G		12	20	93	100	93	
Returned-To-Rt	J52561 Rt 0004/20	0.3				023	01	06			4	3	1	1		3	60	3	30	G		12	15	99	100	99	
Official	J52561 Rt 0004/30	2.2				023	01	06	2001		4	3	1	0		1	0	2	30	G		12	110		100		
Returned-To-Rt	J52561 Rt 0004/30	2.1				023	01	06			4	3	1	0		3	60	3	30	G		12	105		100		
Official	J52561 Rt 0004/40	9.0				023	01	06	2001		4	3	1	1		1	0	2	30	G		12	450	2,675	100	2,675	
Returned-To-Rt	J52561 Rt 0004/40	8.9				023	01	06			4	3	1	1		3	60	3	30	G		12	445	2,940	100	2,940	
Official	J52561 Rt 0005/10	2.0				023	01	06			3	1	1	0		4	70	5	30	E		18	50		100		
Returned-To-Rt	J52561 Rt 0005/10	1.1				023	01	06	2006	425	5	1	1	1		5	80	5	30	P		13	468	38	100	38	
Official	J52561 Rt 0005/20	0.2				023	01	06			3	1	1	0		4	80	5	30	E		18	37	5		100	
Returned-To-Rt	J52561 Rt 0005/20	1.1				023	01	06	2006	425	5	1	1	1		5	80	5	30	P		13	468	67	100	67	
In-Process	J52561 Rt 0006/10	0.9				023	01	06	2006	263	5	3	1	1		5	60	5	30	P		15	237	318	100	318	
Official	J52561 Rt 0006/10	0.9				023	01	06	2006	263	4	3	1	1		5	90	5	30	P		12	237	47	100	47	
In-Process	J52561 Rt 0006/20	13.9				023	01	06			5	3	1	1		3	60	3	30	G		15	695	4,311	100	4,311	
Official	J52561 Rt 0006/20	13.9				023	01	06			4	3	1	1		3	0	3	30	G		12	695	4,374	100	4,374	
In-Process	J52561 Rt 0006/30	2.0				023	01	06	2001	92	5	3	1	1		3	60	3	30	G		15	184	620	100	620	
Official	J52561 Rt 0006/30	2.0				023	01	06	2001	92	4	3	1	1		1	0	3	30	G		12	184	629	100	629	
In-Process	J52561 Rt 0007/10	1.2				023	01	06	2006	107	5	3	1	1	3	5	80	5	30	G		15	128	4	100	4	
Official	J52561 Rt 0007/10	1.2				023	01	06	2006	107	4	3	1	1	3	5	0	2	30	G		12	128	259	100	259	
Approved	J52561 Rt 0008/10	4.8				023	01	06					1														
Official	J52561 Rt 0008/10	4.8				023	01	06			5	3	1	1		1	0	2	30	G		15	240	1,484	100	1,484	
In-Process	J52561 Rt 0009/10	2.0				023	01	06			5	3	1	1		1	0	2	30	G		15	100	618	100	618	
Official	J52561 Rt 0009/10	2.0				023	01	06			4	3	1	1		1	0	2	30	G		12	100	594	100	594	
Approved	J52561 Rt 0010/10	7.0				023	01	06					1														
Official	J52561 Rt 0010/10	7.0				023	01	06			5	3	1	1		3	42	3	30	G		15	350	2,171	100	2,171	
In-Process	J52561 Rt 0011/10	1.0				023	01	06			5	3	1	1		1	0	2	30	G		15	50	309	100	309	
Official	J52561 Rt 0011/10	5.5				023	01	06	2001		4	3	1	1		4	60	2	30	G		12	275	1,187	100	1,187	
In-Process	J52561 Rt 0011/11	2.8				023	01	06			5	3	1	1		3	60	3	30	G		15	140	868	100	868	
Official	J52561 Rt 0011/11	2.6				023	01	06	2001		4	3	1	1		1	0	2	30	G		12	130	773	100	773	
In-Process	J52561 Rt 0011/20		J120	7	125	023	01	06			4		1	1					30							100	
Official	J52561 Rt 0011/20		J120	9	125	023	01	06			4	1	1	1			5		30							100	
In-Process	J52561 Rt 0011/30	2.6				023	01	06			4	3	1	1		3	60	3	30	G		12	130	818	100	818	
Official	J52561 Rt 0011/30	2.8				023	01	06	2001		4	3	1	1		1	0	2	30	G		12	140	832	100	832	
In-Process	J52561 Rt 0011/40	4.4				023	01	06	2006	344	5	3	1	1		5	80	2	30	P		15	1,514	1,019	100	1,019	
Official	J52561 Rt 0011/40	1.1				023	01	06	1999		4	3	1	1		5	90	5	30	G		12	55	57	100	57	
Official	J52561 Rt 0011/50	3.3				023	01	06	2001	213	4	3	1	1		5	84	5	30	P		12	703	172	100	172	
Official	J52561 Rt 0012/10	0.6				023	01	06			3	1	5	2	3	4	80	5	30	E		18	15	5	100	5	
Returned-To-Rt	J52561 Rt 0012/10	0.6				023	01	06	2006	1895	3		1	2	3	4	80	5	30	P		18	1,137	299	100	299	
Official	J52561 Rt 0012/20		J015	9	112	023	01	06			3	1	5	2			5		30							100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Returned-To-R	J52561 Rt 0012/20		J015	9	112	023	01	06			3		1	2												100	
Official	J52561 Rt 0012/30	0.2				023	01	06			3	1	5	2	3	4	80	5	30	E	37	18	5	2	100	2	
Returned-To-R	J52561 Rt 0012/30	0.2				023	01	06	2006	1895	3		1	2	3	4	80	5	30	P	2,814	18	379	100	100	100	
Official	J52561 Rt 0013/10	0.7				023	01	06	2001	140	4	2	1	1		4	70	3	30	G	208	11	98	133	100	133	
Official	J52561 Rt 0013/20	3.3				023	01	06	2001	140	4	3	1	1		4	50	4	30	G	208	12	462	770	100	770	
Official	J52561 Rt 0013/30	7.8				023	01	06	2001	140	4	3	1	1		1	0	2	30	G	208	12	1,092	2,318	100	2,318	
Official	J52561 Rt 0013/40	5.7				023	01	06	2001	140	4	3	1	1		1	0	2	30	G	208	12	798	1,694	100	1,694	
Official	J52561 Rt 0014/10	1.1				023	01	06			3	1	1	0	2	5	100	5	30	E	37	18	28		100		
Returned-To-R	J52561 Rt 0014/10	1.1				023	01	06	2006	343	3		1	0	2	5	80	5	30	P	509	18	377		100		
Official	J52561 Rt 0014/20	0.2				023	01	06			3	1	1	0		1	0	2	30	E	37	18	5		100		
Returned-To-R	J52561 Rt 0014/20	0.2				023	01	06			3		1	0		1	0	2	30	E	37	18	5		100		
In-Process	J52561 Rt 0015/10	0.1				023	01	06	2006	474	3	1	1	1		5	80	5	30	P	704	18	47	50	100	50	
Official	J52561 Rt 0015/10	0.1				023	01	06	2006	474	3		1	1		5	80	5	30	P	704	18	47	50	100	50	
Official	J52561 Rt 0015/20	0.2				023	01	06			3	1	1	1	3	5	50	5	30	E	37	18	5	2	100	2	
Official	J52561 Rt 0015/30	1.3				023	01	06	2006	2006	3		1	1		5	0	2	30	P	2,979	18	2,608	958	100	958	
Official	J52561 Rt 0015/40	0.7				023	01	06			3	1	1	1	3	5	70	5	30	E	37	18	18	5	100	5	
Official	J52561 Rt 0016/10	0.7				023	01	06			5	2	1	1		1	0	2	30	G	74	14	35	123	100	123	
Official	J52561 Rt 0017/10	1.9				023	01	06	2001	170	5	3	1	1		4	80	5	30	P	252	15	323	822	100	822	
Official	J52561 Rt 0017/20	4.2				023	01	06	2001	74	5	3	1	1		3	60	3	30	G	110	15	311	1,308	100	1,308	
Official	J52561 Rt 0017/30	0.4				023	01	06			5	3	1	1		1	0	2	30	G	74	15	20	124	100	124	
Official	J52561 Rt 0018/10	6.8				023	01	06	2001	59	5	3	1	1		4	40	3	30	G	88	15	401	1,596	100	1,596	
Official	J52561 Rt 0019/10	1.0				023	01	06			5	3	1	1		3	60	3	30	G	74	15	50	310	100	310	
Official	J52561 Rt 0019/20	1.0				023	01	06			5	3	1	1		5	80	5	30	G	74	15	50	5	100	5	
In-Process	J52561 Rt 0019/30	0.4				023	01	06			5	3	2	2		3	22	3	30	G	74	15	20	124	100	124	
Approved	J52561 Rt 0020/10	6.0				023	01	06					1														
Official	J52561 Rt 0020/10	6.0				023	01	06			5	3	1	1		1	0	2	30	G	74	15	300	1,855	100	1,855	
Official	J52561 Rt 0021/10	0.3				023	01	06			5	1	1	1		4	60	5	30	G	74	13	15	18	100	18	
Approved	J52561 Rt 0022/10	1.3				023	01	06					1														
Official	J52561 Rt 0022/10	1.3				023	01	06			5	3	1	1		1	0	2	30	G	74	15	65	402	100	402	
Approved	J52561 Rt 0023/10	1.5				023	01	06					1														
Official	J52561 Rt 0023/10	1.5				023	01	06			5	3	1	1		1	0	2	30	G	74	15	75	464	100	464	
Approved	J52561 Rt 0024/10	0.2				023	01	06					1														
Official	J52561 Rt 0024/10	0.2				023	01	06			5	3	1	1		4	64	3	30	G	74	15	10	47	100	47	
Approved	J52561 Rt 0025/10	0.3				023	01	06					1														
Official	J52561 Rt 0025/10	0.3				023	01	06			5	2	1	1		4	58	3	30	G	74	14	15	29	100	29	
Approved	J52561 Rt 0025/20	0.2				023	01	06					1														
Official	J52561 Rt 0025/20	0.2				023	01	06			5	2	1	1		3	42	3	30	G	74	14	10	35	100	35	
Approved	J52561 Rt 0026/10	0.1				023	01	06					1														
Official	J52561 Rt 0026/10	0.1				023	01	06			5	1	1	1		1	0	1	30	G	74	13	5	21	100	21	
Approved	J52561 Rt 0026/20	0.2				023	01	06					1														
Official	J52561 Rt 0026/20	0.2				023	01	06			5	2	1	1		3	24	3	30	G	74	14	10	35	100	35	
Approved	J52561 Rt 0026/30	0.1				023	01	06					1														
Official	J52561 Rt 0026/30	0.1				023	01	06			5	2	1	1		3	56	3	30	G	74	14	5	18	100	18	
Approved	J52561 Rt 0026/40	0.6				023	01	06					1														
Official	J52561 Rt 0026/40	0.6				023	01	06			5	1	1	1		1	0	2	30	G	74	13	30	126	100	126	
Approved	J52561 Rt 0026/50	0.2				023	01	06					1														
Official	J52561 Rt 0026/50	0.2				023	01	06			5	1	1	1		3	44	3	30	G	74	13	10	44	100	44	
Approved	J52561 Rt 0027/10	0.1				023	01	06					1														
Official	J52561 Rt 0027/10	0.1				023	01	06			3		1	1		3	42	3	30	E	37	18	3	25	100	25	
Approved	J52561 Rt 0027/20	0.1				023	01	06					1														



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52561 Rt 0027/20	0.1				023	01	06			3		1	1		4	64	5	30	E		37	18	3	1	100	1
Approved	J52561 Rt 0028/10	0.1				023	01	06					1														
Official	J52561 Rt 0028/10	0.1				023	01	06			5	1	1	1	1	1	0	1	30	G		74	13	5	21	100	21
Approved	J52561 Rt 0029/10	0.1				023	01	06					1														
Official	J52561 Rt 0029/10	0.1				023	01	06			3		1	1		4	64	5	30	E		37	18	3	1	100	1
Approved	J52561 Rt 0029/20	0.1				023	01	06					1														
Official	J52561 Rt 0029/20	0.1				023	01	06			9		1	1		4											
Approved	J52561 Rt 0029/30	0.2				023	01	06					1														
Official	J52561 Rt 0029/30	0.2				023	01	06			9		1	1		4											
Approved	J52561 Rt 0029/40	0.1				023	01	06					1														
Official	J52561 Rt 0029/40	0.1				023	01	06			9		1	1		3											
Official	J52561 Rt 0030/10	1.1				023	01	06	2006	83	3		1	1	2	5	100	5	30	G		123	18	91	14	100	14
Official	J52561 Rt 0031/10	0.6				023	01	06	2001	413	4	3	1	1		5	88	5	30	P		613	12	248	54	100	54
Approved	J52561 Rt 0032/10	0.1				023	01	06					1														
Official	J52561 Rt 0032/10	0.1				023	01	06			3		1	1		4	64	5	30	E		37	18	3	1	100	1
Approved	J52561 Rt 0033/10	0.1				023	01	06					1														
Official	J52561 Rt 0033/10	0.1				023	01	06			3		1	1		1	0	1	30	E		37	18	3	25	100	25
Approved	J52561 Rt 0033/20	0.2				023	01	06					1														
Official	J52561 Rt 0033/20	0.2				023	01	06			3		1	1		3	34	3	30	E		37	18	5	50	100	50
Approved	J52561 Rt 0033/30	0.2				023	01	06					1														
Official	J52561 Rt 0033/30	0.2				023	01	06			3		1	1		4	44	3	30	E		37	18	5	50	100	50
Approved	J52561 Rt 0034/10	0.2				023	01	06					1														
Official	J52561 Rt 0034/10	0.2				023	01	06			3		1	1		4	58	6	30	E		37	18	5	3	100	3
Approved	J52561 Rt 0035/10	0.1				023	01	06	2007	267			1														
Official	J52561 Rt 0035/10	0.1				023	01	06	2007	267	3		1	1		3	62	3	30	P		396	18	27	74	100	74
Approved	J52561 Rt 0035/20	0.1				023	01	06	2007	267			1														
Official	J52561 Rt 0035/20	0.1				023	01	06	2007	267	3		1	1		4	64	3	30	P		396	18	27	74	100	74
Approved	J52561 Rt 0035/30	0.1				023	01	06	2007	267			1														
Official	J52561 Rt 0035/30	0.1				023	01	06	2007	267	9		1	1		4											
Approved	J52561 Rt 0035/40	0.1				023	01	06	2007	267			1														
Official	J52561 Rt 0035/40	0.1				023	01	06	2007	267	9		1	1		3											
Approved	J52561 Rt 0036/10	0.3				023	01	06					1														
Official	J52561 Rt 0036/10	0.3				023	01	06			5	1	1	1		4	44	3	30	G		74	13	15	45	100	45
Approved	J52561 Rt 0037/10	0.4				023	01	06					1														
Official	J52561 Rt 0037/10	0.4				023	01	06			5	1	1	1		4	34	3	30	G		74	13	20	59	100	59
Approved	J52561 Rt 0037/20	0.4				023	01	06					1														
Official	J52561 Rt 0037/20	0.4				023	01	06			5	1	1	1		1	0	2	30	G		74	13	20	85	100	85
Approved	J52561 Rt 0037/30	0.3				023	01	06					1														
Official	J52561 Rt 0037/30	0.3				023	01	06			5	1	1	1		1	0	2	30	G		74	13	15	64	100	64
Approved	J52561 Rt 0037/40	0.1				023	01	06					1														
Official	J52561 Rt 0037/40	0.1				023	01	06			5	1	1	1		1	0	2	30	G		74	13	5	21	100	21
Approved	J52561 Rt 0038/10	0.1				023	01	06					1														
Official	J52561 Rt 0038/10	0.1				023	01	06			5	1	1	1		4	42	3	30	G		74	13	5	15	100	15
Approved	J52561 Rt 0038/20	0.1				023	01	06					1														
Official	J52561 Rt 0038/20	0.1				023	01	06			9		1	1		3											
Approved	J52561 Rt 0038/30	0.1				023	01	06					1														
Official	J52561 Rt 0038/30	0.1				023	01	06			5	1	1	1		3	44	3	30	G		74	13	5	23	100	23
Approved	J52561 Rt 0039/10	0.2				023	01	06					1														
Official	J52561 Rt 0039/10	0.2				023	01	06			5	1	1	1		3	44	3	30	G		74	13	10	45	100	45
Approved	J52561 Rt 0040/10	0.2				023	01	06					1														



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52561 Rt 0040/10	0.2				023	01 06				3		1 1		1		0 2	30	E		37 18		5	49	100	49	
Approved	J52561 Rt 0041/10	0.1				023	01 06						1														
Official	J52561 Rt 0041/10	0.1				023	01 06				3		1 1		3		62 3	30	E		37 18		3	25	100	25	
Approved	J52561 Rt 0042/10	0.1				023	01 06						1														
Official	J52561 Rt 0042/10	0.1				023	01 06				3		1 1		3		38 3	30	E		37 18		3	25	100	25	
Approved	J52561 Rt 0043/10	0.1				023	01 06						1														
Official	J52561 Rt 0043/10	0.1				023	01 06				3		1 1		3		38 3	30	E		37 18		3	25	100	25	
Approved	J52561 Rt 0044/10	0.5				023	01 06						1														
Official	J52561 Rt 0044/10	0.5				023	01 06				10		1 1														
Approved	J52561 Rt 0044/20	0.2				023	01 06						2														
Official	J52561 Rt 0044/20	0.2				023	01 06				10		2 2														
Approved	J52561 Rt 0044/30	0.2				023	01 06						2														
Official	J52561 Rt 0044/30	0.2				023	01 06				10		2 2														
Approved	J52561 Rt 0044/40	0.1				023	01 06						2														
Official	J52561 Rt 0044/40	0.1				023	01 06				5	2 2	2 2		1		0 2	30	G		74 14		5	17	100	17	
Approved	J52561 Rt 0045/10	0.1				023	01 06						1														
Official	J52561 Rt 0045/10	0.1				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/20	0.1				023	01 06						1														
Official	J52561 Rt 0045/20	0.1				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/30	0.1				023	01 06						1														
Official	J52561 Rt 0045/30	0.1				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/40	0.1				023	01 06						1														
Official	J52561 Rt 0045/40	0.1				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/50	0.1				023	01 06						1														
Official	J52561 Rt 0045/50	0.1				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/60	0.3				023	01 06						1														
Official	J52561 Rt 0045/60	0.3				023	01 06				9		1 1		4												
Approved	J52561 Rt 0045/70	0.1				023	01 06						1														
Official	J52561 Rt 0045/70	0.1				023	01 06				9		1 1		3												
Approved	J52561 Rt 0046/10	0.2				023	01 06						1														
Official	J52561 Rt 0046/10	0.2				023	01 06				3		1 1		4		24 3	30	E		37 18		5	50	100	50	
Approved	J52561 Rt 0046/20	0.3				023	01 06						1														
Official	J52561 Rt 0046/20	0.3				023	01 06				3		1 1		3		22 3	30	E		37 18		8	75	100	75	
Approved	J52561 Rt 0047/10	2.1				023	01 06						1														
Official	J52561 Rt 0047/10	2.1				023	01 06				5	3 1	1 1		1		0 2	30	G		74 15		105	649	100	649	
In-Process	J52561 Rt 0048/10	0.2				023	01 06 2005		4500	2	1 3	2 2			5		58 7	30	P		6,683 4		257	15	29	4	
In-Process	J52561 Rt 0048/20	0.7				023	01 06 2005		4600	2	1 3	2 2			5		62 5	30	P		6,831 4		919	19	29	5	
In-Process	J52561 Rt 0048/30	3.1				023	01 06 2005		3650	2	3 3	2 2			5		64 5	30	P		5,420 6		3,228	535	29	153	
In-Process	J52561 Rt 0048/40	0.8				023	01 06 2005		3650	2	3 3	2 2			5		62 5	30	P		5,420 6		833	176	29	50	
In-Process	J52561 Rt 0048/50	0.6				023	01 06 2005		3150	2	3 3	2 2			5		58 5	30	P		4,678 6		539	206	29	59	
In-Process	J52561 Rt 0048/60	3.6				023	01 06 2005		3150	2	3 3	2 2			5		58 5	30	P		4,678 6		3,235	1,234	29	352	
In-Process	J52561 Rt 0048/70	0.5				023	01 06 2005		3150	2	3 3	2 2			5		82 5	30	P		4,678 6		449	86	29	25	
In-Process	J52561 Rt 0048/80	4.1				023	01 06 2005		3150	2	3 3	2 2			5		82 5	30	P		4,678 6		3,685	964	29	275	
In-Process	J52561 Rt 0048/90	4.0				023	01 06 2005		2100	2	3 3	2 2			5		58 5	30	P		3,119 6		2,397	1,371	29	391	
In-Process	J52561 Rt 0048/100	9.6				023	01 06 2005		2100	2	3 3	2 2			5		58 5	30	P		3,119 6		5,752	3,742	29	1,068	
In-Process	J52561 Rt 0048/110	0.9				023	01 06 2005		1600	2	3 3	2 2			5		82 5	30	P		2,376 6		411	155	29	44	
In-Process	J52561 Rt 0048/120	5.6				023	01 06 2005		1600	2	3 3	2 2			5		82 5	30	P		2,376 6		2,556	1,229	29	351	
In-Process	J52561 Rt 0048/130	0.8				023	01 06 2005		1900	2	3 3	2 2			5		84 5	30	P		2,822 6		434	138	29	39	
In-Process	J52561 Rt 0048/140	2.9				023	01 06 2005		1900	2	3 3	2 2			5		78 5	30	P		2,822 6		1,572	636	29	182	
In-Process	J52561 Rt 0048/150	0.5				023	01 06 2005		2950	2	3 3	2 2			5		82 5	30	P		4,381 6		421	86	29	25	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52561 Rt 0048/160	11.8				023	01 06	2005	2950	2	3	3	2		5	76	5	30	P	4,381	6	9,931	2,590	29	739	
In-Process	J52561 Rt 0048/170	0.7				023	01 06	2005	2950	2	3	3	2		5	76	5	30	P	4,381	6	589	121	29	34	
Approved	J52561 Rt 0049/10	0.3				023	01 06					1														
Official	J52561 Rt 0049/10	0.3				023	01 06			3		1	4					30	E	37	18	8	74	100	74	
Approved	J52561 Rt 0050/10	0.3				023	01 06					1														
Official	J52561 Rt 0050/10	0.3				023	01 06			3		1	1		1	0	2	30	E	37	18	8	74	100	74	
Official	J52561 Rt 0081/10	0.6				023	01 06	2006	97	5	1	1	1		4	0	2	30	G	144	13	58	80	100	80	
Official	J52561 Rt 0096/810	12.5				023	01 06				1	3	2		5	5	30							29		
Returned-To-R	J52561 Rt 0096/810	12.5				023	01 06	2006	4000	1	1	3	2	3	5	80	5	30	P	5,940	1	14,265	13,228	29	3,774	
Returned-To-R	J52561 Rt 0096/820	10.5				023	01 06	2006	4000	1	1	3	2	3	5	80	5	30	P	5,940	1	11,983	11,112	29	3,170	
Official	J52561 Rt 0102/10	1.4				023	01 06	2006	516	4	2	1	1		4	40	4	30	P	766	11	722	571	100	571	
Official	J52561 Rt 0102/20	0.4				023	01 06			4	3	1	1		4	60	4	30	G	74	12	20	100	100	100	
Official	J52561 Rt 0102/30	10.9				023	01 06			4	3	1	1		1	0	2	30	G	74	12	545	3,240	100	3,240	
Official	J52561 Rt 0110/10	0.6				023	01 06			3		1	1		4	40	7	30	E	37	18	15	5	100	5	
Official	J52561 Rt 0110/20	0.3				023	01 06			3	1	1	1		4	40	5	30	E	37	18	8	2	100	2	
Official	J52561 Rt 0111/10	0.1				023	01 06	2006	477	3		1	1	3	5	60	7	30	P	708	18	48	50	100	50	
Official	J52561 Rt 0112/10	0.2				023	01 06			3		1	1		5	0	7	30	E	37	18	5	3	100	3	
Official	J52561 Rt 0113/10	0.2				023	01 06			5	1	1	1		4	0	6	30	G	74	13	10	10	100	10	
Official	J52561 Rt 0114/10	0.1				023	01 06			3		1	1		3	0	3	30	E	37	18	3	25	100	25	
Official	J52561 Rt 0115/10	0.2				023	01 06			3		1	1		3	0	3	30	E	37	18	5	50	100	50	
Official	J52561 Rt 0116/10	1.4				023	01 06	2006	238	4	2	1	1		4	70	5	30	P	353	11	333	342	100	342	
Official	J52561 Rt 0117/10	14.4				023	01 06			3		1	1		3	0	3	30	E	37	18	360	3,582	100	3,582	
Official	J52561 Rt 0141/10	0.2				023	01 06			3		1	1		5	6	5	30	E	37	18	5	3	100	3	
Official	J52561 Rt 0142/10	0.2				023	01 06			3		1	1		3	6	5	30	E	37	18	5	3	100	3	
Official	J52561 Rt 0143/10	0.1				023	01 06			3		1	1		3	6	5	30	E	37	18	3	1	100	1	
Official	J52561 Rt 0144/10	0.2				023	01 06	2006	423	3		1	1		5	6	5	30	P	628	18	85	100	100	100	
Official	J52561 Rt 0145/10	0.3				023	01 06			3		1	1		5	6	3	30	E	37	18	8	76	100	76	
Official	J52561 Rt 0178/10	0.9				023	01 06	2001	305	4	3	1	0	3	5	96	5	30	P	453	12	275		100		
Returned-To-R	J52561 Rt 0299/810	23.6				023	01 06	2006	4000	1	1	3	2		5	80	5	30	P	5,940	1	26,932	24,975	29	7,125	
Official	J52561 Rt 0311/10	0.5				023	01 06			4	1	1	1		5	0	2	30	G	74	10	25	282	100	282	
Official	J52561 Rt 0311/20	0.2				023	01 06	2001		4	1	1	1		4	42	4	30	G	74	10	10	102	100	102	
Official	J52561 Rt 6300/810	6.3				023	01 06	2006	62	5	1	5	2		3	20	5	30	G	92	13	391	868	100	868	
Official	J52561 Rt 6300/820	1.0				023	06				1	5	2		4	5	30							100		
Official	J52561 Rt 7300/810	3.6				023	06				1	5	2		5	5	30							100		
Returned-To-R	J52561 Rt 7300/810	3.5				023	01 06	2006	616	3		5	2		5	20	5	30	P	915	18	2,156	1,744	100	1,744	
Returned-To-R	J52561 Rt 7300/820		4C0108	9	95	023	01 06			3		5	2					30						100		
Returned-To-R	J52561 Rt 7300/830	0.1				023	01 06			3		1	2		5	20	5	30	E	37	18	3	1	100	1	
Official	J52561 Rt 7400/810	2.2				023	01 06	2006	1354	5	1	5	2		5	40	5	30	P	2,011	13	2,979	599	100	599	
Official	J52561 Rt 7410/810	0.7				023	01 06	2006	879	5	1	5	2		4	60	5	30	P	1,305	13	615	191	100	191	
Official	J52561 Rt 7420/810	0.4				023	01 06	2006	62	5	1	5	2		5	40	5	30	G	92	13	25	24	100	24	
Official	J52561 Rt 7430/10	14.1				023	01 06			5	3	5	2		3	60	2	30	G	74	15	705	4,372	100	4,372	
Official	J52561 Rt 7440/10	17.0				023	01 06			5	3	7	2		3	60	2	30	G	74	15	850	5,271	100	5,271	
Official	J52561 Rt 7450/810	14.1				023	01 06			5	3	7	2		3	60	2	30	G	74	15	705	4,372	100	4,372	
Official	J52561 Rt 7450/820	30.0				023	01 06			5	1	8	2		4	60	5	30	G	74	13	1,500	1,817	100	1,817	
Official	J52561 Rt 7460/810	0.3				023	01 06			7		4	2		4	60	5	30	G	74	17	15	4	100	4	
Official	J52561 Rt 7460/820	16.9				023	01 06			7		7	2		3	60	2	30	G	74	17	845	6,488	100	6,488	
Official	J52561 Rt 7460/830	5.6				023	01 06			5	3	5	2		3	60	2	30	G	74	15	280	1,731	100	1,731	
Official	J52561 Rt 7470/10	4.3				023	01 06			7		4	2		4	60	5	30	G	74	17	215	56	100	56	
Official	J52561 Rt 7470/20	6.3				023	01 06			5	3	7	2		3	60	2	30	G	74	15	315	1,953	100	1,953	
Official	J52561 Rt 8150/810	0.4				023	01 06	2006	475	3		5	2		4	40	5	30	P	705	18	190	199	100	199	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52562 Rt 0003/10		J110	9	125	023	01	06			4	1	1	1			5	30								100	
Official	J52562 Rt 0003/20	2.0				023	01	06	2001	105	4	2	1	1	1	1	0	2	30	G	156	11	210	569	100	569	
In-Process	J52562 Rt 0007/810	0.8				015	01	06			5	1	5	2	1	1	40	2	30	G	74	13	40	168	100	168	
Official	J52562 Rt 0007/810	0.8				015		06				1	5	2	1	1	2	30							100		
In-Process	J52562 Rt 0008/10	0.8				023	01	06			4	3	1	1	3	3	40	2	30	G	74	12	40	253	100	253	
Official	J52562 Rt 0008/10	0.8				023	01	06			4	3	1	1	3	3	0	2	30	G	74	12	40	253	100	253	
Official	J52562 Rt 0008/810	3.8				015		06				1	5	2	1	1	5	30							100		
Official	J52562 Rt 0010/10	0.5				023	01	06	2001		4	3	1	1	1	1	0	2	30	G	74	12	25	149	100	149	
Official	J52562 Rt 0018/10	3.3				023	01	06	2001	55	4	3	1	1	1	1	0	2	30	G	82	12	182	981	100	981	
Official	J52562 Rt 0018/20		J140	5	123	023	01	06			4	1	1	1			5	30							100		
Official	J52562 Rt 0018/30	0.7				023	01	06	2001	55	4	2	1	1	1	1	0	5	30	G	82	11	39	110	100	110	
Official	J52562 Rt 0020/10	0.3				023	01	06			4	3	1	1	4	4	20	4	30	G	74	12	15	70	100	70	
Official	J52562 Rt 0096/810	2.0				023		06				1	3	2	5	5	5	30							29		
Official	J52562 Rt 0101/810	4.5				015		06				1	3	2	5	5	5	30							29		
Official	J52562 Rt 0169/810	3.1				015		06				1	3	2	5	5	5	30							29		
Official	J52562 Rt 0169/820	18.8				023		06				1	3	2	5	5	5	30							29		
In-Process	J52562 Rt 0503/810	0.3				015	01	06			5	1	5	2	1	40	2	30	G	74	13	15	63	100	63		
Official	J52562 Rt 0503/810	0.3				015		06				1	5	2	1	2	30								100		
Official	J52562 Rt 0509/810	0.5				015	01	06			5	3	5	2	4	40	3	30	G	74	15	25	116	100	116		
Official	J52562 Rt 0510/810	0.8				015	01	06	2006	183	3	5	5	2	4	60	5	30	P	272	18	146	394	100	394		
In-Process	J52562 Rt 0514/810	0.6				015	01	06			4	1	5	2	4	60	5	30	G	74	10	30	81	100	81		
Official	J52562 Rt 0514/810	0.6				015		06				1	5	2	4	5	30								100		
Official	J52562 Rt 0516/810	0.6				015	01	06			5	3	5	2	3	40	3	30	G	74	15	30	186	100	186		
Official	J52562 Rt 0518/810	0.9				015	01	06			4	3	5	2	4	60	5	30	G	74	12	45	47	100	47		
Official	J52562 Rt 0519/810	0.1				015	01	06			5	3	5	2	4	20	3	30	G	74	15	5	23	100	23		
Official	J52562 Rt 1501/810	0.1				015	01	06			4	3	5	2	4	40	3	30	G	74	12	5	23	100	23		
Official	J52562 Rt 1502/810	0.1				015	01	06			3		5	2	4	40	3	30	E	37	18	3	25	100	25		
Official	J52562 Rt 1503/810	0.1				015	01	06			4	3	2	2	4	60	4	30	G	74	12	5	23	100	23		
Official	J52562 Rt 1504/10	0.6				015	01	06			5	3	5	2	4	20	3	30	G	74	15	30	140	100	140		
Official	J52562 Rt 1505/810	0.1				015	01	06			4	1	5	2	4	40	5	30	G	74	10	5	14	100	14		
In-Process	J52562 Rt 1506/810	0.1				015	01	06			5	3	5	2	4	40	3	30	G	74	15	5	23	100	23		
In-Process	J52562 Rt 1506/820	0.1				015	01	06			5	3	5	2	4	40	3	30	G	74	15	5	23	100	23		
In-Process	J52562 Rt 1507/810	0.1				015	01	06			5	2	7	2	3	40	3	30	G	74	14	5	18	100	18		
Official	J52562 Rt 2301/810	0.5				023	01	06	2006	218	4	3	5	2	4	40	3	30	P	324	12	109	218	100	218		
Official	J52562 Rt 2302/810	0.2				023	01	06			5	3	5	2	3	20	2	30	G	74	15	10	62	100	62		
Official	J52562 Rt 2303/810	1.3				023	01	06			4	3	2	2	1	3	20	3	30	G	74	12	65	409	100	409	
Official	J52562 Rt 2304/810	0.6				023	01	06	2006	218	4	3	5	2	4	20	3	30	P	324	12	131	244	100	244		
Official	J52562 Rt 3231/10	0.4				023	01	06			5	3	1	1	3	20	2	30	G	74	15	20	124	100	124		
Official	J52562 Rt 3232/10	0.2				023	01	06			5	3	1	1	3	20	2	30	G	74	15	10	62	100	62		
Official	J52562 Rt 3233/10	0.2				023	01	06			4	3	1	1	1	0	3	30	G	74	12	10	63	100	63		
Official	J52562 Rt 4233/10	10.0				023	01	06			4	3	1	4	0	0	0	30	G	74	12	500	2,972	100	2,972		
Official	J52562 Rt 4234/10	1.0				023	01	06			4	3	1	1	3	0	3	30	G	74	12	50	315	100	315		
Official	J52562 Rt 4235/10	0.4				015	01	06	2001		4	3	1	1	1	0	2	30	G	74	12	20	119	100	119		
In-Process	J52562 Rt 4236/10	0.3				015	01	06	2001		4	3	1	0	5	10	5	30	G	74	12	15		100			
Official	J52562 Rt 4236/10	0.3				015	01	06	2001		4	3	1	0	1	5	10	5	30	G	74	12	15		100		
Official	J52562 Rt 4237/10	0.6				023	01	06	2001		4	3	1	1	1	0	2	30	G	74	12	30	178	100	178		
Official	J52562 Rt 4238/10	3.4				023	01	06			4	3	1	1	3	0	2	30	G	74	12	170	1,040	100	1,040		
Official	J52562 Rt 4239/10	1.7				023	01	06			5	3	2	2	1	0	3	30	G	74	15	85	527	100	527		
Official	J52562 Rt 4240/10	0.3				023	01	06			4	3	1	1	3	0	4	30	G	74	12	15	96	100	96		
Official	J52562 Rt 4241/10	1.0				023	01	06			4	3	1	1	3	20	3	30	G	74	12	50	315	100	315		



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J52562 Rt 4242/10	0.3				023	01	06			4	3	1	1	1		0	3	30	G	74	12	15	94	100	94
Official	J52562 Rt 4243/10	0.2				023	01	06			4	3	1	1	1		0	2	30	G	74	12	10	59	100	59
In-Process	J52562 Rt 4244/10	1.9				023	01	06			4	3	1	1	1		0	2	30	G	74	12	95	565	100	565
Official	J52562 Rt 4244/10	0.5				023	01	06			4	3	1	1	1		0	2	30	G	74	12	25	149	100	149
Official	J52562 Rt 4245/10	0.3				023	01	06			4	3	1	1	3		20	3	30	G	74	12	15	94	100	94
Official	J52562 Rt 4246/810	0.4				023	01	06			4	3	1	1	3		0	3	30	G	74	12	20	139	100	139
In-Process	J52562 Rt 4247/10	2.2				023	01	06			4	3	1	1	1		0	3	30	G	74	12	110	692	100	692
Official	J52562 Rt 4247/10	2.2				023	01	06			4	3	1	1	3		0	3	30	G	74	12	110	692	100	692
Official	J52562 Rt 4248/10	0.1				023	01	06			5	3	1	1	1		0	2	30	G	74	15	5	31	100	31
Official	J52562 Rt 4249/10	0.1				023	01	06			4	3	1	1	4		0	4	30	G	74	12	5	23	100	23
Official	J52562 Rt 4250/10	4.0				023	01	06			5	3	1	1	1		0	2	30	G	74	15	200	1,237	100	1,237
Official	J52562 Rt 4251/10	0.2				015	01	06			5	3	1	1	4		20	4	30	G	74	15	10	47	100	47
Official	J52562 Rt 4251/20	0.2				015	01	06			5	3	1	1	4		20	4	30	G	74	15	10	47	100	47
Official	J52562 Rt 4252/10	0.5				015	01	06			4	2	1	1	1		0	2	30	G	74	11	25	142	100	142
In-Process	J52562 Rt 4253/10	0.1				015	01	06			3		5	2	4		20	3	30	E	37	18	3	25	100	25
Official	J52562 Rt 4253/10	0.1				015	01	06			3		5	2	4		20	3	30	E	37	18	3	25	100	25
In-Process	J52562 Rt 4253/20	0.1				015	01	06			3		5	2	4		20	3	30	E	37	18	3	25	100	25
Official	J52562 Rt 4253/20	0.1				015	01	06			3		5	2	4		20	3	30	E	37	18	3	25	100	25
Official	J52562 Rt 4254/10	0.1				015	01	06			4	3	1	1	3		20	3	30	G	74	12	5	31	100	31
Official	J52562 Rt 4255/10	5.2				023	01	06			5	3	1	1	1		0	3	30	G	74	15	260	1,613	100	1,613
Official	J52562 Rt 4255/20	2.8				023	01	06			5	3	1	1	1		0	3	30	G	74	15	140	868	100	868
Official	J52562 Rt 4256/810	0.2				015	01	06			5	2	2	2	1		0	3	30	G	74	14	10	35	100	35
Official	J52562 Rt 4257/810	0.4				015	01	06			4	3	2	2	3		0	3	30	G	74	12	20	126	100	126
Official	J52562 Rt 4258/810	0.1				015	01	06			4	3	5	2	4		40	3	30	G	74	12	5	23	100	23
Official	J52562 Rt 4258/820	0.2				015	01	06			4	3	5	2	4		40	3	30	G	74	12	10	47	100	47
Official	J52562 Rt 4259/810	0.1				023	01	06			4	3	2	2	1		60	3	30	G	74	12	5	23	100	23
In-Process	J52562 Rt 4260/810	0.3				023	01	06			5	3	3	2	3		60	3	30	G	74	15	4	94	29	27
In-Process	J52562 Rt 4261/810	0.1				023	01	06			5	3	8	2	1		0	3	30	G	74	15	5	31	100	31
Official	J52562 Rt 4261/810	0.1				023	01	06			5	3	2	2	1		0	3	30	G	74	15	5	31	100	31
Official	J52562 Rt 4262/810	1.2				023	01	06			4	3	2	2	1		0	3	30	G	74	12	60	378	100	378
Official	J52562 Rt 4263/810	0.8				023	01	06			4	3	2	2	1		0	3	30	G	74	12	40	252	100	252
In-Process	J52562 Rt 4264/810	0.6				023	01	06			5	3	2	2	1		0	3	30	G	74	15	30	186	100	186
Official	J52562 Rt 4264/810	0.1				023	01	06			5	3	2	2	1		0	3	30	G	74	15	5	31	100	31
Official	J52562 Rt 4265/810	0.5				023	01	06			5	3	2	2	1		0	3	30	G	74	15	25	155	100	155
In-Process	J52562 Rt 4266/810	1.4				023	01	06			5	3	2	2	1		0	3	30	G	74	15	70	434	100	434
Official	J52562 Rt 4266/810	1.4				023	01	06			5	3	2	2	3		20	3	30	G	74	15	70	434	100	434
In-Process	J52562 Rt 4267/810	0.3				015	01	06			5	3	8	2	5		60	3	30	G	74	15	15	70	100	70
Official	J52562 Rt 4268/810	0.1				023	01	06			5	3	2	2	1		0	3	30	G	74	15	5	31	100	31
Official	J52562 Rt 4269/810	0.2				015	01	06			5	3	2	2	4		40	3	30	G	74	15	10	47	100	47
Official	J52562 Rt 4271/810	1.8				023	01	06			4	3	2	2	1		0	3	30	G	74	12	90	566	100	566
Official	J52562 Rt 4271/820	6.4				023	01	06			4	3	2	2	1		0	3	30	G	74	12	320	2,014	100	2,014
Official	J52562 Rt 4271/830	6.2				023	01	06			4	3	2	2	1		0	3	30	G	74	12	310	1,951	100	1,951
Official	J52562 Rt 4271/840	3.6				023	01	06			4	3	2	2	1		0	3	30	G	74	12	180	1,133	100	1,133
Official	J52562 Rt 4272/810	0.1				015	01	06			5	3	2	2	3		0	3	30	G	74	15	5	31	100	31
Official	J52562 Rt 4274/810	0.1				023	01	06			4	3	2	2	1		0	3	30	G	74	12	5	31	100	31
Official	J52562 Rt 4275/810	0.2				023	01	06			5	3	2	2	3		20	3	30	G	74	15	10	62	100	62
In-Process	J52562 Rt 4276/810	1.2				023	01	06			4	3	2	2	3		20	3	30	G	74	12	60	378	100	378
Official	J52562 Rt 4276/810	1.2				023	01	06			4	3	2	2	3		20	3	30	G	74	12	60	378	100	378
In-Process	J52562 Rt 4279/810	2.6				023	01	06			5	3	2	2	1		40	3	30	G	74	15	130	806	100	806
Official	J52562 Rt 4279/810	1.1				023	01	06			5	3	2	2	1		40	3	30	G	74	15	55	341	100	341



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52562 Rt 4280/810	0.3				023	01	06			5	2	2	2	1		0	3	30	G	74	14	15	53	100	53	
Official	J52562 Rt 4281/10	10.0				023	01	06			5	3	1	4					30	G	74	15	500	3,092	100	3,092	
Official	J52562 Rt 4281/20	3.0				023	01	06			5	3	1	4					30	G	74	15	150	928	100	928	
Approved	J52562 Rt 4282/810	0.1				023	01	06					5														
Official	J52562 Rt 4282/810	0.1				023	01	06			3		5	2	6	50	5	30	E	37	18		3	1	100	1	
Approved	J52562 Rt 4283/810	0.2				023	01	06					5														
Official	J52562 Rt 4283/810	0.2				023	01	06			3		5	2	6	60	5	30	E	37	18		5	2	100	2	
Approved	J52562 Rt 4284/810	3.6				023	01	06					5														
Official	J52562 Rt 4284/810	3.6				023	01	06			5	3	5	2	6	50	5	30	G	74	15	180	11	100	11		
Approved	J52562 Rt 4285/810	0.1				023	01	06					5														
Official	J52562 Rt 4285/810	0.1				023	01	06			3		5	2	6	50	5	30	E	37	18		3	1	100	1	
Approved	J52562 Rt 4286/810	0.1				023	01	06					5														
Official	J52562 Rt 4286/810	0.1				023	01	06			3		5	2	6	50	5	30	E	37	18		3	1	100	1	
Approved	J52562 Rt 4287/810	1.8				023	01	06					5														
Official	J52562 Rt 4287/810	1.8				023	01	06			5	3	5	2	6	50	5	30	G	74	15		90	5	100	5	
Approved	J52562 Rt 4288/810	1.8				023	01	06					5														
Official	J52562 Rt 4288/810	1.8				023	01	06			5	3	5	2	3	50	4	30	G	74	15		90	558	100	558	
Approved	J52562 Rt 4289/810	1.4				023	01	06					5														
Official	J52562 Rt 4289/810	1.4				023	01	06			5	3	5	2	6	60	4	30	G	74	15		70	326	100	326	
Approved	J52562 Rt 4290/810	0.1				023	01	06					5														
Official	J52562 Rt 4290/810	0.1				023	01	06			3		5	2	6	50	5	30	E	37	18		3	1	100	1	
Approved	J52562 Rt 4291/810	0.1				023	01	06					5														
Official	J52562 Rt 4291/810	0.1				023	01	06			5	3	5	2	6	60	4	30	G	74	15		5	23	100	23	
Approved	J52562 Rt 4292/810	1.1				023	01	06					5														
Official	J52562 Rt 4292/810	1.1				023	01	06			5	3	5	2	6	50	5	30	G	74	15		55	3	100	3	
Approved	J52562 Rt 4293/810	3.7				023	01	06					5														
Official	J52562 Rt 4293/810	3.7				023	01	06			5	3	5	2	6	50	4	30	G	74	15		185	860	100	860	
Approved	J52562 Rt 4294/810	0.1				023	01	06					5														
Official	J52562 Rt 4294/810	0.1				023	01	06			3		5	2	6	50	5	30	E	37	18		3	1	100	1	
In-Process	J52562 Rt 4295/810	0.2				023	01	06			5	3	7	2	6	60	5	30	G	74	15		10	1	100	1	
In-Process	J52562 Rt 4296/810	0.2				023	01	06			5	3	7	2	6	60	5	30	G	74	15		10	1	100	1	
In-Process	J52562 Rt 4297/810	0.9				023	01	06			5	3	7	2	6	60	5	30	G	74	15		45	3	100	3	
In-Process	J52562 Rt 4298/810	0.6				023	01	06			3		5	2	6	60	4	30	E	37	18		15	149	100	149	
In-Process	J52562 Rt 4300/810	4.1				023	01	06			4	1	5	2	3	60	5										
Official	J52562 Rt 4300/810	4.1				023		06				1	5	2	3		5	30									
Approved	J52562 Rt 4301/810	1.4				023	01	06					1														
Official	J52562 Rt 4301/810	1.4				023	01	06			5	3	1	2	1	0	2	30	G	74	15		70	433	100	433	
Approved	J52562 Rt 4302/810	3.8				023	01	06					1														
Official	J52562 Rt 4302/810	3.8				023	01	06			5	3	1	2	1	0	2	30	G	74	15		190	1,175	100	1,175	
Approved	J52562 Rt 4303/810	1.4				023	01	06					1														
Official	J52562 Rt 4303/810	1.4				023	01	06			5	3	1	2	1	0	2	30	G	74	15		70	433	100	433	
In-Process	J52562 Rt 4304/810	19.7				023	01	06			5	3	1	2	1	0	2	30	G	74	15		985	6,091	100	6,091	
Approved	J52562 Rt 4305/810	0.1				023	01	06					1														
Official	J52562 Rt 4305/810	0.1				023	01	06			5	3	1	2	1	0	2	30	G	74	15		5	31	100	31	
Approved	J52562 Rt 4306/810	1.0				023	01	06					1														
Official	J52562 Rt 4306/810	1.0				023	01	06			5	3	1	2	1	0	2	30	G	74	15		50	309	100	309	
Approved	J52562 Rt 4307/810	2.4				023	01	06					1														
Official	J52562 Rt 4307/810	2.4				023	01	06			5	3	1	2	1	0	2	30	G	74	15		120	742	100	742	
Approved	J52562 Rt 4308/810	0.1				023	01	06					1														
Official	J52562 Rt 4308/810	0.1				023	01	06			5	3	1	2	1	0	2	30	G	74	15		5	31	100	31	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Approved	J52562 Rt 4309/810	2.9				023	01	06					1														
Official	J52562 Rt 4309/810	2.9				023	01	06			5	3	1	2	1		0	2	30	G		74	15	145	897	100	897
Approved	J52562 Rt 4310/810	0.1				023	01	06					1														
Official	J52562 Rt 4310/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4311/810	0.1				023	01	06					1														
Official	J52562 Rt 4311/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4312/810	0.4				023	01	06					1														
Official	J52562 Rt 4312/810	0.4				023	01	06			5	3	1	2	1		0	2	30	G		74	15	20	124	100	124
Approved	J52562 Rt 4313/810	0.6				023	01	06					1														
Official	J52562 Rt 4313/810	0.6				023	01	06			5	3	1	2	1		0	2	30	G		74	15	30	186	100	186
Approved	J52562 Rt 4314/810	5.4				023	01	06					1														
Official	J52562 Rt 4314/810	5.4				023	01	06			5	3	1	2	1		0	2	30	G		74	15	270	1,670	100	1,670
Approved	J52562 Rt 4315/810	0.3				023	01	06					1														
Official	J52562 Rt 4315/810	0.3				023	01	06			5	3	1	2	1		0	2	30	G		74	15	15	93	100	93
Approved	J52562 Rt 4316/810	0.1				023	01	06					1														
Official	J52562 Rt 4316/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4317/810	0.2				023	01	06					1														
Official	J52562 Rt 4317/810	0.2				023	01	06			5	3	1	2	1		0	2	30	G		74	15	10	62	100	62
Approved	J52562 Rt 4318/810	0.2				023	01	06					1														
Official	J52562 Rt 4318/810	0.2				023	01	06			5	3	1	2	1		0	2	30	G		74	15	10	62	100	62
Approved	J52562 Rt 4319/810	0.7				023	01	06					1														
Official	J52562 Rt 4319/810	0.7				023	01	06			5	3	1	2	1		0	2	30	G		74	15	35	216	100	216
Approved	J52562 Rt 4320/810	0.1				023	01	06					1														
Official	J52562 Rt 4320/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4321/810	0.7				023	01	06					1														
Official	J52562 Rt 4321/810	0.7				023	01	06			5	3	1	2	1		0	2	30	G		74	15	35	216	100	216
Approved	J52562 Rt 4322/810	0.1				023	01	06					1														
Official	J52562 Rt 4322/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4323/810	1.2				023	01	06					1														
Official	J52562 Rt 4323/810	1.2				023	01	06			5	3	1	2	1		0	2	30	G		74	15	60	371	100	371
Approved	J52562 Rt 4324/810	1.6				023	01	06					1														
Official	J52562 Rt 4324/810	1.6				023	01	06			5	3	1	2	1		0	2	30	G		74	15	80	495	100	495
Approved	J52562 Rt 4325/810	0.1				023	01	06					1														
Official	J52562 Rt 4325/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4326/810	0.1				023	01	06					1														
Official	J52562 Rt 4326/810	0.1				023	01	06			5	3	1	2	1		0	2	30	G		74	15	5	31	100	31
Approved	J52562 Rt 4327/810	5.7				023	01	06					1														
Official	J52562 Rt 4327/810	5.7				023	01	06			5	3	1	2	1		0	2	30	G		74	15	285	1,762	100	1,762
Approved	J52562 Rt 4328/810	0.1				023	01	06					1														
Official	J52562 Rt 4328/810	0.1				023	01	06			4	3	1	2	1		0	2	30	G		74	12	5	30	100	30
Approved	J52562 Rt 4329/810	0.7				023	01	06					1														
Official	J52562 Rt 4329/810	0.7				023	01	06			5	3	1	2	1		0	2	30	G		74	15	35	216	100	216
Approved	J52562 Rt 4330/810	11.4				023	01	06					1														
Official	J52562 Rt 4330/810	11.4				023	01	06			5	3	1	2	1		0	2	30	G		74	15	570	3,525	100	3,525
Approved	J52562 Rt 4331/810	1.7				023	01	06					1														
Official	J52562 Rt 4331/810	1.7				023	01	06			5	3	1	2	1		0	2	30	G		74	15	85	526	100	526
Approved	J52562 Rt 4332/810	0.2				023	01	06					1														
Official	J52562 Rt 4332/810	0.2				023	01	06			5	3	1	2	1		0	2	30	G		74	15	10	62	100	62
Approved	J52562 Rt 4333/810	0.6				023	01	06					1														
Official	J52562 Rt 4333/810	0.6				023	01	06			5	3	1	2	1		0	2	30	G		74	15	30	186	100	186



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Approved	J52562 Rt 4334/810	0.9				023	01	06					1														
Official	J52562 Rt 4334/810	0.9				023	01	06			5	3	1	2		1		0	2	30	G	74	15	45	278	100	278
Approved	J52562 Rt 4335/810	0.2				023	01	06					1														
Official	J52562 Rt 4335/810	0.2				023	01	06			5	3	1	2		1		0	2	30	G	74	15	10	62	100	62
Approved	J52562 Rt 4336/810	0.2				023	01	06					1														
Official	J52562 Rt 4336/810	0.2				023	01	06			4	3	1	2		1		0	2	30	G	74	12	10	59	100	59
Approved	J52562 Rt 4337/810	0.1				023	01	06					1														
Official	J52562 Rt 4337/810	0.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	5	31	100	31
Approved	J52562 Rt 4338/810	2.4				023	01	06					1														
Official	J52562 Rt 4338/810	2.4				023	01	06			5	3	1	2		1		0	2	30	G	74	15	120	742	100	742
Approved	J52562 Rt 4339/810	3.1				023	01	06					1														
Official	J52562 Rt 4339/810	3.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	155	958	100	958
Approved	J52562 Rt 4340/810	1.1				023	01	06					1														
Official	J52562 Rt 4340/810	1.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	55	340	100	340
Approved	J52562 Rt 4341/810	0.2				023	01	06					1														
Official	J52562 Rt 4341/810	0.2				023	01	06			5	3	1	2		1		0	2	30	G	74	15	10	62	100	62
Approved	J52562 Rt 4342/810	0.1				023	01	06					1														
Official	J52562 Rt 4342/810	0.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	5	31	100	31
Approved	J52562 Rt 4343/810	0.1				023	01	06					1														
Official	J52562 Rt 4343/810	0.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	5	31	100	31
Approved	J52562 Rt 4344/810	2.5				023	01	06					1														
Official	J52562 Rt 4344/810	2.5				023	01	06			5	3	1	2		1		0	2	30	G	74	15	125	773	100	773
Approved	J52562 Rt 4345/810	0.2				023	01	06					1														
Official	J52562 Rt 4345/810	0.2				023	01	06			5	3	1	2		1		0	2	30	G	74	15	10	62	100	62
Approved	J52562 Rt 4346/810	0.3				023	01	06					1														
Official	J52562 Rt 4346/810	0.3				023	01	06			5	3	1	2		1		0	2	30	G	74	15	15	93	100	93
Approved	J52562 Rt 4347/810	15.5				023	01	06					1														
Official	J52562 Rt 4347/810	15.5				023	01	06			5	3	1	2		1		0	2	30	G	74	15	775	4,792	100	4,792
Approved	J52562 Rt 4348/810	0.3				023	01	06					1														
Official	J52562 Rt 4348/810	0.3				023	01	06			5	3	1	2		1		0	2	30	G	74	15	15	93	100	93
Approved	J52562 Rt 4349/810	0.4				023	01	06					1														
Official	J52562 Rt 4349/810	0.4				023	01	06			5	3	1	2		1		0	2	30	G	74	15	20	124	100	124
Approved	J52562 Rt 4350/810	0.2				023	01	06					1														
Official	J52562 Rt 4350/810	0.2				023	01	06			5	3	1	2		1		0	2	30	G	74	15	10	62	100	62
Approved	J52562 Rt 4351/810	0.4				023	01	06					1														
Official	J52562 Rt 4351/810	0.4				023	01	06			5	3	1	2		1		0	2	30	G	74	15	20	124	100	124
Approved	J52562 Rt 4352/810	0.1				023	01	06					1														
Official	J52562 Rt 4352/810	0.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	5	31	100	31
Approved	J52562 Rt 4353/810	2.6				023	01	06					1														
Official	J52562 Rt 4353/810	2.6				023	01	06			5	3	1	2		1		0	2	30	G	74	15	130	804	100	804
Approved	J52562 Rt 4354/810	1.0				023	01	06					1														
Official	J52562 Rt 4354/810	1.0				023	01	06			5	3	1	2		1		0	2	30	G	74	15	50	309	100	309
Approved	J52562 Rt 4355/810	0.9				023	01	06					1														
Official	J52562 Rt 4355/810	0.9				023	01	06			5	3	1	2		1		0	2	30	G	74	15	45	278	100	278
Approved	J52562 Rt 4356/810	2.1				023	01	06					1														
Official	J52562 Rt 4356/810	2.1				023	01	06			5	3	1	2		1		0	2	30	G	74	15	105	649	100	649
In-Process	J52562 Rt 4357/810	0.7				023	01	06			5	3	7	2		3		60	4	30	G	74	15	35	217	100	217
In-Process	J52562 Rt 4358/810	9.1				023	01	06			5	3	7	2		6		80	5	30	G	74	15	455	27	100	27
Approved	J52562 Rt 4359/810	0.9				023	01	06					7														
Official	J52562 Rt 4359/810	0.9				023	01	06			5	3	7	2		3		60	4	30	G	74	15	45	279	100	279



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Approved	J52562 Rt 4360/810	6.0				023	01	06					7														
Official	J52562 Rt 4360/810	6.0				023	01	06			5	3	7	2		1		0	4	30	G	74	15	300	1,861	100	1,861
Approved	J52562 Rt 4361/810	0.4				015	01	06					1														
Official	J52562 Rt 4361/810	0.4				015	01	06			5	3	1	2		6	30	2	30	G	74	15	20	93	100	93	
In-Process	J52562 Rt 4362/810	3.0				023	01	06			5	3	7	2		3	60	4	30	G	74	15	150	931	100	931	
In-Process	J52562 Rt 4363/810	19.7				023	01	06			5	3	1	2			30	2									
Approved	J52562 Rt 4364/810	0.1				015	01	06					1														
Official	J52562 Rt 4364/810	0.1				015	01	06			8		1	2		1			30			30	19	2	3	100	3
Approved	J52562 Rt 4365/810	0.1				015	01	06					1														
Official	J52562 Rt 4365/810	0.1				015	01	06			8		1	2		1			30			30	19	2	3	100	3
Approved	J52562 Rt 4366/810	0.1				015	01	06					1														
Official	J52562 Rt 4366/810	0.1				015	01	06			8		1	2		1			30			30	19	2	3	100	3
Approved	J52562 Rt 4367/810	0.1				015	01	06					1														
Official	J52562 Rt 4367/810	0.1				015	01	06			8		1	2		1			30			30	19	2	3	100	3
Approved	J52562 Rt 4368/810	0.1				015	01	06					1														
Official	J52562 Rt 4368/810	0.1				015	01	06			8		1	2		1			30			30	19	2	3	100	3
In-Process	J52562 Rt 4369/810	0.3				023	01	06			5	3	1	2			30	2									
Approved	J52562 Rt 4370/810	1.7				023	01	06					1														
Official	J52562 Rt 4370/810	1.7				023	01	06			5	3	1	2		1	0	2	30	G	74	15	85	526	100	526	
Approved	J52562 Rt 4371/810	1.4				023	01	06					1														
Official	J52562 Rt 4371/810	1.4				023	01	06			5	3	1	2		1	0	2	30	G	74	15	70	433	100	433	
At-The-Bia/Dot	J52562 Rt 4372/810	3.4				023	01	06			5	3	7	2		3	50	4	30	G	74	15	170	1,055	100	1,055	
At-The-Bia/Dot	J52562 Rt 4373/810	2.6				023	01	06			5	3	7	2		3	50	4	30	G	74	15	130	806	100	806	
At-The-Bia/Dot	J52562 Rt 4374/810	0.2				023	01	06			5	3	7	2		3	60	4	30	G	74	15	10	62	100	62	
At-The-Bia/Dot	J52562 Rt 4375/810	0.3				023	01	06			5	3	7	2		3	50	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt 4376/810	4.4				023	01	06			5	3	7	2		3	50	4	30	G	74	15	220	1,365	100	1,365	
At-The-Bia/Dot	J52562 Rt 4377/810	0.3				023	01	06			5	3	7	2		3	50	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt 4378/810	6.2				023	01	06			5	3	7	2		3	50	4	30	G	74	15	310	1,923	100	1,923	
At-The-Bia/Dot	J52562 Rt 4379/810	3.3				023	01	06			5	3	7	2		3	50	4	30	G	74	15	165	1,024	100	1,024	
At-The-Bia/Dot	J52562 Rt 4380/810	1.7				023	01	06			5	3	7	2		3	50	4	30	G	74	15	85	527	100	527	
At-The-Bia/Dot	J52562 Rt 4381/810	2.8				023	01	06			5	3	7	2		3	50	4	30	G	74	15	140	868	100	868	
At-The-Bia/Dot	J52562 Rt 4382/810	1.8				023	01	06			5	3	7	2		3	50	4	30	G	74	15	90	558	100	558	
At-The-Bia/Dot	J52562 Rt 4383/810	1.9				023	01	06			5	3	7	2		3	50	4	30	G	74	15	95	589	100	589	
At-The-Bia/Dot	J52562 Rt 4384/810	1.0				023	01	06			5	3	7	2		3	50	4	30	G	74	15	50	310	100	310	
At-The-Bia/Dot	J52562 Rt 4385/810	0.5				023	01	06			5	3	7	2		3	50	4	30	G	74	15	25	155	100	155	
At-The-Bia/Dot	J52562 Rt 4386/810	6.2				023	01	06			5	3	7	2		3	50	4	30	G	74	15	310	1,923	100	1,923	
At-The-Bia/Dot	J52562 Rt 4387/810	0.3				023	01	06			5	3	7	2		3	50	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt 4388/810	0.5				023	01	06			5	3	7	2		3	50	4	30	G	74	15	25	155	100	155	
In-Process	J52562 Rt 4389/810	0.1				023	01	06			3		5	2		6	60	5	30	E	37	18	3	1	100	1	
In-Process	J52562 Rt 4390/810	2.4				015	01	06			5	3	7	2		6	60	4	30	G	74	15	120	558	100	558	
In-Process	J52562 Rt 5100/810	4.1				023	01	06			4	1	5	2		3	20	5									
Official	J52562 Rt 5100/810	4.1				023		06				1	5	2		3	5	30							100		
In-Process	J52562 Rt 5101/810	0.4				015	01	06			4	1	5	2		4	20	5									
Official	J52562 Rt 5101/810	0.4				015		06				1	5	2		4	5	30							100		
In-Process	J52562 Rt 5102/810	2.5				015	01	06			4	1	5	2		4	20	5									
Official	J52562 Rt 5102/810	2.5				015		06				1	5	2		4	5	30							100		
Official	J52562 Rt 518B/810	0.1				015	01	06			5	3	5	2		4	60	3	30	G	74	15	5	23	100	23	
Official	J52562 Rt 518D/810	0.2				015	01	06			5	3	5	2		4	20	3	30	G	74	15	10	47	100	47	
Official	J52562 Rt 518F/810	0.1				015	01	06			4	3	5	2		4	40	4	30	G	74	12	5	23	100	23	
Official	J52562 Rt 518K/810	0.1				015	01	06			4	3	5	2		4	40	3	30	G	74	12	5	23	100	23	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52562 Rt 518L/810	0.1				015	01	06			5	3	5	2		4	20	3	30	G	74	15	5	23	100	23	
Official	J52562 Rt 518M/810	0.1				015	01	06			3		2	2		4	60	5	30	E	37	18	3	1	100	1	
Official	J52562 Rt 520A/810	0.1				015	01	06			5	1	2	2		4	60	3	30	G	74	13	5	14	100	14	
Official	J52562 Rt 520C/810	0.3				015	01	06			5	3	2	2		4	40	3	30	G	74	15	15	70	100	70	
In-Process	J52562 Rt 7100/810	1.7				023	01	06			4	1	5	2		3	40	5									
Official	J52562 Rt 7100/810	1.7				023		06				1	5	2		3	5	30							100		
In-Process	J52562 Rt 7200/810	1.4				023	01	06			4	1	5	2		3	40	5									
Official	J52562 Rt 7200/810	1.4				023		06				1	5	2		3	5	30							100		
Official	J52562 Rt 7277/810	1.7				023	01	06			5	3	2	2		3	20	3	30	G	74	15	85	527	100	527	
In-Process	J52562 Rt 7300/810	6.4				023	01	06			4	1	5	2		3	40	5	30	G	74	10	320	2,504	100	2,504	
Official	J52562 Rt 7300/810	6.4				023		06				1	5	2		3	5	30							100		
Official	J52562 Rt BL01/10	0.1				015	01	06			9		5	2		4											
Official	J52562 Rt BL02/10	0.3				023	01	06			9		2	2		3											
Official	J52562 Rt BL03/10	0.3				023	01	06			9		2	2		3											
Official	J52562 Rt BL04/10	0.1				023	01	06			9		2	2		3											
Official	J52562 Rt BL05/10	0.3				023	01	06			9		2	2		3											
Official	J52562 Rt BL06/10	0.3				023	01	06			9		2	2		3											
Official	J52562 Rt BL07/10	0.1				023	01	06			9		2	2		3											
Official	J52562 Rt BL08/10	0.3				015	01	06			9		2	2		3											
Official	J52562 Rt BL09/10	0.3				023	01	06			9		2	2		3											
Official	J52562 Rt BL10/10	0.1				015	01	06			9		5	2		4											
Official	J52562 Rt D007/810	0.3				015	01	06			4	3	5	2		4	40	3	30	G	74	12	15	70	100	70	
Official	J52562 Rt D007/820	0.2				015	01	06			4	3	5	2	3	3	40	3	30	G	74	12	10	63	100	63	
Official	J52562 Rt D007/830	1.3				015	01	06			4	3	5	2	3	4	40	3	30	G	74	12	65	303	100	303	
Official	J52562 Rt D008/810	1.4				015	01	06	2006	308	4	3	5	2		5	60	3	30	P	457	12	431	600	100	600	
Official	J52562 Rt D008/820	2.4				015	01	06	2006	308	4	3	5	2		5	20	3	30	P	457	12	739	1,011	100	1,011	
Official	J52562 Rt D008/830	1.2				015	01	06			4	2	5	2		5	60	4	30	G	74	11	60	227	100	227	
Official	J52562 Rt D496/810	0.9				015	01	06			5	3	5	2		3	40	3	30	G	74	15	45	279	100	279	
Official	J52562 Rt D502/810	1.6				015	01	06			4	3	5	2	3	4	40	4	30	G	74	12	80	373	100	373	
Official	J52562 Rt D502/820	0.4				015	01	06			4	3	5	2	3	4	40	4	30	G	74	12	20	93	100	93	
Official	J52562 Rt D502/830	0.2				015	01	06			4	3	5	2		4	60	5	30	G	74	12	10	10	100	10	
Official	J52562 Rt D503/810	0.3				015	01	06			5	3	5	2	3	3	40	4	30	G	74	15	15	93	100	93	
Official	J52562 Rt D504/810	0.3				015	01	06			5	3	5	2		4	20	3	30	G	74	15	15	70	100	70	
Official	J52562 Rt D506/810	0.2				015	01	06			5	3	5	2	3	4	60	4	30	G	74	15	10	47	100	47	
Official	J52562 Rt D506/820	0.5				015	01	06			5	3	5	2	2	3	20	4	30	G	74	15	25	155	100	155	
Official	J52562 Rt D507/810	0.2				015	01	06			5	3	5	3		4	20	3	30	G	74	15		100			
Official	J52562 Rt D507/820	0.2				015	01	06			5	3	5	3		4	20	3	30	G	74	15		100			
Official	J52562 Rt D514/810	0.7				015	01	06	2006	341	4	1	5	2		4	40	4	30	P	506	10	239	724	100	724	
Official	J52562 Rt D514/820	0.1				015	01	06	2006	341	4	1	5	2		4	40	4	30	P	506	10	34	103	100	103	
Official	J52562 Rt D515/810	0.8				015	01	06			4	3	5	2		4	40	3	30	G	74	12	40	187	100	187	
Official	J52562 Rt D517/810	0.2				015	01	06			5	1	2	2		4	20	3	30	G	74	13	10	29	100	29	
Official	J52562 Rt D528/810	0.4				015	01	06			5	3	5	2		4	40	3	30	G	74	15	20	93	100	93	
Official	J52562 Rt D529/810	0.1				015	01	06	2006	803	6		5	2	3	4	80	7	30	P	1,192	16	80	49	100	49	
Official	J52562 Rt D530/810	0.4				015	01	06	2006	770	4	3	5	2	4	5	40	7	30	P	1,143	12	308	91	100	91	
Official	J52562 Rt D530/820	0.4				015	01	06	2006	770	4	3	5	2	4	5	40	4	30	P	1,143	12	308	163	100	163	
Official	J52562 Rt D530/830	0.3				015	01	06	2006	770	4	3	5	2	4	5	40	4	30	P	1,143	12	231	122	100	122	
Official	J52562 Rt D531/810	0.3				015	01	06			4	3	5	2	4	5	40	4	30	G	74	12	15	70	100	70	
Official	J52562 Rt D532/810	0.2				015	01	06			4	3	5	2	4	5	60	4	30	G	74	12	10	47	100	47	
Official	J52562 Rt D710/810	0.1				015	01	06			4	3	5	2		4	40	4	30	G	74	12	5	23	100	23	
Official	J52562 Rt D710/820		01C0002	9	102	015	01	06			2		5	2					30						100		



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J52562 Rt D710/830	0.6				015	01	06			4	3	5	2		4	40	4	30	G	74	12	30	140	100	140
Official	J52562 Rt D7A0/810	0.1				015	01	06	2006	417	4	1	5	2	3	4	40	3	30	P	619	10	42	111	100	111
Official	J52562 Rt D7A0/820		1C0011	1	107	015	01	06			4		5	2					30					338	100	338
Official	J52562 Rt D7A0/830	0.2				015	01	06	2006	417	4	1	5	2	3	4	40	3	30	P	619	10	83	221	100	221
Official	J52562 Rt D7A0/840		01C0020	9	23	015	01	06			4		5	2					30						100	
Official	J52562 Rt D7A0/850	0.1				015	01	06	2006	417	4	1	5	2	3	4	60	3	30	P	619	10	42	111	100	111
At-The-Bia/Dot	J52562 Rt F001/810	10.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	515	3,195	100	3,195
At-The-Bia/Dot	J52562 Rt F002/810	4.4				023	01	06			5	3	7	2		1	0	4	30	G	74	15	220	1,365	100	1,365
In-Process	J52562 Rt F003/810	0.8				023	01	06			5	3	7	2		3	40	4	30	G	74	15	40	248	100	248
At-The-Bia/Dot	J52562 Rt F004/810	1.9				023	01	06			5	3	7	2		3	40	4	30	G	74	15	95	589	100	589
At-The-Bia/Dot	J52562 Rt F005/810	0.7				023	01	06			5	3	7	2		1	0	4	30	G	74	15	35	217	100	217
At-The-Bia/Dot	J52562 Rt F006/810	0.3				023	01	06			5	3	7	2		1	0	4	30	G	74	15	15	93	100	93
At-The-Bia/Dot	J52562 Rt F007/810	0.9				023	01	06			5	3	7	2		3	40	4	30	G	74	15	45	279	100	279
In-Process	J52562 Rt F008/810	0.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F009/810	0.9				023	01	06			5	3	7	2		3	40	4	30	G	74	15	45	279	100	279
In-Process	J52562 Rt F010/810	0.7				023	01	06			5	3	7	2			40	4								
In-Process	J52562 Rt F011/810	0.1				023	01	06			5	3	7	2		3	40	4	30	G	74	15	5	31	100	31
At-The-Bia/Dot	J52562 Rt F012/810	3.6				023	01	06			5	3	7	2		1	0	4	30	G	74	15	180	1,117	100	1,117
At-The-Bia/Dot	J52562 Rt F013/810	4.4				023	01	06			5	3	7	2		1	0	4	30	G	74	15	220	1,365	100	1,365
In-Process	J52562 Rt F014/810	0.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F015/810	0.2				023	01	06			5	3	7	2		3	40	4	30	G	74	15	10	62	100	62
At-The-Bia/Dot	J52562 Rt F016/810	3.5				023	01	06			5	3	7	2		1	0	4	30	G	74	15	175	1,086	100	1,086
At-The-Bia/Dot	J52562 Rt F017/810	1.8				023	01	06			5	3	7	2		1	0	4	30	G	74	15	90	558	100	558
At-The-Bia/Dot	J52562 Rt F018/810	1.7				023	01	06			5	3	7	2		1	0	4	30	G	74	15	85	527	100	527
In-Process	J52562 Rt F019/810	1.0				023	01	06			5	3	7	2		3	40	4	30	G	74	15	50	310	100	310
In-Process	J52562 Rt F020/810	0.4				023	01	06			5	3	7	2		3	40	4	30	G	74	15	20	124	100	124
At-The-Bia/Dot	J52562 Rt F021/810	1.6				023	01	06			5	3	7	2		3	40	4	30	G	74	15	80	496	100	496
In-Process	J52562 Rt F022/810	1.6				023	01	06			5	3	7	2		3	40	4	30	G	74	15	80	496	100	496
In-Process	J52562 Rt F023/810	1.4				023	01	06			5	3	7	2		3	40	4	30	G	74	15	70	434	100	434
In-Process	J52562 Rt F024/810	0.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
At-The-Bia/Dot	J52562 Rt F025/810	2.7				023	01	06			5	3	7	2		3	40	4	30	G	74	15	135	837	100	837
At-The-Bia/Dot	J52562 Rt F026/810	4.8				023	01	06			5	3	7	2		1	0	4	30	G	74	15	240	1,489	100	1,489
At-The-Bia/Dot	J52562 Rt F027/810	1.6				023	01	06			5	3	7	2		1	0	4	30	G	74	15	80	496	100	496
At-The-Bia/Dot	J52562 Rt F028/810	1.5				023	01	06			5	3	7	2		1	0	4	30	G	74	15	75	465	100	465
At-The-Bia/Dot	J52562 Rt F029/810	0.2				023	01	06			5	3	7	2		1	0	4	30	G	74	15	10	62	100	62
At-The-Bia/Dot	J52562 Rt F030/810	0.2				023	01	06			5	3	7	2		1	0	4	30	G	74	15	10	62	100	62
At-The-Bia/Dot	J52562 Rt F031/810	1.1				023	01	06			5	3	7	2		1	0	4	30	G	74	15	55	341	100	341
At-The-Bia/Dot	J52562 Rt F032/810	2.8				023	01	06			5	3	7	2		1	0	4	30	G	74	15	140	868	100	868
In-Process	J52562 Rt F033/810	0.3				023	01	06			5	3	7	2		1	0	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F034/810	1.5				023	01	06			5	3	7	2		3	40	4	30	G	74	15	75	465	100	465
In-Process	J52562 Rt F035/810	0.2				023	01	06			5	3	7	2			40	4								
At-The-Bia/Dot	J52562 Rt F036/810	2.0				023	01	06			5	3	7	2		1	0	4	30	G	74	15	100	620	100	620
In-Process	J52562 Rt F037/810	0.3				023	01	06			5	3	7	2			40	4								
In-Process	J52562 Rt F038/810	1.2				023	01	06			5	3	7	2		3	40	4	30	G	74	15	60	372	100	372
In-Process	J52562 Rt F039/810	0.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F040/810	0.2				023	01	06			5	3	7	2		3	40	4	30	G	74	15	10	62	100	62
In-Process	J52562 Rt F041/810	5.0				023	01	06			5	3	7	2		1	0	4	30	G	74	15	250	1,551	100	1,551
At-The-Bia/Dot	J52562 Rt F042/810	3.8				023	01	06			5	3	7	2		1	0	4	30	G	74	15	190	1,179	100	1,179
In-Process	J52562 Rt F043/810	0.9				023	01	06			5	3	7	2		3	40	4	30	G	74	15	45	279	100	279
In-Process	J52562 Rt F044/810	0.3				023	01	06			5	3	7	2		3	40	4	30	G	74	15	15	93	100	93



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52562 Rt F045/810	0.4				023	01 06				5	3	7	2			40	4								
At-The-Bia/Dot	J52562 Rt F046/810	7.0				023	01 06				5	3	7	2		1	0	4	30	G	74	15	350	2,171	100	2,171
In-Process	J52562 Rt F047/810	0.5				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F048/810	0.7				023	01 06				5	3	7	2		3	40	4	30	G	74	15	35	217	100	217
In-Process	J52562 Rt F049/810	0.4				023	01 06				5	3	7	2		3	40	4	30	G	74	15	20	124	100	124
In-Process	J52562 Rt F050/810	10.3				023	01 06				5	3	7	2		3	40	4	30	G	74	15	515	3,195	100	3,195
At-The-Bia/Dot	J52562 Rt F051/810	1.0				023	01 06				5	3	7	2		1	0	4	30	G	74	15	50	310	100	310
At-The-Bia/Dot	J52562 Rt F052/810	0.6				023	01 06				5	3	7	2		1	0	4	30	G	74	15	30	186	100	186
In-Process	J52562 Rt F053/810	0.3				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F054/810	0.3				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F055/810	0.5				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F056/810	1.4				023	01 06				5	3	7	2		3	40	4	30	G	74	15	70	434	100	434
At-The-Bia/Dot	J52562 Rt F057/810	1.5				023	01 06				5	3	7	2		1	0	4	30	G	74	15	75	465	100	465
In-Process	J52562 Rt F058/810	1.5				023	01 06				5	3	7	2		3	40	4	30	G	74	15	75	465	100	465
In-Process	J52562 Rt F059/810	0.2				023	01 06				5	3	7	2			40	4								
At-The-Bia/Dot	J52562 Rt F060/810	1.4				023	01 06				5	3	7	2		1	0	4	30	G	74	15	70	434	100	434
In-Process	J52562 Rt F061/810	2.7				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F062/810	1.1				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F063/810	0.8				023	01 06				5	3	7	2		3	40	4	30	G	74	15	40	248	100	248
In-Process	J52562 Rt F064/810	0.3				023	01 06				5	3	7	2			40	4								
At-The-Bia/Dot	J52562 Rt F065/810	3.8				023	01 06				5	3	7	2		1	0	4	30	G	74	15	190	1,179	100	1,179
In-Process	J52562 Rt F066/810	0.7				023	01 06				5	3	7	2		3	40	4	30	G	74	15	35	217	100	217
In-Process	J52562 Rt F067/810	0.2				023	01 06				5	3	7	2		3	40	4	30	G	74	15	10	62	100	62
In-Process	J52562 Rt F068/810	0.2				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F069/810	0.6				023	01 06				5	3	7	2			40	4								
At-The-Bia/Dot	J52562 Rt F070/810	3.0				023	01 06				5	3	7	2		1	0	4	30	G	74	15	150	931	100	931
At-The-Bia/Dot	J52562 Rt F071/810	1.2				023	01 06				5	3	7	2		1	0	4	30	G	74	15	60	372	100	372
In-Process	J52562 Rt F072/810	0.1				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F073/810	1.7				023	01 06				5	3	7	2		3	40	4	30	G	74	15	85	527	100	527
In-Process	J52562 Rt F074/810	0.3				023	01 06				5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F075/810	0.6				023	01 06				5	3	7	2		3	40	4	30	G	74	15	30	186	100	186
In-Process	J52562 Rt F076/810	1.1				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F077/810	0.5				023	01 06				5	3	7	2		3	40	4	30	G	74	15	25	155	100	155
In-Process	J52562 Rt F078/810	1.6				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F079/810	0.5				023	01 06				5	3	7	2		3	40	4	30	G	74	15	25	155	100	155
At-The-Bia/Dot	J52562 Rt F080/810	25.9				023	01 06				5	3	7	2		1	0	4	30	G	74	15	1,295	8,034	100	8,034
In-Process	J52562 Rt F081/810	1.2				023	01 06				5	3	7	2		3	40	4	30	G	74	15	60	372	100	372
At-The-Bia/Dot	J52562 Rt F082/810	1.2				023	01 06				5	3	7	2		1	0	4	30	G	74	15	60	372	100	372
In-Process	J52562 Rt F083/810	3.7				023	01 06				5	3	7	2		3	40	4	30	G	74	15	185	1,148	100	1,148
At-The-Bia/Dot	J52562 Rt F084/810	1.4				023	01 06				5	3	7	2		1	0	4	30	G	74	15	70	434	100	434
In-Process	J52562 Rt F085/810	0.2				023	01 06				5	3	7	2		3	40	4	30	G	74	15	10	62	100	62
At-The-Bia/Dot	J52562 Rt F086/810	2.0				023	01 06				5	3	7	2		1	0	4	30	G	74	15	100	620	100	620
In-Process	J52562 Rt F087/810	1.3				023	01 06				5	3	7	2		3	40	4	30	G	74	15	65	403	100	403
In-Process	J52562 Rt F088/810	0.7				023	01 06				5	3	7	2		3	40	4	30	G	74	15	35	217	100	217
In-Process	J52562 Rt F089/810	0.2				023	01 06				5	3	7	2		3	40	4	30	G	74	15	10	62	100	62
In-Process	J52562 Rt F090/810	0.8				023	01 06				5	3	7	2		3	40	4	30	G	74	15	40	248	100	248
In-Process	J52562 Rt F091/810	0.3				023	01 06				5	3	7	2		3	40	4	30	G	74	15	15	93	100	93
In-Process	J52562 Rt F092/810	0.6				023	01 06				5	3	7	2			40	4								
In-Process	J52562 Rt F093/810	0.5				023	01 06				5	3	7	2		3	40	4	30	G	74	15	25	155	100	155
At-The-Bia/Dot	J52562 Rt F094/810	2.5				023	01 06				5	3	7	2		1	0	4	30	G	74	15	125	775	100	775



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J52562 Rt F095/810	0.1				023	01	06			5	3	7	2		3	40	4	30	G	74	15	5	31	100	31
In-Process	J52562 Rt F096/810	1.0				023	01	06			5	3	7	2		3	40	4	30	G	74	15	50	310	100	310
In-Process	J52562 Rt F097/810	1.0				023	01	06			5	3	7	2		3	40	4	30	G	74	15	50	310	100	310
At-The-Bia/Dot	J52562 Rt F098/810	10.1				023	01	06			5	3	7	2	1	0	4	30	G	74	15	505	3,133	100	3,133	
At-The-Bia/Dot	J52562 Rt F099/810	10.0				023	01	06			5	3	7	2	3	40	4	30	G	74	15	500	3,102	100	3,102	
At-The-Bia/Dot	J52562 Rt F100/810	5.9				023	01	06			5	3	7	2	3	40	4	30	G	74	15	295	1,830	100	1,830	
At-The-Bia/Dot	J52562 Rt GD01/810	0.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	30	186	100	186	
At-The-Bia/Dot	J52562 Rt GD02/810	2.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	115	713	100	713	
At-The-Bia/Dot	J52562 Rt GD03/810	0.7				015	01	06			5	3	7	2	3	40	4	30	G	74	15	35	217	100	217	
In-Process	J52562 Rt GD04/810	1.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	80	496	100	496	
At-The-Bia/Dot	J52562 Rt GD05/810	2.5				015	01	06			5	3	7	2	3	40	4	30	G	74	15	125	775	100	775	
In-Process	J52562 Rt GD06/810	0.1				015	01	06			5	3	7	2	3	40	4	30	G	74	15	5	31	100	31	
In-Process	J52562 Rt GD07/810	6.4				015	01	06			5	3	7	2	3	40	4	30	G	74	15	320	1,985	100	1,985	
At-The-Bia/Dot	J52562 Rt GD08/810	0.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	30	186	100	186	
At-The-Bia/Dot	J52562 Rt GD09/810	0.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	30	186	100	186	
At-The-Bia/Dot	J52562 Rt GD10/810	0.1				015	01	06			5	3	7	2	3	40	4	30	G	74	15	5	31	100	31	
At-The-Bia/Dot	J52562 Rt GD11/810	0.2				015	01	06			5	3	7	2	3	40	4	30	G	74	15	10	62	100	62	
In-Process	J52562 Rt GD12/810	0.8				015	01	06			5	3	7	2	3	40	4	30	G	74	15	40	248	100	248	
At-The-Bia/Dot	J52562 Rt GD13/810	0.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt GD14/810	0.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt GD15/810	0.1				015	01	06			5	3	7	2	3	40	4	30	G	74	15	5	31	100	31	
At-The-Bia/Dot	J52562 Rt GD16/810	0.1				015	01	06			5	3	7	2	3	40	4	30	G	74	15	5	31	100	31	
In-Process	J52562 Rt GD17/810	0.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	15	93	100	93	
At-The-Bia/Dot	J52562 Rt GD18/810	2.0				015	01	06			5	3	7	2	3	40	4	30	G	74	15	100	620	100	620	
At-The-Bia/Dot	J52562 Rt GD19/810	0.8				015	01	06			5	3	7	2	3	40	4	30	G	74	15	40	248	100	248	
At-The-Bia/Dot	J52562 Rt GD20/810	0.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	15	93	100	93	
In-Process	J52562 Rt GD21/810	0.8				015	01	06			5	3	7	2	3	40	4	30	G	74	15	40	248	100	248	
In-Process	J52562 Rt GD22/810	0.8				015	01	06			5	3	7	2	3	40	4	30	G	74	15	40	248	100	248	
At-The-Bia/Dot	J52562 Rt GD23/810	4.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	215	1,334	100	1,334	
At-The-Bia/Dot	J52562 Rt GD24/810	1.0				015	01	06			5	3	7	2	3	40	4	30	G	74	15	50	310	100	310	
At-The-Bia/Dot	J52562 Rt GD25/810	0.7				015	01	06			5	3	7	2	3	40	4	30	G	74	15	35	217	100	217	
At-The-Bia/Dot	J52562 Rt GD26/810	5.9				015	01	06			5	3	7	2	1	0	4	30	G	74	15	295	1,830	100	1,830	
At-The-Bia/Dot	J52562 Rt GD27/810	1.1				015	01	06			5	3	7	2	3	40	4	30	G	74	15	55	341	100	341	
In-Process	J52562 Rt GD28/810	10.3				015	01	06			5	3	7	2	6	40	4	30	G	74	15	515	2,395	100	2,395	
At-The-Bia/Dot	J52562 Rt GD29/810	1.8				015	01	06			5	3	7	2	3	40	4	30	G	74	15	90	558	100	558	
In-Process	J52562 Rt GD30/810	0.5				015	01	06			5	3	7	2	3	40	4	30	G	74	15	25	155	100	155	
At-The-Bia/Dot	J52562 Rt GD31/810	0.5				015	01	06			5	3	7	2	1	0	4	30	G	74	15	25	155	100	155	
At-The-Bia/Dot	J52562 Rt GD32/810	0.5				015	01	06			5	3	7	2	3	40	4	30	G	74	15	25	155	100	155	
At-The-Bia/Dot	J52562 Rt GD33/810	1.9				015	01	06			5	3	7	2	3	40	4	30	G	74	15	95	589	100	589	
At-The-Bia/Dot	J52562 Rt GD34/810	1.7				015	01	06			5	3	7	2	3	40	4	30	G	74	15	85	527	100	527	
At-The-Bia/Dot	J52562 Rt GD35/810	0.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	30	186	100	186	
At-The-Bia/Dot	J52562 Rt GD36/810	2.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	130	806	100	806	
At-The-Bia/Dot	J52562 Rt GD37/810	1.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	80	496	100	496	
At-The-Bia/Dot	J52562 Rt GD38/810	1.9				015	01	06			5	3	7	2	3	40	4	30	G	74	15	95	589	100	589	
At-The-Bia/Dot	J52562 Rt GD39/810	0.5				015	01	06			5	3	7	2	3	40	4	30	G	74	15	25	155	100	155	
At-The-Bia/Dot	J52562 Rt GD40/810	2.7				015	01	06			5	3	7	2	3	40	4	30	G	74	15	135	837	100	837	
At-The-Bia/Dot	J52562 Rt GD41/810	18.3				015	01	06			5	3	7	2	3	40	4	30	G	74	15	915	5,676	100	5,676	
At-The-Bia/Dot	J52562 Rt GD42/810	1.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	80	496	100	496	
At-The-Bia/Dot	J52562 Rt GD43/810	0.6				015	01	06			5	3	7	2	3	40	4	30	G	74	15	30	186	100	186	
At-The-Bia/Dot	J52562 Rt GD44/810	7.1				015	01	06			5	3	7	2	3	40	3	30	G	74	15	355	2,202	100	2,202	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
At-The-Bia/Dot	J52562 Rt GD45/810	2.3				015	01	06			5	3	7	2		3	40	4	30	G	74	15	115	713	100	713	
At-The-Bia/Dot	J52562 Rt GD46/810	2.1				015	01	06			5	3	7	2		3	40	4	30	G	74	15	105	651	100	651	
At-The-Bia/Dot	J52562 Rt GD47/810	7.4				015	01	06			5	3	7	2		3	40	4	30	G	74	15	370	2,295	100	2,295	
Official	J52562 Rt H100/810	2.3				023	01	06	2006	297	4	3	5	2		3	20	3	30	P	441	12	683	993	100	993	
Official	J52562 Rt Q100/810	13.7				023	01	06	2006	63	4	3	5	2		3	20	3	30	G	94	12	863	4,406	100	4,406	
Official	J52562 Rt Q200/810	1.7				023	01	06	2006	123	4	3	5	2		3	20	3	30	G	183	12	209	570	100	570	
Official	J52562 Rt Q300/810	2.4				023	01	06	2006	321	4	3	5	2		3	40	4	30	P	477	12	770	1,028	100	1,028	
Official	J52562 Rt Q300/820	1.2				023	01	06	2006	321	4	3	5	2		3	20	4	30	P	477	12	385	512	100	512	
Official	J52562 Rt Q300/830	1.5				023	01	06	2006	82	4	3	5	2		3	20	3	30	G	122	12	123	514	100	514	
Official	J52562 Rt Q300/840		04C0224	9	20	023	01	06			4		5	2												100	
Official	J52562 Rt Q300/850	1.0				023	01	06	2006	82	4	3	5	2		3	20	3	30	G	122	12	82	337	100	337	
Official	J52562 Rt S096/810	0.2				023	01	06	2004	4500	2	3	3	2	2	5	60	4	30	P	6,683	6	257	202	29	58	
Official	J52562 Rt S096/820		40144	7	540	023	01	06			2		3	2												100	
Official	J52562 Rt S096/830	2.4				023	01	06	2004	1130	2	3	3	2	2	5	60	4	30	P	1,678	6	774	2,423	29	691	
Official	J52562 Rt S169/610	1.5				023	01	06	2004	400	2	3	3	2		5	20	4	30	P	594	6	171	1,546	29	441	
Official	J52562 Rt S169/620	2.3				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	381	2,370	29	676	
Official	J52562 Rt S169/630		40223	1	53	023	01	06			2		3	2											167	100	167
Official	J52562 Rt S169/640	0.1				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	17	104	29	30	
Official	J52562 Rt S169/650		40220	7	54	023	01	06			2		3	2												100	
Official	J52562 Rt S169/660	1.3				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	215	1,347	29	384	
Official	J52562 Rt S169/670		40218	1	80	023	01	06			2		3	2											253	100	253
Official	J52562 Rt S169/680	0.9				023	01	06	2004	580	4	3	3	2		5	20	4	30	P	861	12	149	376	29	107	
Official	J52562 Rt S169/690		40215	7	42	023	01	06			2		3	2												100	
Official	J52562 Rt S169/700	0.1				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	17	104	29	30	
Official	J52562 Rt S169/710		40299	7	235	023	01	06			2		3	2												100	
Official	J52562 Rt S169/720	1.2				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	199	1,243	29	355	
Official	J52562 Rt S169/730		40219	7	300	023	01	06			2		3	2												100	
Official	J52562 Rt S169/740	0.8				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	132	829	29	236	
Official	J52562 Rt S169/750		40182	1	106	023	01	06			2		3	2											335	100	335
Official	J52562 Rt S169/760	2.6				023	01	06	2004	580	2	3	3	2		5	20	4	30	P	861	6	430	2,693	29	768	
Official	J52562 Rt S169/770		40180	1	129	023	01	06			2		3	2											407	100	407
Official	J52562 Rt S169/780	7.9				023	01	06	2004	230	2	3	3	2		5	20	4	30	P	342	9	518	5,593	29	1,596	
Official	J52562 Rt S169/790		40190	7	196	023	01	06			2		3	2												100	
Official	J52562 Rt S169/800	1.3				023	01	06	2004	230	2	3	3	2		5	20	4	30	P	342	9	85	922	29	263	
Official	J52562 Rt S169/810	0.9				015	01	06	2004	1920	2	3	3	2		5	60	4	30	P	2,851	6	493	923	29	263	
Official	J52562 Rt S169/820		010045	1	165	015	01	06			2		3	2											521	100	521
Official	J52562 Rt S169/830	2.6				015	01	06	2004	2860	2	3	3	2		5	60	4	30	P	4,247	6	2,121	2,666	29	761	
Official	J52562 Rt U101/510	0.3				015	01	06	2004	11200	2	3	3	2	3	5	60	5	30	P	16,632	6	959	144	29	41	
Official	J52562 Rt U101/520		10003	9	107	015	01	06			2		3	2												100	
Official	J52562 Rt U101/530	0.2				015	01	06	2004	11200	2	3	3	2	3	5	60	5	30	P	16,632	6	639	96	29	27	
Official	J52562 Rt U101/540		10025	9	137	015	01	06			2		3	2												100	
Official	J52562 Rt U101/550	0.2				015	01	06	2004	11400	2	3	3	2	3	5	60	5	30	P	16,929	6	650	96	29	27	
Official	J52562 Rt U101/560		10002	9	47	015	01	06			2		3	2												100	
Official	J52562 Rt U101/570	3.5				015	01	06	2004	11400	2	3	3	2	3	5	60	5	30	P	16,929	6	11,383	1,677	29	478	
Official	J52562 Rt U101/580		10026	9	169	015	01	06			2		3	2												100	
Official	J52562 Rt U101/590	0.6				015	01	06	2004	8300	2	3	3	2	3	5	60	5	30	P	12,326	6	1,421	287	29	82	
Official	J52562 Rt U101/600		10028	9	2038	015	01	06			2		3	2												100	
Official	J52562 Rt U101/610	0.6				015	01	06	2004	7700	2	3	3	2	3	5	60	5	30	P	11,435	6	1,318	287	29	82	
Official	J52562 Rt U101/620		10032	9	505	015	01	06			2		3	2												100	
Official	J52562 Rt U101/630	1.0				015	01	06	2004	7700	2	3	3	2	3	5	60	5	30	P	11,435	6	2,197	479	29	137	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J52562 Rt U101/640	2.7				015	01	06	2004	7700	2	3	3	2	3	5	60	5	30	P	11,435	6	5,931	1,293	29	369
Official	J52562 Rt U101/650		10071	9	113	023	01	06			2	3	3	2	3	5	60	5	30	P	11,286	6	434	96	29	27
Official	J52562 Rt U101/660	0.2				023	01	06	2004	7600	2	3	3	2	3	5	60	5	30	P	11,286	6	13,010	2,874	29	820
Official	J52562 Rt U101/670	6.0				015	01	06	2004	7600	2	3	3	2	3	5	60	5	30	P	11,286	6			100	
Official	J52562 Rt U101/680		40286	9	1269	023	01	06			2	3	3	2	3	5	60	5	30	P	11,435	6	6,371	1,389	29	396
Official	J52562 Rt U101/690	2.9				023	01	06	2004	7700	2	3	3	2	3	5	60	5	30	P	11,435	6			100	
Official	J52562 Rt U101/700		40285	9	105	023	01	06			2	3	3	2	3	5	60	5	30	P	11,583	6	3,115	671	29	191
Official	J52562 Rt U101/710	1.4				015	01	06	2004	7800	2	3	3	2	3	5	60	5	30	P	11,583	6			100	
Official	J52562 Rt U101/720		40030	9	106	023	01	06			2	3	3	2	3	5	60	5	30	P	12,326	6	4,499	910	29	260
Official	J52562 Rt U101/730	1.9				015	01	06	2004	8300	2	3	3	2	3	5	60	5	30	P	12,326	6			100	
Official	J52562 Rt U101/740		40029	9	121	023	01	06			2	3	3	2	3	5	60	5	30	P	12,326	6	4,262	862	29	246
Official	J52562 Rt U101/750	1.8				015	01	06	2004	8300	2	3	3	2	3	5	60	5	30	P	12,326	6	7,344	3,332	29	951
At-The-Bia/Dot	J52562 Rt U299/810	3.3				023	01	06	2004	7800	2	3	3	2	3	5	60	4	30	P	11,583	6			100	
At-The-Bia/Dot	J52562 Rt U299/820		40163	9	209	023	01	06			2	3	3	2	3	5	60	4	30	P	10,544	6	2,026	1,010	29	288
At-The-Bia/Dot	J52562 Rt U299/830	1.0				023	01	06	2004	7100	2	3	3	2	3	5	60	4	30	P	10,544	6			100	
At-The-Bia/Dot	J52562 Rt U299/840		40162	9	162	023	01	06			2	3	3	2	3	5	60	4	30	P	10,544	6	2,836	1,414	29	403
At-The-Bia/Dot	J52562 Rt U299/850	1.4				023	01	06	2004	7100	2	3	3	2	3	5	60	4	30	P	10,544	6			100	
At-The-Bia/Dot	J52562 Rt U299/860		040163	9	120	023	01	06			2	3	3	2	3	5	60	4	30	P	11,286	6	23,634	11,005	29	3,140
At-The-Bia/Dot	J52562 Rt U299/870	10.9				023	01	06	2004	7600	2	3	3	2	3	5	60	4	30	P	11,286	6			100	
At-The-Bia/Dot	J52562 Rt U299/880		40042	9	674	023	01	06			2	3	3	2	3	5	60	4	30	P	11,286	6	24,502	11,409	29	3,255
At-The-Bia/Dot	J52562 Rt U299/890	11.3				023	01	06	2004	7600	2	3	3	2	3	5	60	4	30	P	11,286	6			100	
At-The-Bia/Dot	J52562 Rt U299/900		40194	9	422	023	01	06			2	3	3	2	3	5	60	4	30	P	10,841	6	11,871	5,755	29	1,642
At-The-Bia/Dot	J52562 Rt U299/910	5.7				023	01	06	2004	7300	2	3	3	2	3	5	60	4	30	P	10,841	6			100	
Official	J52562 Rt V071/810		04C0005	9	115	023	01	06			4	5	5	2	3	5	60	4	30	P	710	6	4,828	10,197	100	10,197
Official	J52562 Rt V071/820	10.1				023	01	06	2006	478	2	3	7	2	4	4	40	4	30	P	710	6	4,828	4,115	100	4,115
Returned-To-R	J52562 Rt V071/820	10.1				023	01	06	2006	478	4	3	7	2	4	4	40	4	30	P	710	12	4,828	4,115	100	4,115
Official	J52562 Rt V071/830	3.0				023	01	06	2006	478	2	3	7	2	4	20	4	30	P	710	6	1,434	3,029	100	3,029	
Returned-To-R	J52562 Rt V071/830	3.0				023	01	06	2006	478	4	3	7	2	4	20	4	30	P	710	12	1,434	1,222	100	1,222	
Official	J52562 Rt V071/840	3.0				023	01	06	2006	478	2	3	5	2	3	20	3	30	P	710	6	1,434	3,092	100	3,092	
Returned-To-R	J52562 Rt V071/840	3.0				023	01	06	2006	478	4	3	5	2	3	20	3	30	P	710	12	1,434	1,243	100	1,243	
Official	J52562 Rt V071/850	0.7				023	01	06	2006	478	2	3	5	2	3	20	3	30	P	710	6	335	721	100	721	
Returned-To-R	J52562 Rt V071/850	0.7				023	01	06	2006	478	4	3	5	2	3	20	3	30	P	710	12	335	290	100	290	
Official	J52562 Rt V071/860	1.0				023	01	06	2006	309	2	3	5	2	3	20	3	30	P	459	6	309	1,031	100	1,031	
Returned-To-R	J52562 Rt V071/860	1.0				023	01	06	2006	309	4	3	5	2	3	20	3	30	P	459	12	309	414	100	414	
Official	J52562 Rt V071/870	2.3				023	01	06	2006	309	2	3	5	2	3	20	3	30	P	459	6	711	2,370	100	2,370	
Returned-To-R	J52562 Rt V071/870	2.3				023	01	06	2006	309	4	3	5	2	3	20	3	30	P	459	12	711	953	100	953	
Official	J52562 Rt V071/880	6.8				023	01	06	2006	309	2	3	5	2	3	20	3	30	P	459	6	2,101	7,008	100	7,008	
Returned-To-R	J52562 Rt V071/880	6.8				023	01	06	2006	309	4	3	5	2	3	20	3	30	P	459	12	2,101	2,818	100	2,818	
Official	J52562 Rt V071/890	5.1				023	01	06	2006	309	2	3	5	2	3	20	3	30	P	459	6	1,576	5,336	100	5,336	
Returned-To-R	J52562 Rt V071/890	5.1				023	01	06	2006	309	4	3	5	2	3	20	3	30	P	459	12	1,576	2,140	100	2,140	
Official	J52562 Rt V071/900		04C0007	1	794	023	01	06			2	5	5	2	3	20	3	30	P	459	12			100		
Returned-To-R	J52562 Rt V071/900		04C0007	1	794	023	01	06			4	5	5	2	3	20	3	30	P	459	12			100		
Official	J52563 Rt 0027/810	0.9				093	02	06				1	5	2	4	5	30								100	
Official	J52563 Rt 5631/10	0.2				093	02	06	2004		3	1	1	4	0	0	30	E			37	18	5	49	100	49
In-Process	J52563 Rt 5631/20	0.1				093	02	06			3	1	1	4	0	0	30	E			37	18	3	25	100	25
Official	J52563 Rt 5631/20	0.1				093	02	06			3	1	1	4	0	0	30	E			37	18	3	25	100	25
Official	J52563 Rt 5631/30	0.2				093	02	06			3	1	1	4	0	0	30	E			37	18	5	49	100	49
Official	J52563 Rt 5632/10	0.1				093	02	06			3	1	1	4	0	0	30	E			37	18	3	25	100	25
Official	J52563 Rt 5632/20	0.1				093	02	06			3	1	1	4	0	0	30	E			37	18	3	25	100	25
Official	J52563 Rt 5632/30	0.1				093	02	06			3	1	1	4	0	0	30	E			37	18	3	25	100	25



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J52563 Rt 5633/10	0.2				093	02	06			3	1	1	4	0		0	30	E		37	18	5	49	100	49	
Official	J52563 Rt 5634/10	0.1				093	02	06	2004		3	1	1	4	0		0	30	E		37	18	3	25	100	25	
Official	J52563 Rt 6501/810	1.7				093		06				1	5	2	4		5	30							100		
Approved	J52564 Rt 0101/810	1.1				015	01	06	2005	14700			3														
Official	J52564 Rt 0101/810	1.1				015	01	06	2005	14700	1	1	3	2	3	5	100	5	30	P	21,830	1	4,613	147	29	42	
Approved	J52564 Rt 0101/820		24	9	50	015	01	06					3														
Official	J52564 Rt 0101/820		24	9	50	015	01	06			1		3	2				30							100		
Approved	J52564 Rt 0101/830	1.6				015	01	06	2005	14700			3														
Official	J52564 Rt 0101/830	1.6				015	01	06	2005	14700	1	1	3	2	3	5	100	5	30	P	21,830	1	6,710	215	29	61	
Approved	J52564 Rt 0101/840	0.1				015	01	06	2005	14700			3														
Official	J52564 Rt 0101/840	0.1				015	01	06	2005	14700	1	1	3	2	3	5	100	5	30	P	21,830	1	419	13	29	4	
Approved	J52564 Rt 0101/850	3.8				015	01	06					3														
Official	J52564 Rt 0101/850	3.8				015	01	06			1	1	3	2	3	5	100	5	30	P		1		510	29	145	
Approved	J52564 Rt 0101/860		023	9	63	015	01	06					3														
Official	J52564 Rt 0101/860		023	9	63	015	01	06			1		3	2				30							100		
Approved	J52564 Rt 0101/870	1.1				015	01	06	2005	15300			3														
Official	J52564 Rt 0101/870	1.1				015	01	06	2005	15300	1	1	3	2	3	5	100	5	30	P	22,721	1	4,802	147	29	42	
In-Process	J52564 Rt 0303/810	0.2				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 0303/810	0.2				015		06				1	5	2	5		5	30							100		
In-Process	J52564 Rt 0306/810	0.2				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 0306/810	0.2				015		06				1	5	2	5		5	30							100		
In-Process	J52564 Rt 3031/810	0.1				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 3031/810	0.1				015		06				1	5	2	5		5	30							100		
In-Process	J52564 Rt 3041/810	1.2				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 3041/810	1.2				015		06				1	5	2	5		5	30							100		
In-Process	J52564 Rt 3042/810	0.2				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 3042/810	0.2				015		06				1	5	2	5		5	30							100		
Official	J52564 Rt 3074/810	0.2				015		06				1	5	2	5		5	30							100		
Returned-To-R	J52564 Rt 3074/810	0.8				015	01	06	2007	222	4	1	5	2	5		80	5	30	P	330	10	178	108	100	108	
Returned-To-R	J52564 Rt 3074/820		01C0008	9	105	015	01	06					5	2				30							100		
Returned-To-R	J52564 Rt 3074/830	1.7				015	01	06	2007	222	4	1	5	2	5		80	5	30	P	330	10	377	230	100	230	
Returned-To-R	J52564 Rt 3074/840	0.2				015	01	06	2007	222	4	1	5	2	5		1	5	30	P	330	10	44	132	100	132	
Returned-To-R	J52564 Rt 3074/850	0.8				015	01	06	2007	222	4	1	5	2	5		80	5	30	P	330	10	178	108	100	108	
In-Process	J52564 Rt 3333/810	0.1				015	01	06			3		2	2	5		60	5	30	E	37	18	3	1	100	1	
Official	J52564 Rt 3333/810	0.1				015		06				1	2	2	5		5	30							100		
Returned-To-R	J52564 Rt D309/810	0.6				015	01	06	2007	982	3		5	2	3	5	60	5	30	P	1,458	18	589	215	100	215	
Returned-To-R	J52564 Rt D309/820	0.4				015	01	06	2007	982	3		5	2	4	5	100	7	30	P	1,458	18	393	3	100	3	
Returned-To-R	J52564 Rt D310/810	0.2				015	01	06	2007	59	3		5	2	4		60	4	30	G	88	18	12	50	100	50	
Returned-To-R	J52564 Rt D311/810	0.2				015	01	06	2007	216	3		5	2	4		60	4	30	P	321	18	43	147	100	147	
Returned-To-R	J52564 Rt D312/810	0.3				015	01	06	2007	358	3		5	2	4		60	4	30	P	532	18	107	220	100	220	
Returned-To-R	J52564 Rt D313/810	0.1				015	01	06	2007	76	3		5	2	4		40	4	30	G	113	18	8	25	100	25	
Returned-To-R	J52564 Rt D314/810	0.2				015	01	06	2007	408	3		5	2	4		60	5	30	P	606	18	82	99	100	99	
Returned-To-R	J52564 Rt D315/810	1.7				015	01	06	2007	248	5	1	5	2	4		40	4	30	P	368	13	422	605	100	605	
Returned-To-R	J52564 Rt D315/820		01C0009	9	130	015	01	06					5	2				30							100		
Returned-To-R	J52564 Rt D315/830	0.1				015	01	06	2007	248	5	1	5	2	4		40	4	30	P	368	13	25	36	100	36	
Returned-To-R	J52564 Rt D316/810	1.4				015	01	06	2007	529	5	1	5	2	4		80	4	30	P	786	13	741	498	100	498	
Returned-To-R	J52564 Rt D317/810	0.5				015	01	06	2007	1055	5	1	5	2	3	5	80	4	30	P	1,567	13	528	72	100	72	
Returned-To-R	J52564 Rt D317/820		01C0015	9	139	015	01	06					5	2				30							100		
Returned-To-R	J52564 Rt D317/830	2.8				015	01	06	2007	1055	5	1	5	2	3	5	80	4	30	P	1,567	13	2,954	404	100	404	
Returned-To-R	J52564 Rt D318/810	0.5				015	01	06	2007	162	3		5	2	5		60	4	30	G	241	18	81	124	100	124	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J52565 Rt 2100/810	0.3				023		06				1	5	2		4		5	30							100
Official	J52565 Rt 3015/810	0.1				023		06				1	5	2		5		5	30							100
Official	J52565 Rt 4231/10	0.6				023	01	06			3	1	1	0	2	4	60	3	30	E	37	18	15		100	
Official	J52565 Rt 4232/10	0.2				023	01	06			3	1	2	2	1	4	10	3	30	E	37	18	5	50	100	50
Official	J52565 Rt 4232/20	0.2				023	01	06	2004		3	1	1	4		0		0	30	E	37	18	5	49	100	49
Official	J52566 Rt 0019/10	0.2				023	01	06	2006	400	6		1	1	4	5	80	5	30	P	594	16	80	99	100	99
Official	J52566 Rt 0019/20	0.1				023	01	06	1997	310	3		1	1		5	60	5	30	P	460	18	31	49	100	49
Official	J52566 Rt 0019/30	0.1				023	01	06			3		1	1		5	60	5	30	E	37	18	3	1	100	1
Official	J52566 Rt 0023/10	0.1				023	01	06			3		1	1	4	5	60	3	30	E	37	18	3	25	100	25
Official	J52566 Rt 0101/810		040058	7	114	023	01	06			1		3	0					30						100	
Official	J52566 Rt 0101/820	0.6				023	01	06	2001	8900	2	1	3	0	3	5	80	5	30	P	13,217	4	1,524		29	
Official	J52566 Rt 0101/830	0.1				023	01	06	2001	8900	2	1	3	0	3	5	80	5	30	P	13,217	4	254		29	
Official	J52566 Rt 0101/840	2.0				023	01	06	2001	8900	2	1	3	0	3	5	80	5	30	P	13,217	4	5,078		29	
Official	J52566 Rt 0101/850		040056	7	122	023	01	06			2		3	0					30						100	
Official	J52566 Rt 0101/860	0.6				023	01	06	2001	11000	2	1	3	0	3	5	80	5	30	P	16,335	4	1,883		29	
Official	J52566 Rt 0101/870		040026	7	377	023	01	06			2		3	0					30						100	
Official	J52566 Rt 0101/880	1.9				023	01	06	2001	1120	1	1	3	0	3	5	80	5	30	P	1,663	1	607		29	
Official	J52566 Rt 0101/900	1.8				023	01	06	2001	11200	2	1	3	0	3	5	80	5	30	P	16,632	4	5,752		29	
Official	J52566 Rt 0101/910		040169	7	111	023	01	06			2		3	0					30						100	
Official	J52566 Rt 0101/920	4.2				023	01	06	2001	17500	2	1	3	0	3	5	80	5	30	P	25,988	4	20,970		29	
Official	J52566 Rt 0101/930		040025	7	676	023	01	06			2		3	0					30						100	
Official	J52566 Rt 0101/940	0.9				023	01	06	2001	31000	2	1	3	0	3	5	80	5	30	P	46,035	4	7,960		29	
Official	J52566 Rt 0101/950	0.1				023	01	06			1	1	3	4					30	P		1		187	29	53
Official	J52566 Rt 0320/10	0.1				023	01	06			3		1	0		5	40	5	30	E	37	18	3		100	
Official	J52566 Rt 0321/10	0.1				023	01	06			3		1	1		1	0	2	30	E	37	18	3	25	100	25
Official	J52566 Rt 0322/10	0.1				023	01	06	2006	1365	1	1	5	2		4	0	4	30	P	2,027	1	137	180	100	180
Approved	J52566 Rt 0322/820	0.1				023	01	06					2													
Official	J52566 Rt 0322/820	0.1				023	01	06			9		2	2		4										
Official	J52566 Rt 0323/10	0.4				023	01	06			3		1	3	3	5	40	5	30	E	37	18			100	
Official	J52566 Rt 0324/10	0.1				023	01	06			4	3	1	3		5	0	7	30	G	74	12			100	
Official	J52566 Rt 0325/10	0.1				023	01	06			4	3	1	1		5	0	4	30	G	74	12	5	23	100	23
Official	J52566 Rt 0326/10	0.1				023	01	06			3		1	1		5	40	5	30	E	37	18	3	1	100	1
Official	J52566 Rt 0327/10	0.4				023	01	06			6		1	1		5	40	4	30	G	74	16	20	101	100	101
Official	J52566 Rt 0328/10	0.4				023	01	06	2006	925	5	1	1	1		5	40	5	30	P	1,374	13	370	99	100	99
Official	J52566 Rt 3001/810	0.2				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	333	78	100	78
Official	J52566 Rt 3001/820	0.2				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	333	78	100	78
Official	J52566 Rt 3001/830	0.3				023	01	06	2006	1665	4	2	5	2		5	40	4	30	P	2,473	11	500	127	100	127
Official	J52566 Rt 3001/840	0.3				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	500	125	100	125
Official	J52566 Rt 3001/850	0.3				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	500	127	100	127
Official	J52566 Rt 3001/860	0.1				023	01	06	2006	1665	4	2	5	2		4	0	4	30	P	2,473	11	167	42	100	42
Official	J52566 Rt 3001/870	0.7				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	1,166	288	100	288
Official	J52566 Rt 3001/880	0.1				023	01	06	2006	1665	4	2	5	2		4	0	4	30	P	2,473	11	167	41	100	41
Official	J52566 Rt 3001/890	1.1				023	01	06	2006	1665	4	2	5	2		4	40	4	30	P	2,473	11	1,832	454	100	454
Official	J52566 Rt AC01/810	0.4				023	01	06	2006	8560	4	2	4	2	4	5	80	7	30	P	12,712	11	3,424	98	100	98
Official	J52566 Rt AC02/820	0.2				023	01	06	2006	8560	4	1	4	2		5	80	5	30	P	12,712	10	1,712	132	100	132
Official	J52566 Rt AC02/830		040157	9	155	023	01	06			4		4	0					30						100	
Official	J52566 Rt AC02/840	0.4				023	01	06	2006	8560	4	1	4	2		5	80	5	30	P	12,712	10	3,424	264	100	264
Approved	J52566 Rt HC20/810	0.3				023	01	06	2006	1830			5													
Official	J52566 Rt HC20/810	0.3				023	01	06	2006	1830	6		5	2		5	60	5	30	P	2,718	16	549	107	100	107
Official	J52566 Rt HC21/810	1.3				023	01	06	2006	17825	6		5	2	2	5	80	5	30	P	26,470	16	23,173	641	100	641



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Approved	J52566 Rt HC22/810	2.6				023	01	06	2006	1285			5														
Official	J52566 Rt HC22/810	2.6				023	01	06	2006	1285	4	2	5	2		5	40	5	30	P	1,908	11	3,341	636	100	636	
Approved	J52566 Rt HC24/810	0.5				023	01	06	2006	376			5														
Official	J52566 Rt HC24/810	0.5				023	01	06	2006	376	4	1	5	2		5	60	5	30	P	558	10	188	202	100	202	
Approved	J52566 Rt HC25/810	0.3				023	01	06	2006	401			5														
Official	J52566 Rt HC25/810	0.3				023	01	06	2006	401	4	1	5	2		5	60	4	30	P	595	10	120	233	100	233	
Official	J52566 Rt HC26/10	2.4				023	01	06	2006	493	4	2	5	2		5	40	4	30	P	732	11	1,183	930	100	930	
Official	J52566 Rt HC27/10	5.5				023	01	06	2006	1736	4	2	5	2		5	40	4	30	P	2,578	11	9,548	2,131	100	2,131	
Official	J52566 Rt HC28/10	3.4				023	01	06	2006	735	4	2	5	2		5	40	4	30	P	1,091	11	2,499	1,318	100	1,318	
Official	J52566 Rt S101/810	5.3				023	01	06	2006	11200	2	3	3	2	3	6	0	5	30	P	16,632	6	16,935	2,539	29	724	
Approved	J52566 Rt TC40/810	0.2				023	01	06	2006	4053			4														
Official	J52566 Rt TC40/810	0.2				023	01	06	2006	4053	6		4	2	4	5	100	7	30	P	6,019	16	811	2	100	2	
Approved	J52566 Rt TC41/810	0.2				023	01	06	2006	1752			4														
Official	J52566 Rt TC41/810	0.2				023	01	06	2006	1752	6		4	2	4	5	100	7	30	P	2,602	16	350	2	100	2	
Official	J52621 Rt 0001/810	0.1				049		06				1	5	2		1	5	30									
Official	J52621 Rt 0044/10	0.1				049	14	06			3	1	1	0		5	0	5	30	E	37	18	3		100		
Official	J52621 Rt 0044/20	0.1				049	14	06	2004		3	1	1	4		0	0	30	E	37	18	3	25	100		25	
Official	J52621 Rt 0045/10	0.3				049	14	06	2004		3	1	1	4		0	0	30	E	37	18	8	74	100		74	
Official	J52621 Rt 0046/10	0.2				049	14	06			3	1	1	4		0	0	30	E	37	18	5	49	100		49	
Official	J52627 Rt 0452/10	0.6				089	02	06	2001		4	2	1	1		1	0	2	30	G	74	11	30	171	100		171
Official	J54567 Rt 0001/10	1.0				065	45	06	2006	4231	4	1	1	1	1	4	50	4	30	P	6,283	10	4,231	1,034	100		1,034
Official	J54567 Rt 0002/10	0.5				065	45	06	2006	8175	4	1	1	1	1	4	40	4	30	P	12,140	10	4,088	517	100		517
Official	J54567 Rt 0003/10	0.5				065	45	06	2006	3833	4	1	1	1	4	4	48	4	30	P	5,692	10	1,917	517	100		517
Official	J54567 Rt 0004/10	0.8				065	45	06	2006	3134	4	1	1	1	4	4	48	4	30	P	4,654	10	2,507	827	100		827
In-Process	J54567 Rt 0004/810	1.0				065	45	06	2006	3134	3		5	0	1	5	60	5	30	P	4,654	18	3,134		100		
In-Process	J54567 Rt 0004/820	1.0				065	45	06	2006	3134	3		5	0	1	5	60	5	30	P	4,654	18	3,134		100		
Official	J54567 Rt 0005/10	0.5				065	45	06			4	1	1	4					30	G	74	10	25	360	100		360
In-Process	J54567 Rt RS06/810	1.0				065	45	06	2006	18034	7		5	0	4	5	100	7	30	P	26,780	17	18,034		100		
In-Process	J54567 Rt RS07/810	1.0				065	45	06	2006	4570	3		5	0	1	5	60	5	30	P	6,786	18	4,570		100		
In-Process	J54567 Rt RS07/820	2.0				065	45	06	2006	4570	3		5	0	1	5	60	5	30	P	6,786	18	9,140		100		
In-Process	J54567 Rt RS08/810	1.0				065	45	06	2006	9986	3		5	0	1	5	40	5	30	P	14,829	18	9,986		100		
In-Process	J54567 Rt RS08/820	1.0				065	45	06	2006	9986	3		5	0	1	5	40	5	30	P	14,829	18	9,986		100		
In-Process	J54567 Rt RS08/830	2.0				065	45	06	2006	9986	3		5	0	1	5	80	5	30	P	14,829	18	19,972		100		
In-Process	J54567 Rt SR86/810	3.0				065	45	06	2005	44300	1	1	3	0	3	5	100	5	30	P	65,786	1	37,916		29		
In-Process	J54567 Rt SR86/820	0.3				065	45	06	2005	44300	1	1	3	0	3	5	80	5	30	P	65,786	1	3,792		29		
In-Process	J54567 Rt SR86/830	0.7				065	45	06	2005	44300	1	1	3	0	3	5	100	5	30	P	65,786	1	8,847		29		
In-Process	J54567 Rt SR86/840	0.5				065	45	06	2005	44300	1	1	3	0	3	5	100	5	30	P	65,786	1	6,319		29		
In-Process	J54567 Rt SR86/850	1.7				065	45	06	2005	44300	1	1	3	0	4	5	100	5	30	P	65,786	1	21,486		29		
Official	J54568 Rt 0010/810	0.7				065		06				1	3	2		5	5	30									
Official	J54568 Rt 0020/810	0.3				065		06				1	7	2		4	5	30									
Official	J54568 Rt 0060/10	1.1				065	37	06	2001	275	4	1	1	1	3	5	6	5	30	P	408	10	303	725	100		725
Official	J54568 Rt 0062/10	0.4				065	37	06	2001	75	4	1	1	1		1	0	2	30	G	111	10	30	288	100		288
Official	J54568 Rt 0065/10	1.5				065	37	06	2001	75	4	1	1	1		1	0	2	30	G	111	10	113	1,081	100		1,081
Official	J54568 Rt 0086/810	0.5				065		06				1	3	2		5	5	30									
Official	J54568 Rt 0111/810	0.6				065		06				1	3	2		5	5	30									
Official	J54569 Rt 0018/10	1.5				065	37	06	1979		4	1	1	1		1	0	2	30	G	74	10	75	1,081	100		1,081
Official	J54569 Rt 0019/10	3.3				065	37	06	1979		4	2	1	1		1	0	2	30	G	74	11	165	939	100		939
Official	J54569 Rt 0020/10	4.7				065	37	06	1974		4	2	1	1		1	0	2	30	G	74	11	235	1,337	100		1,337
Official	J54569 Rt 0021/10	4.7				065	37	06	1974		4	2	1	1		1	0	2	30	G	74	11	235	1,337	100		1,337
Official	J54569 Rt 0022/10	1.0				065	37	06	1974		4	2	1	1		1	0	2	30	G	74	11	50	284	100		284



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J54569 Rt 0022/20	1.2				065	37	06	1974		4	2	1	1		1	0	2	30	G	74	11	60	341	100	341
Official	J54569 Rt 0023/10	1.6				065	37	06	1979		4	2	1	1		1	0	2	30	G	74	11	80	455	100	455
Official	J54569 Rt 0371/810	4.0				065	06					1	3	2		5	5	30							29	
Official	J54570 Rt 0001/810	1.5				073	06					1	5	2		1	2	30							100	
Official	J54570 Rt 0008/810	2.3				073	06					1	3	2		5	5	30							29	
Official	J54570 Rt 0010/10	4.0				073	45	06	1988	100	4	3	1	0	2	5	0	5	30	G	149	12	400		100	
Official	J54570 Rt 0010/20	2.7				073	45	06	1988	100	4	3	1	0		1	0	2	30	G	149	12	270		100	
Official	J54570 Rt 0010/30	1.0				073	45	06	1988	100	4	3	1	0		1	0	2	30	G	149	12	100		100	
Official	J54570 Rt 0012/10	2.2				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	110	1,586	100	1,586
Official	J54570 Rt 0013/10	3.2				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	160	2,306	100	2,306
Official	J54570 Rt 0014/10	3.7				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	185	2,667	100	2,667
Official	J54570 Rt 0015/10	3.2				073	45	06	1977		4	1	1	1		1	0	2	30	G	74	10	160	2,306	100	2,306
Official	J54570 Rt 0016/10	0.5				073	45	06	1977	60	4	1	1	1		1	0	2	30	G	89	10	30	360	100	360
Official	J54570 Rt 0016/20	0.6				073	45	06	1977	60	4	1	1	1		1	0	2	30	G	89	10	36	432	100	432
Official	J54570 Rt 0016/30	0.9				073	45	06	1977		4	1	1	1		1	0	2	30	G	74	10	45	649	100	649
Official	J54570 Rt 0016/40	0.9				073	45	06	1977		4	2	1	1		1	0	2	30	G	74	11	45	256	100	256
Official	J54570 Rt 0080/810	1.8				073	06					1	3	2		5	5	30							29	
Official	J54570 Rt 0094/810	3.0				073	06					1	3	2		5	5	30							29	
Official	J54571 Rt 0057/10	0.8				073	45	06	1989		4	2	2	2		1	0	2	30	G	74	11	40	228	100	228
Official	J54571 Rt 0057/20	3.3				073	45	06	1989		4	2	2	2		1	0	2	30	G	74	11	165	939	100	939
Official	J54571 Rt 0090/810	0.8				073	06					1	5	2		4	5	30							100	
Official	J54572 Rt 0001/810	6.8				073	06					1	5	2		4	5	30							100	
Official	J54572 Rt 0053/810	7.6				073	06					1	5	2		4	5	30							100	
Official	J54572 Rt 0054/10	0.6				073	45	06			3	1	1	1		4	40	5	30	E	37	18	15	5	100	5
Official	J54572 Rt 0054/20	0.4				073	45	06			3	1	1	1		4	40	5	30	E	37	18	10	3	100	3
Official	J54572 Rt 0055/10	0.6				073	45	06	1990	60	4	1	1	1		4	40	5	30	G	89	10	36	81	100	81
Official	J54572 Rt 0056/10	0.5				073	45	06	1990		4	3	1	1		1	0	2	30	G	74	12	25	149	100	149
Official	J54572 Rt 0057/10	0.2				073	45	06			3	1	1	1		4	40	5	30	E	37	18	5	2	100	2
Official	J54572 Rt 0532/810	0.9				073	06					1	5	2		1	2	30							100	
Official	J54573 Rt 0018/10	9.1				073	45	06	2001		4	3	1	1		1	0	2	30	G	74	12	455	2,705	100	2,705
Official	J54573 Rt 0018/20	1.2				073	45	06	2001		4	3	1	1		1	0	2	30	G	74	12	60	357	100	357
Official	J54573 Rt 0018/30	0.1				073	45	06	2001		4	3	1	1		1	0	2	30	G	74	12	5	30	100	30
Official	J54573 Rt 0018/40	2.4				073	45	06	2001		4	3	1	1		1	0	2	30	G	74	12	120	713	100	713
Official	J54573 Rt 0018/50	1.4				073	45	06	2001		4	3	1	1		1	0	2	30	G	74	12	70	416	100	416
Official	J54574 Rt 0057/810	1.0				073	06					1	5	2		4	5	30							100	
Official	J54575 Rt 0390/10	0.2				073	45	06			3	1	2	2		1	0	2	30	E	37	18	5	49	100	49
Official	J54576 Rt 0041/10	0.7				073	45	06	2001	60	4	2	1	1		4	40	5	30	G	89	11	42	33	100	33
Official	J54576 Rt 0041/20	1.1				073	45	06	2001	210	4	2	1	1		1	0	2	30	P	312	11	231	409	100	409
Official	J54576 Rt 0041/30	0.7				073	45	06	2001		4	2	1	1		5	20	3	30	G	74	11	35	133	100	133
Official	J54576 Rt 0041/40	0.8				073	45	06	2001		4	1	2	2		4	10	3	30	G	74	10	40	408	100	408
Official	J54576 Rt 0042/10	0.2				073	45	06	2001		4	2	1	1		4	20	3	30	G	74	11	10	38	100	38
Official	J54576 Rt 0042/20	0.2				073	45	06	2001		4	2	1	1		4	20	3	30	G	74	11	10	38	100	38
Official	J54576 Rt 0042/30	0.2				073	45	06	2001		4	2	1	1	4	4	30	3	30	G	74	11	10	38	100	38
Official	J54576 Rt 0043/10	0.3				073	45	06	2001		4	2	1	1		4	10	3	30	G	74	11	15	57	100	57
Official	J54576 Rt 0044/10	0.2				073	45	06	2001		4	2	1	1		4	20	3	30	G	74	11	10	38	100	38
Official	J54576 Rt 0045/10	0.4				073	45	06	2001		4	2	1	1		1	0	2	30	G	74	11	20	114	100	114
Official	J54576 Rt 0046/10	0.5				073	45	06	2001	150	4	2	1	1		4	20	3	30	G	223	11	75	95	100	95
Official	J54576 Rt 0047/10	0.3				073	45	06	2001	70	4	2	1	1		4	30	3	30	G	104	11	21	57	100	57
Official	J54576 Rt 0048/10	0.1				073	45	06	2001		4	2	1	1		4	10	3	30	G	74	11	5	19	100	19
Official	J54576 Rt 0048/20	0.2				073	45	06	2001		4	2	1	1		4	30	3	30	G	74	11	10	38	100	38



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J54576 Rt 0049/10	1.4				073	45	06	2001	125	4	3	1	0	2	5	100	5	30	G	186	12	175		100	
Official	J54576 Rt 0049/20	0.1				073	45	06			4	3	1	4		0	0	0	30	G	74	12	5	30	100	30
Official	J54576 Rt 0050/10	0.1				073	45	06	1990	280	4	1	1	1		1	0	2	30	P	416	10	28	99	100	99
Official	J54576 Rt 0050/20	0.6				073	45	06	1990	220	4	1	1	1		5	20	3	30	P	327	10	132	620	100	620
Official	J54576 Rt 0050/30	0.2				073	45	06	1990		4	2	1	1		5	0	2	30	G	74	11	10	35	100	35
Official	J54576 Rt 0050/40	0.5				073	45	06	2001		4	2	1	1		4	30	4	30	G	74	11	25	95	100	95
Official	J54576 Rt 0051/10	0.6				073	45	06	2001	90	4	3	1	1		1	0	2	30	G	134	12	54	178	100	178
Official	J54576 Rt 0052/10	0.3				073	45	06			3	1	1	1		4	30	5	30	E	37	18	8	2	100	2
Official	J54576 Rt 0053/10	0.2				073	45	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Approved	J54576 Rt 0076/810	5.2				073	49	06	2005	4400				3												
Official	J54576 Rt 0076/810	5.2				073	49	06	2005	4400	2	3	3	0	3	5	80	5	30	P	6,534	6	6,528		29	
Approved	J54576 Rt 0076/820		171	9	64	073	49	06					3													
Official	J54576 Rt 0076/820		171	9	64	073	49	06			2		3	0					30						100	
Approved	J54576 Rt 0076/830	3.4				073	49	06	2005	4400			3													
Official	J54576 Rt 0076/830	3.4				073	49	06	2005	4400	2	3	3	0	3	5	80	5	30	P	6,534	6	4,268		29	
Approved	J54576 Rt 0076/840	3.9				073	49	06	2005	11150			3													
Official	J54576 Rt 0076/840	3.9				073	49	06	2005	11150	2	3	3	0	3	5	80	5	30	P	16,558	6	12,406		29	
Approved	J54576 Rt 0076/850		169	9	6	073	49	06					3													
Official	J54576 Rt 0076/850		169	9	6	073	49	06			2		3	0					30						100	
Approved	J54576 Rt 0076/860	2.6				073	49	06	2005	11150			3													
Official	J54576 Rt 0076/860	2.6				073	49	06	2005	11150	2	3	3	0	3	5	80	5	30	P	16,558	6	8,271		29	
Approved	J54576 Rt 0076/870	2.0				073	49	06	2005	11150			3													
Official	J54576 Rt 0076/870	2.0				073	49	06	2005	11150	2	3	3	0	3	5	80	5	30	P	16,558	6	6,362		29	
Official	J54576 Rt 0952/810	0.5				073		06				1	5	2	4		5		30						100	
In-Process	J54576 Rt S953/810	0.9				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	360		100	
In-Process	J54576 Rt S953/820	1.0				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	400		100	
In-Process	J54576 Rt S953/830	4.9				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	1,960		100	
In-Process	J54576 Rt S954/810	1.8				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	720		100	
In-Process	J54576 Rt S954/820	0.2				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	80		100	
In-Process	J54576 Rt S954/830	9.2				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	3,680		100	
In-Process	J54576 Rt S954/840		578	9	100	073	49	06			5		5	0					30						100	
In-Process	J54576 Rt S954/850	0.1				073	49	06	2005	400	5	3	5	0	3	5	80	5	30	P	594	15	40		100	
Official	J54577 Rt 0008/810	1.5				073		06				1	3	2	5		5		30						29	
Official	J54577 Rt 0011/10	2.6				073	45	06	1990		4	1	1	1		4	0	5	30	G	74	10	130	352	100	352
Official	J54577 Rt 0011/20	1.6				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	80	1,153	100	1,153
Official	J54577 Rt 0011/30	1.7				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	85	1,225	100	1,225
Official	J54577 Rt 0011/40	1.0				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	50	721	100	721
Official	J54577 Rt 0080/810	0.7				073		06				1	5	2	4		5		30						100	
Official	J54578 Rt 0041/10	0.1				073	45	06	1977		4	1	1	1		1	0	2	30	G	74	10	5	72	100	72
Official	J54578 Rt 0041/20	0.1				073	45	06	1977		4	1	1	1		1	0	2	30	G	74	10	5	72	100	72
Official	J54578 Rt 0042/10	3.5				073	45	06	1974	72	4	2	1	1		4	50	4	30	G	107	11	252	663	100	663
Official	J54578 Rt 0042/20	0.1				073	45	06	1974	72	4	2	1	1		4	50	4	30	G	107	11	7	19	100	19
Official	J54578 Rt 0042/30	0.7				073	45	06	1974	72	4	2	1	1		4	50	4	30	G	107	11	50	133	100	133
Official	J54578 Rt 0042/40	0.8				073	45	06	1974	72	4	2	1	1		4	50	4	30	G	107	11	58	152	100	152
Official	J54578 Rt 0042/50	5.3				073	45	06	1974		4	2	1	1		1	0	2	30	G	74	11	265	1,507	100	1,507
Official	J54578 Rt 0042/60	5.1				073	45	06	1985		4	2	1	1		1	0	2	30	G	74	11	255	1,450	100	1,450
Official	J54578 Rt 0043/10	0.4				073	45	06	1976		4	1	1	1		4	50	4	30	G	74	10	20	204	100	204
Official	J54578 Rt 0043/20	0.2				073	45	06	1976		4	1	1	1		4	50	4	30	G	74	10	10	102	100	102
Official	J54578 Rt 0043/30	0.7				073	45	06	1976		4	1	1	1		4	50	4	30	G	74	10	35	357	100	357
Official	J54578 Rt 0044/10	5.4				073	45	06	1974		4	3	1	1		1	0	2	30	G	74	12	270	1,605	100	1,605



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J54578 Rt 0045/10	4.9				073	45	06	1974		4	3	1	1		1	0	2	30	G	74	12	245	1,456	100	1,456
Official	J54578 Rt 0046/10	0.7				073	45	06	1985		4	2	1	1		1	0	2	30	G	74	11	35	199	100	199
Official	J54578 Rt 0047/10	1.5				073	45	06	1974		4	2	1	1		1	0	2	30	G	74	11	75	427	100	427
Official	J54578 Rt 0048/10	1.5				073	45	06	1974		4	3	1	1		1	0	2	30	G	74	12	75	446	100	446
Official	J54579 Rt 0012/10	1.1				073	45	06	1990		4	1	1	1		5	0	5	30	G	74	10	55	149	100	149
Official	J54579 Rt 0012/20	1.3				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	65	937	100	937
Official	J54579 Rt 0013/10	2.7				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	135	1,946	100	1,946
Official	J54579 Rt 0014/10	3.9				073	45	06	1993	126	4	3	1	0		1	0	2	30	G	187	12	491		100	
Official	J54579 Rt 0014/20	0.6				073	45	06	1993	126	4	3	1	0		4	60	5	30	G	187	12	76		100	
Official	J54579 Rt 0014/30	0.3				073	45	06	1993	126	4	3	1	0		1	0	2	30	G	187	12	38		100	
Official	J54579 Rt 0018/10	2.2				073	45	06	1990		4	1	1	1		1	0	2	30	G	74	10	110	1,586	100	1,586
Official	J54580 Rt 0005/810	0.8				073		06				1	5	2		4		5	30						100	
Official	J54580 Rt 0006/810	1.3				073		06				1	5	2		5		5	30						100	
Official	J54580 Rt 0051/10	0.3				073	45	06			3	1	1	1		4	70	5	30	E	37	18	8	2	100	2
Official	J54580 Rt 0051/20		J150	9	124	073	45	06			3	1	1	1				5	30						100	
Official	J54580 Rt 0051/30	0.5				073	45	06			3	1	1	1		4	70	5	30	E	37	18	13	4	100	4
Official	J54580 Rt 0051/810	6.7				073		06				1	5	2		1		2	30						100	
Official	J54582 Rt 0010/810	4.3				065		06				1	3	2		5		5	30						29	
Official	J54582 Rt 0016/10	8.4				065	37	06	2001	150	4	1	1	1		1	0	2	30	G	223	10	1,260	6,054	100	6,054
Official	J54582 Rt 0243/810	3.3				065		06				1	3	2		5		5	30						29	
Official	J54582 Rt 0310/10	1.0				065	37	06			3	1	1	1		4	30	4	30	E	37	18	25	249	100	249
Official	J54582 Rt 0311/10	0.4				065	37	06			3	1	1	1		4	10	4	30	E	37	18	10	100	100	100
Official	J54582 Rt 0312/10	0.5				065	37	06			3	1	1	1		4	30	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0313/10	0.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0314/10	1.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	38	373	100	373
Official	J54582 Rt 0315/10	0.9				065	37	06			3	1	1	1		4	20	4	30	E	37	18	23	224	100	224
Official	J54582 Rt 0317/10	0.5				065	37	06			3	1	1	1		4	10	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0318/10	0.2				065	37	06			3	1	1	1		4	30	4	30	E	37	18	5	50	100	50
Official	J54582 Rt 0319/10	0.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0320/10	0.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0321/10	0.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0322/10	0.5				065	37	06			3	1	1	1		4	20	4	30	E	37	18	13	124	100	124
Official	J54582 Rt 0323/10	0.1				065	37	06			3	1	1	1		4	20	4	30	E	37	18	3	25	100	25
Official	J54582 Rt 0324/10	0.1				065	37	06			3	1	1	1		1	0	2	30	E	37	18	3	25	100	25
Official	J54582 Rt 0325/10	0.1				065	37	06			3	1	1	1		4	100	5	30	E	37	18	3	1	100	1
Official	J54582 Rt 0326/10	0.8				065	37	06			3	1	1	1		4	40	4	30	E	37	18	20	199	100	199
Official	J54582 Rt 0327/10	0.2				065	37	06			3	1	1	1		4	10	5	30	E	37	18	5	2	100	2
Official	J54582 Rt 4058/810	2.1				065		06				1	5	2		3		5	30						100	
Official	J54582 Rt 6127/810	1.2				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6128/810	0.4				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6129/810	1.4				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6130/810	2.9				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6131/810	0.9				065		06				1	5	2		4		5	30						100	
Official	J54582 Rt 6133/810	0.2				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6135/810	0.7				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6136/810	0.8				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6137/810	0.7				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6139/810	1.4				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6140/810	1.7				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6540/810	0.1				065		06				1	5	2		5		5	30						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J54582 Rt 6560/810	0.3				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 6683/810	0.2				065		06				1	5	2		5		5	30						100	
Official	J54582 Rt 8147/810	6.2				065		06				1	6	2		1		2	30						100	
Official	J54583 Rt 0002/10	0.1				073	45	06	2001	150	4	2	2	2		1	0	2	30	G	223	11	15	28	100	28
Official	J54583 Rt 0002/20		J160	9	120	073	45	06			4	1	2	2				5	30						100	
Official	J54583 Rt 0002/30	2.5				073	45	06	2001	150	4	2	2	2		1	0	2	30	G	223	11	375	711	100	711
Official	J54583 Rt 0002/40	0.4				073	45	06	2001	150	4	2	5	2		4	26	3	30	G	223	11	60	76	100	76
Official	J54583 Rt 0002/50	0.2				073	45	06	2001	150	4	2	5	2		4	26	3	30	G	223	11	30	38	100	38
Official	J54583 Rt 0016/810	1.7				073		06				1	5	2		5		5	30						100	
Official	J54583 Rt 0032/10	0.5				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	25	360	100	360
Official	J54583 Rt 0033/10	0.2				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	10	144	100	144
Official	J54583 Rt 0034/10	0.9				073	45	06	1974		4	1	1	1		1	0	2	30	G	74	10	45	649	100	649
Official	J54583 Rt 0035/10	0.2				073	45	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Official	J54583 Rt 0036/10	0.3				073	45	06			3	1	1	1		4	50	5	30	E	37	18	8	2	100	2
Official	J54583 Rt 0036/20	0.4				073	45	06			3	1	1	1		4	50	5	30	E	37	18	10	3	100	3
Official	J54583 Rt 0037/10	0.1				073	45	06			3	1	1	1		1	0	2	30	E	37	18	3	25	100	25
Official	J54583 Rt 0076/810	3.3				073		06				1	3	2		5		5	30						29	
Official	J54583 Rt 0212/810	3.5				073		06				1	5	2		5		5	30						100	
Official	J54583 Rt 0331/10	0.1				073	45	06			3	1	1	1	4	5	90	7	30	E	37	18	3	1	100	1
Official	J54583 Rt 1691/810	0.1				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1692/810	0.1				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1692/820	0.1				073		06				1	2	2		4		5	30						100	
Official	J54583 Rt 1693/810	1.1				073		06				1	2	2		4		5	30						100	
Official	J54583 Rt 1694/810	0.4				073		06				1	5	2		4		5	30						100	
Official	J54583 Rt 1695/810	0.4				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1698/810	0.5				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1699/810	0.3				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1700/810	0.8				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1703/810	0.3				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1704/810	0.3				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1705/810	0.1				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1706/810	0.1				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 1707/810	0.7				073		06				1	2	2		1		2	30						100	
Official	J54583 Rt 3181/810	1.1				073		06				1	5	2		5		5	30						100	
Official	J54584 Rt 0010/810	1.5				065		06				1	3	2		4		5	30						29	
Official	J54584 Rt 0111/810	4.3				065		06				1	3	2		4		5	30						29	
Official	J54584 Rt 0260/810	1.0				065		06				1	5	2		4		5	30						100	
Official	J54585 Rt 0036/10	0.2				073	45	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Official	J54585 Rt 0036/20	0.8				073	45	06			3	1	1	1	4	5	50	7	30	E	37	18	20	6	100	6
Official	J54585 Rt 0036/30	0.2				073	45	06			3	1	1	1		1	0	2	30	E	37	18	5	49	100	49
Official	J54585 Rt 0036/40	0.5				073	45	06			3	1	1	1		5	50	5	30	E	37	18	13	4	100	4
Official	J54585 Rt 0036/50	0.2				073	45	06			3	1	1	1		4	50	5	30	E	37	18	5	2	100	2
Official	J54585 Rt 0036/60	0.1				073	45	06			3	1	1	1		1	0	2	30	E	37	18	3	25	100	25
Official	J54586 Rt 0016/810	0.3				065		06				1	3	2		4		5	30						29	
Official	J54586 Rt 0028/10	0.4				065	37	06	2001	250	4	1	5	2		4	30	3	30	P	371	10	100	414	100	414
Official	J54586 Rt 0028/20	0.6				065	37	06	2001	250	4	1	2	2		4	30	3	30	P	371	10	150	620	100	620
Official	J54586 Rt 0028/30	1.9				065	37	06	2001	125	4	1	2	2		1	0	2	30	G	186	10	238	1,369	100	1,369
Official	J54586 Rt 0029/10	0.5				065	37	06			3	1	1	1		1	0	2	30	E	37	18	13	123	100	123
Official	J54586 Rt 8433/810	1.0				065		06				1	5	2		1		2	30						100	
Official	J54586 Rt 8434/810	0.3				065		06				1	2	2		1		2	30						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	J54587 Rt 0006/810	3.1				073		06				1	5	2	5		5	30								100	
Official	J54587 Rt 0039/10	0.2				073	45	06			3	1	1	1	1		0	2	30	E	37	18		5	49	100	49
Official	J54587 Rt 0340/10	0.4				073	45	06			3	1	1	0	1		0	2	30	E	37	18		10		100	
Official	J54587 Rt 0340/20	1.3				073	45	06			3	1	1	0	4		50	5	30	E	37	18		33		100	
Official	J54587 Rt 0340/30	0.3				073	45	06			3	1	1	0	1		0	2	30	E	37	18		8		100	
Official	J54587 Rt 0340/40	0.2				073	45	06			3	1	1	0	1		0	2	30	E	37	18		5		100	
Official	J54587 Rt 0340/50	0.4				073	45	06			3	1	1	0	1		0	2	30	E	37	18		10		100	
Official	J54587 Rt 0340/60	2.3				073	45	06			3	1	1	0	1		0	2	30	E	37	18		58		100	
Official	J54587 Rt 0340/70	0.3				073	45	06			3	1	1	0	4		60	4	30	E	37	18		8		100	
Official	J54588 Rt 0001/10	0.2				071	35	06	2001	275	4	2	1	1	4		30	3	30	P	408	11		55	78	100	78
Official	J54588 Rt 0001/20	0.8				071	35	06	2001	275	4	2	1	1	4		50	4	30	P	408	11		220	310	100	310
Official	J54588 Rt 0002/10	0.4				071	35	06	2001	295	4	3	1	1	4		30	3	30	P	438	12		118	163	100	163
Official	J54588 Rt 0003/10	0.1				071	35	06			3	1	1	1	4		40	3	30	E	37	18		3	25	100	25
Official	J54589 Rt 0032/810	1.0				073		06				1	5	2	5		5	30								100	
Official	J54589 Rt 0310/810	0.3				073		06				1	5	2	4		5	30								100	
Official	J54589 Rt 0365/10	0.4				073	45	06			3	1	1	0	1		0	2	30	E	37	18		10		100	
Official	J54589 Rt 0365/20	1.9				073	45	06			3	1	1	0	5		0	2	30	E	37	18		48		100	
Official	J54589 Rt 0366/10	1.4				073	45	06			3	1	2	2	5		50	5	30	E	37	18		35	11	100	11
Official	J54590 Rt 0001/810	1.5				065		06				1	2	2	1		2	30								100	
Official	J54590 Rt 0002/810	0.1				065		06				1	2	2	1		2	30								100	
Official	J54590 Rt 0003/810	0.5				065		06				1	2	2	1		2	30								100	
Official	J54590 Rt 0023/10	0.9				065	37	06	1974		4	1	1	1	4		50	5	30	G	74	10		45	122	100	122
Official	J54590 Rt 0023/20	1.7				065	37	06	1974		4	1	1	1	1		0	2	30	G	74	10		85	1,225	100	1,225
Official	J54590 Rt 0023/30	0.4				065	37	06	1974		4	1	1	1	4		50	5	30	G	74	10		20	54	100	54
Official	J54590 Rt 0024/10	0.3				065	37	06	1985		4	1	1	1	1		0	2	30	G	74	10		15	216	100	216
Official	J54590 Rt 0074/810	3.2				065		06				1	3	2	5		5	30								29	
Official	J54591 Rt 0002/10	0.5				083	19	06	1974	60	4	1	1	0	1		0	2	30	G	89	10		30		100	
Official	J54591 Rt 0003/10	0.3				083	19	06	1974		4	1	1	1	1		0	2	30	G	74	10		15	216	100	216
Official	J54591 Rt 0004/10	0.3				083	19	06	1985		4	1	1	1	1		0	2	30	G	74	10		15	216	100	216
Official	J54591 Rt 0005/10	0.1				083	19	06			3	1	1	1	1		0	2	30	E	37	18		3	25	100	25
Official	J54591 Rt 0006/10	0.2				083	19	06			3	1	1	1	1		0	2	30	E	37	18		5	49	100	49
Official	J54592 Rt 0004/10	3.1				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		155	2,234	100	2,234
Official	J54592 Rt 0005/10	0.4				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		20	288	100	288
Official	J54592 Rt 0006/10	0.2				073	45	06	1985		4	1	1	1	1		0	2	30	G	74	10		10	144	100	144
Official	J54592 Rt 0007/10	0.2				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		10	144	100	144
Official	J54592 Rt 0008/10	0.2				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		10	144	100	144
Official	J54592 Rt 0009/10	1.1				073	45	06			3	1	1	1	4		50	5	30	E	37	18		28	8	100	8
Official	J54592 Rt 0009/20	0.1				073	45	06			3	1	1	1	4		50	5	30	E	37	18		3	1	100	1
Official	J54592 Rt 0045/10	0.8				073	45	06	1985		4	1	1	1	1		0	2	30	G	74	10		40	577	100	577
Official	J54592 Rt 0046/10	0.6				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		30	171	100	171
Official	J54592 Rt 0046/20	0.6				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		30	171	100	171
Official	J54592 Rt 0047/10	4.7				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		235	1,337	100	1,337
Official	J54592 Rt 0047/20	0.6				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		30	171	100	171
Official	J54592 Rt 0048/10	1.9				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		95	540	100	540
Official	J54592 Rt 0048/20	0.3				073	45	06	1990		4	2	1	1	1		0	2	30	G	74	11		15	85	100	85
Official	J54592 Rt 0049/10	0.8				073	45	06	1990		4	1	1	1	1		0	2	30	G	74	10		40	577	100	577
Official	J54592 Rt 0049/20	3.5				073	45	06	1990		4	1	1	1	1		0	2	30	G	74	10		175	2,523	100	2,523
Official	J54592 Rt 0050/10	0.8				073	45	06	1990		4	1	1	1	1		0	2	30	G	74	10		40	577	100	577
Official	J54592 Rt 0051/10	1.5				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		75	1,081	100	1,081
Official	J54592 Rt 0051/20	0.1				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10		5	72	100	72



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	J54592 Rt 0051/30	5.6				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10	280	4,036	100	4,036
Official	J54592 Rt 0051/40	1.6				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10	80	1,153	100	1,153
Official	J54592 Rt 0052/10	3.2				073	45	06	1989		4	2	1	1	1		0	2	30	G	74	11	160	910	100	910
Official	J54592 Rt 0052/20	5.1				073	45	06	1989		4	3	1	1	1		0	2	30	G	74	12	255	1,516	100	1,516
Official	J54592 Rt 0053/10	1.1				073	45	06	1989	80	4	1	1	1	4		70	5	30	G	119	10	88	149	100	149
Official	J54592 Rt 0053/20	0.6				073	45	06	1989		4	1	1	1	4		80	5	30	G	74	10	30	81	100	81
Official	J54592 Rt 0053/30	1.2				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10	60	865	100	865
Official	J54592 Rt 0054/10	3.9				073	45	06	1989		4	1	1	1	1		0	2	30	G	74	10	195	2,811	100	2,811
Official	J54593 Rt 0016/10	3.1				065	37	06	1989		4	1	1	1	1		0	2	30	G	74	10	155	2,234	100	2,234
Official	J54593 Rt 0085/10	0.6				065	37	06	1989		4	1	1	1	1		0	2	30	G	74	10	30	432	100	432
Official	J54593 Rt 0300/10	1.0				065	37	06	1989		4	1	1	1	1		0	2	30	G	74	10	50	721	100	721
Official	J54593 Rt 0301/10	1.7				065	37	06			3	1	1	1	1		0	2	30	E	37	18	43	419	100	419
Official	J54593 Rt 5049/810	1.6				065		06				1	5	2	4		5	30							100	
Official	J54593 Rt 5376/810	1.1				065		06				1	5	2	4		5	30							100	
Official	J54594 Rt 0010/10	0.6				073	45	06			3	1	1	1	4		50	5	30	E	37	18	15	5	100	5
Official	J54594 Rt 0010/20	0.6				073	45	06			3	1	1	1	4		50	5	30	E	37	18	15	5	100	5
Official	J54594 Rt 0010/30	0.6				073	45	06			3	1	1	1	1		0	2	30	E	37	18	15	148	100	148
In-Process	J54594 Rt S254/810	2.2				073	52	06	2005	35400	7		5	0	4	5	80	7	30	P	52,569	17	77,880		100	
In-Process	J54594 Rt S254/820	1.5				073	52	06	2005	35400	7		5	0	4	5	80	7	30	P	52,569	17	53,100		100	
In-Process	J54594 Rt S255/810	4.6				073	52	06	2005	3800	4	2	5	0	3	5	80	5	30	P	5,643	11	17,480		100	
In-Process	J54594 Rt S256/810	0.1				073	52	06	2005	19300	4	2	5	0	3	5	100	7	30	P	28,661	11	1,930		100	
In-Process	J54594 Rt S256/820	0.2				073	52	06	2005	19300	4	2	5	0	3	5	80	7	30	P	28,661	11	3,860		100	
In-Process	J54594 Rt S256/830	5.7				073	52	06	2005	19300	4	2	5	0	3	5	80	7	30	P	28,661	11	110,010		100	
In-Process	J54594 Rt S257/810	3.6				073	52	06			5	2	5	2	1	1	0	3	30	G	74	14	180	635	100	635
In-Process	J54594 Rt S257/820		57C-700		9	104	073	52	06		5		5	2					30						100	
In-Process	J54594 Rt S257/830	0.3				073	52	06			5	2	5	2	1	1	0	3	30	G	74	14	15	53	100	53
In-Process	J54594 Rt S257/840	0.2				073	52	06			5	2	5	2	1	4	80	5	30	G	74	14	10	1	100	1
In-Process	J54594 Rt S258/810	0.6				073	52	06	2005	14900	3		5	0	4	5	60	7	30	P	22,127	18	8,940		100	
In-Process	J54594 Rt S259/810	3.9				073	52	06	2005	8500	4	2	5	0	4	5	80	7	30	P	12,623	11	33,150		100	
In-Process	J54594 Rt S259/820	1.0				073	52	06	2005	8500	4	2	5	0	4	5	100	7	30	P	12,623	11	8,500		100	
In-Process	J54594 Rt S260/810	0.5				073	52	06	2005	42000	7		4	0	4	5	80	7	30	P	62,370	17	21,000		100	
Official	J54595 Rt 0001/10	0.2				065	37	06	2001	150	4	1	1	1	4		50	3	30	G	223	10	30	102	100	102
Official	J54595 Rt 0001/20	0.8				065	37	06	2001		4	1	1	1	1		0	2	30	G	74	10	40	577	100	577
Official	J54595 Rt 0001/30	0.3				065	37	06	2001	125	4	1	1	1	4		50	3	30	G	186	10	38	153	100	153
Official	J54595 Rt 0001/40	0.8				065	37	06			4	1	1	4	0		0	0	30	G	74	10	40	577	100	577
In-Process	J54595 Rt 0026/10	0.8				065	45	06	2006	1847	3		1	1	4		60	4	30	P	2,743	18	1,478	587	100	587
Official	J54595 Rt 0026/10	1.2				065	37	06	1999	986	4	1	1	1	4		62	4	30	P	1,464	10	1,183	1,241	100	1,241
In-Process	J54595 Rt 0086/810	10.6				065	45	06	2005	7950	2	1	3	0	3	5	100	5	30	P	11,806	4	24,042		29	
Official	J54595 Rt 0086/810	0.8				065		06				1	3	2	5		5	30							29	
In-Process	J54595 Rt 0195/810	5.3				065	45	06	2005	7700	2	1	3	0	3	5	80	5	30	P	11,435	4	11,643		29	
Official	J54595 Rt 0195/810	3.0				065		06				1	3	2	5		5	30							29	
In-Process	J54595 Rt 026B/10	1.5				065	45	06	1997	214	3		1	1	4		60	4	30	P	318	18	321	1,101	100	1,101
In-Process	J54595 Rt 086S/400	1.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	7,840		29	
In-Process	J54595 Rt 086S/405		0038		9	18	025	51	06		1		3	0					30						100	
In-Process	J54595 Rt 086S/410	0.9				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	5,880		29	
In-Process	J54595 Rt 086S/415		113		9	25	025	51	06		1		3	0					30						100	
In-Process	J54595 Rt 086S/420	5.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	33,974		29	
In-Process	J54595 Rt 086S/425		0039		9	17	025	51	06		1		3	0					30						100	
In-Process	J54595 Rt 086S/430	1.0				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	6,533		29	
In-Process	J54595 Rt 086S/435		0015		9	36	025	51	06		1		3	0					30						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J54595 Rt 086S/440	1.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	7,840		29	
In-Process	J54595 Rt 086S/445		0014	9	48	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/450	0.9				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	5,880		29	
In-Process	J54595 Rt 086S/455		0137	3	27	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/460	0.7				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	4,573		29	
In-Process	J54595 Rt 086S/465		0013	9	70	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/470	0.8				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	5,227		29	
In-Process	J54595 Rt 086S/475		0040	9	15	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/480	0.8				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	5,227		29	
In-Process	J54595 Rt 086S/485		0041	9	22	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/490	0.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,307		29	
In-Process	J54595 Rt 086S/495		0042	9	22	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/500	0.7				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	4,573		29	
In-Process	J54595 Rt 086S/505		0043	9	12	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/510	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/515		0044	9	11	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/520	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/525		0045	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/530	0.4				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	2,613		29	
In-Process	J54595 Rt 086S/535		0046	9	83	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/540	0.9				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	5,880		29	
In-Process	J54595 Rt 086S/545		0047	9	23	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/550	0.5				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	3,267		29	
In-Process	J54595 Rt 086S/555		0048	9	42	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/560	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/565		0049	9	18	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/570	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/575		0050	9	27	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/580	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/585		0051	9	27	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/590	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/595		0052	9	19	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/600	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/605		0053	9	19	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/610	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/615		0054	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/620	0.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,307		29	
In-Process	J54595 Rt 086S/625		0055	9	18	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/630	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/635		0056	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/640	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/645		0057	9	23	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/650	0.4				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	2,613		29	
In-Process	J54595 Rt 086S/655		0058	9	26	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/660	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/665		0059	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/670	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/675		0060	9	26	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/680	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/685		0061	9	25	025	51	06			1		3	0					30						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J54595 Rt 086S/690	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/695		0062	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/700	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/705		0063	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/710	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/715		0064	9	20	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/720	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/725		0065	9	25	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/730	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/735		0066	9	20	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/740	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/745		0067	9	20	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/750	0.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,307		29	
In-Process	J54595 Rt 086S/755		0068	9	26	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/760	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/765		0069	9	19	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/770	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/775		0070	9	18	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/780	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/785		0071	9	19	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/790	0.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,307		29	
In-Process	J54595 Rt 086S/795		0072	9	26	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/800	0.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,307		29	
In-Process	J54595 Rt 086S/805		0073	9	20	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/810	0.1				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	653		29	
In-Process	J54595 Rt 086S/815		0074	9	23	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/820	0.3				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	1,960		29	
In-Process	J54595 Rt 086S/825		0075	9	23	025	51	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/830	2.2				025	51	06	2005	22900	1	1	3	0	3	5	100	5	30	P	34,007	1	14,373		29	
In-Process	J54595 Rt 086S/835	0.1				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	756		29	
In-Process	J54595 Rt 086S/840		0161	9	19	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/845	0.1				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	756		29	
In-Process	J54595 Rt 086S/850		0159	9	14	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/855	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/860		0158	9	18	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/865	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/870		0156	9	35	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/875	0.1				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	756		29	
In-Process	J54595 Rt 086S/880		0154	9	13	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/885	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/890		0153	9	40	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/895	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/900		0150	9	31	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/905	0.4				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	3,024		29	
In-Process	J54595 Rt 086S/910		0149	9	17	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/915	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/920		0148	9	25	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/925	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	
In-Process	J54595 Rt 086S/930		0147	9	27	065	45	06			1		3	0					30						100	
In-Process	J54595 Rt 086S/935	0.2				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	1,512		29	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J54595 Rt 086S/940		0774	9	18	065	45	06			1		3	0												100
In-Process	J54595 Rt 086S/945	0.3				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	2,268		29	
In-Process	J54595 Rt 086S/950		0775	9	18	065	45	06			1		3	0												100
In-Process	J54595 Rt 086S/955	0.6				065	45	06	2005	26500	1	1	3	0	3	5	100	5	30	P	39,353	1	4,536		29	
In-Process	J54595 Rt 086S/960		0776	9	21	065	45	06			1		3	0												100
In-Process	J54595 Rt 086S/965	1.4				065	45	06	2005	30800	1	1	3	0	3	5	100	5	30	P	45,738	1	12,302		29	
In-Process	J54595 Rt 086S/970		0778	9	21	065	45	06			1		3	0												100
In-Process	J54595 Rt 086S/975	5.0				065	45	06	2005	30800	1	1	3	0	3	5	100	5	30	P	45,738	1	43,936		29	
In-Process	J54595 Rt 086S/980		0777	9	256	065	45	06			1		3	0												100
In-Process	J54595 Rt 086S/985	1.1				065	45	06	2005	30800	1	1	3	0	3	5	100	5	30	P	45,738	1	9,666		29	
Official	J54595 Rt 4492/810	4.6				065		06				1	5	2		5		5	30							100
In-Process	J54595 Rt RS27/810	0.3				065	45	06			5	1	5	2	1		0	3	30	G	74	13	15	66	100	66
In-Process	J54595 Rt RS28/810	1.0				065	45	06			5	1	5	0		5	20	5	30	G	74	13	50		100	
In-Process	J54595 Rt RS29/810	5.8				065	45	06	2006	5553	5	1	5	0	1	5	80	5	30	P	8,246	13	32,207		100	
In-Process	J54595 Rt RS30/810	2.0				065	45	06	2006	3958	5	1	5	2	1	5	60	5	30	P	5,878	13	7,916	339	100	339
In-Process	J54595 Rt RS31/810	1.0				065	45	06			5	1	5	0	1	4	60	5	30	G	74	13	50		100	
In-Process	J54595 Rt RS31/820	1.3				065	45	06			5	1	5	0		1	0	3	30	G	74	13	65		100	
In-Process	J54595 Rt RS32/810	0.5				065	45	06			5	1	5	0	1	4	80	5	30	G	74	13	25		100	
In-Process	J54595 Rt RS33/810	0.9				065	45	06			5	1	5	2		1	0	3	30	G	74	13	45	199	100	199
In-Process	J54595 Rt RS34/810	2.0				065	45	06	2006	2227	5	1	5	0	1	4	60	5	30	P	3,307	13	4,454		100	
In-Process	J54595 Rt RS35/810	0.5				065	45	06			5	1	5	2	1	4	60	4	30	G	74	13	25	72	100	72
In-Process	J54595 Rt RS36/810	1.0				065	45	06	1997	307	5	1	5	0	1	4	80	5	30	P	456	13	307		100	
In-Process	J54595 Rt RS37/810	1.7				065	45	06			5	1	5	2		1	0	2	30	G	74	13	85	357	100	357
In-Process	J54595 Rt RS38/810	0.4				065	45	06			3		5	2	4	40	5	30	E	37	18	10	3	100	3	
In-Process	J54595 Rt RS38/820	0.2				065	45	06			3		5	2	1	0	5	30	E	37	18	5	2	100	2	
In-Process	J54595 Rt RS39/810	1.0				065	45	06			5	1	5	2		1	0	2	30	G	74	13	50	210	100	210
In-Process	J54595 Rt RS40/810	0.7				065	45	06			5	1	5	2		1	0	2	30	G	74	13	35	147	100	147
In-Process	J54595 Rt RS41/810	1.2				065	45	06	2006	2569	5	1	5	2	1	0	2	30	P	3,815	13	3,083	413	100	413	
In-Process	J54595 Rt RS41/820	0.5				065	45	06	2006	2569	5	1	5	2	4	60	4	30	P	3,815	13	1,285	178	100	178	
In-Process	J54595 Rt RS41/830	0.3				065	45	06	2006	2569	5	1	5	2	4	60	4	30	P	3,815	13	771	107	100	107	
In-Process	J54595 Rt RS42/810	1.5				065	45	06			5	1	5	2	1	4	80	5	30	G	74	13	75	52	100	52
In-Process	J54595 Rt RS43/810	1.0				065	45	06			5	1	5	2	1	0	3	30	G	74	13	50	222	100	222	
In-Process	J54595 Rt RS43/820	1.0				065	45	06			5	1	5	2	1	4	80	4	30	G	74	13	50	144	100	144
In-Process	J54595 Rt RS44/810	0.9				065	45	06	2006	183	5	1	5	0	1	4	100	5	30	P	272	13	165		100	
In-Process	J54595 Rt RS44/820		0173	9	60	065	45	06			5		5	0												100
In-Process	J54595 Rt RS44/830	0.1				065	45	06	2006	183	5	1	5	0	1	4	100	5	30	P	272	13	18		100	
In-Process	J54595 Rt RS45/810	0.6				025	51	06			3		5	0	1	4	60	5	30	E	37	18	15		100	
In-Process	J54595 Rt RS45/820	0.4				025	51	06			3		5	0	1	0	3	30	E	37	18	10		100		
In-Process	J54595 Rt RS46/810	0.5				065	45	06			5	1	5	2		1	0	3	30	G	74	13	25	111	100	111
In-Process	J54595 Rt RS47/810	1.4				025	51	06			5	1	5	2	1	4	40	4	30	G	74	13	70	202	100	202
In-Process	J54595 Rt RS48/810	1.0				065	45	06			5	1	5	0	1	4	60	5	30	G	74	13	50		100	
In-Process	J54595 Rt RS49/810	3.8				065	45	06			5	1	5	0	1	4	80	5	30	G	74	13	190		100	
In-Process	J54595 Rt RS50/810	0.5				065	45	06			5	1	5	0		5	80	5	30	G	74	13	25		100	
In-Process	J54595 Rt RS50/820	0.7				065	45	06			5	1	5	0		5	80	5	30	G	74	13	35		100	
In-Process	J54595 Rt RS50/830		0513	9	80	065	45	06			5		5	0												100
In-Process	J54595 Rt RS50/840	0.2				065	45	06			5	1	5	0		5	80	5	30	G	74	13	10		100	
In-Process	J54595 Rt RS51/810	0.5				065	45	06			5	1	5	2		4	40	3	30	G	74	13	25	72	100	72
In-Process	J54595 Rt RS52/810	0.1				065	45	06			5	1	5	2	1	0	4	30	G	74	13	5	22	100	22	
In-Process	J54595 Rt RS52/820	0.5				065	45	06			5	1	5	2	1	4	60	4	30	G	74	13	25	72	100	72
In-Process	J54595 Rt RS52/830	1.5				065	45	06			5	1	5	2		4	40	4	30	G	74	13	75	217	100	217



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	J54595 Rt RS53/810	2.0				065	45	06	2006	1928	3		5	0	1	4	80	5	30	P	2,863	18	3,856		100	
In-Process	J54595 Rt RS54/810	0.5				065	45	06			5	1	5	2	1	1	0	2	30	G	74	13	25	105	100	105
In-Process	J54595 Rt RS55/810	1.5				065	45	06			5	1	5	2	4	4	80	4	30	G	74	13	75	217	100	217
In-Process	J54595 Rt RS56/810	0.7				065	45	06			5	1	5	2	1	4	60	5	30	G	74	13	35	24	100	24
In-Process	J54595 Rt RS57/810	0.7				065	45	06			3		5	0	4	4	80	5	30	E	37	18	18		100	
In-Process	J54595 Rt RS58/810	0.5				065	45	06			3		5	2	1	5	40	5	30	E	37	18	13	4	100	4
In-Process	J54595 Rt RS58/820	0.5				065	45	06			3		5	2	4	5	100	6	30	E	37	18	13	4	100	4
In-Process	J54595 Rt RS58/830	0.2				065	45	06			3		5	2	1	1	0	3	30	E	37	18	5	50	100	50
In-Process	J54595 Rt RS59/810	0.5				065	45	06			5	1	5	0	5	5	80	5	30	G	74	13	25		100	
In-Process	J54595 Rt RS59/820	0.7				065	45	06			5	1	5	0	5	5	80	5	30	G	74	13	35		100	
In-Process	J54595 Rt RS59/830		0512	9	56	065	45	06			5		5	0					30						100	
In-Process	J54595 Rt RS59/840	0.2				065	45	06			5	1	5	0	5	5	80	5	30	G	74	13	10		100	
In-Process	J54595 Rt RS60/810	1.0				065	45	06	2006	643	5	1	5	0	1	4	80	5	30	P	955	13	643		100	
In-Process	J54595 Rt RS61/810	2.3				065	45	06			5	1	7	2	1	1	0	4	30	G	74	13	115	510	100	510
In-Process	J54595 Rt RS62/810	0.2				065	45	06			3		2	2	4	4	30	4	30	E	37	18	5	50	100	50
In-Process	J54595 Rt RS63/810	0.3				025	51	06			5	1	2	0	5	100	7	30	G	74	13	15		100		
In-Process	J54595 Rt RS64/810	0.3				065	45	06			3		2	0	4	4	80	7	30	E	37	18	8		100	
In-Process	J54595 Rt RS65/810	0.1				025	51	06			5	1	2	0	4	5	100	7	30	G	74	13	5		100	
In-Process	J54595 Rt RS66/810	0.2				065	45	06			2	1	2	0	1	4	80	6	30	P	149	7	20		100	
In-Process	J54595 Rt RS66/820	0.8				065	45	06			2	1	2	0	1	1	0	3	30	P	149	7	80		100	
Official	J54597 Rt 0003/810	1.4				065		06			1		7	2	1	1	2		30						100	
Official	J54597 Rt 0003/820	0.2				065		06			1		7	2	1	1	2		30						100	
Official	J54599 Rt 0008/810	0.2				073		06			1		3	2	5	5			30					29		
In-Process	J54599 Rt 0026/810	0.4				073	52	06	2007	10766	3		5	0	3	5	40	6	30	P	15,988	18	4,306		100	
Official	J54599 Rt 0026/810	1.8				073		06			1		5	2	5	5			30						100	
In-Process	J54599 Rt 0026/820	0.9				073	52	06	2007	10766	3		5	0	2	5	100	5	30	P	15,988	18	9,689		100	
In-Process	J54599 Rt 0026/830	0.5				073	52	06	2007	10766	3		5	0	4	5	100	7	30	P	15,988	18	5,383		100	
In-Process	J54599 Rt 0026/840	0.1				073	52	06	2007	10766	3		5	0	3	5	40	5	30	P	15,988	18	1,077		100	
In-Process	J54599 Rt 0026/850	0.3				073	52	06	2007	10766	3		5	0	2	5	40	5	30	P	15,988	18	3,230		100	
In-Process	J54599 Rt 0026/860		120	9	390	073	52	06			3		5	0					30						100	
In-Process	J54599 Rt 0026/870	0.5				073	52	06	2007	10766	3		5	0	3	5	40	6	30	P	15,988	18	5,383		100	
In-Process	J54599 Rt 0037/810	0.6				073	52	06	2007	1115	3		5	0	1	3	80	5	30	P	1,656	18	669		100	
Official	J54599 Rt 0037/810	2.1				073		06			1		5	2	5	5			30						100	
In-Process	J54599 Rt 0037/820	2.0				073	52	06	2007	1115	3		5	0	1	4	80	5	30	P	1,656	18	2,230		100	
In-Process	J54599 Rt 0037/830	0.6				073	52	06	2007	1115	3		5	0	1	4	80	5	30	P	1,656	18	669		100	
Official	J54599 Rt 0056/10	0.6				073	45	06	2001	225	4	1	1	1	1	1	0	2	30	P	334	10	135	593	100	593
Official	J54599 Rt 0058/10	1.9				073	45	06	2001	175	4	1	1	1	4	4	30	4	30	P	260	10	333	1,964	100	1,964
Official	J54599 Rt 0059/10	0.2				073	45	06	2001	150	4	1	1	1	1	1	0	2	30	G	223	10	30	144	100	144
Official	J54599 Rt 0060/10	0.2				073	45	06			3	1	1	1	1	1	0	2	30	E	37	18	5	49	100	49
Official	J54599 Rt 0061/10	0.4				073	45	06	2001	235	4	1	1	1	4	4	30	4	30	P	349	10	94	414	100	414
Official	J54599 Rt 0062/10	0.1				073	45	06	2001	100	4	1	1	1	1	1	0	2	30	G	149	10	10	72	100	72
In-Process	J54599 Rt 0018/810	2.5				073	52	06	2005	53500	1	2	3	0	3	5	100	5	30	P	79,448	2	38,159		29	
In-Process	J54599 Rt 0018/820		19	9	61	073	52	06			1		3	0					30						100	
In-Process	J54599 Rt 0018/830	0.4				073	52	06	2005	65500	1	2	3	0	3	5	100	5	30	P	97,268	2	7,475		29	