



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B00826 Rt 8805/10	3.0				323	23	48	1999	100	4	2	5	2		3	40	3	08	G	149	11	300	1,164	100	1,164	
Official	B00826 Rt 8805/20	2.0				323	23	48	2004	2919	4	2	1	1		5	40	3	08	P	4,335	11	5,838	1,015	100	1,015	
Official	B00826 Rt 8805/30	3.0				323	23	48			4	1	1	4		0	0	0	08	G	74	10	150	1,204	100	1,204	
Official	B00826 Rt 8830/10	1.4				323	23	48	2001	120	4	2	1	1		4	0	3	08	G	178	11	168	519	100	519	
Official	B00826 Rt 8830/20	0.7				323	23	48	2001		4	2	1	1		1	0	2	08	G	74	11	35	249	100	249	
Official	B00826 Rt 8835/10	1.0				323	23	48	2001		4	2	1	1		1	0	2	08	G	74	11	50	356	100	356	
Official	B00826 Rt 8837/10	4.3				323	23	48	2001		4	1	1	1		3	20	3	08	G	74	10	215	1,858	100	1,858	
Official	B00830 Rt 8806/10	1.5				373	02	48	1999		4	2	1	1	1	4	80	4	08	G	74	11	75	556	100	556	
Official	B00830 Rt 8807/10	0.4				373	02	48	1989	150	4	2	1	1		1	0	2	08	G	223	11	60	142	100	142	
Official	B00830 Rt 8808/10	0.8				373	02	48	1989	150	4	2	1	1		3	40	4	08	G	223	11	120	310	100	310	
Official	B00830 Rt 8809/10	0.4				373	02	48	1989	100	4	2	1	1		1	0	2	08	G	149	11	40	142	100	142	
Official	B00830 Rt 8810/10	0.5				373	02	48	1999		4	2	1	1		3	40	4	08	G	74	11	25	194	100	194	
Official	B00830 Rt 8811/10	1.2				373	02	48	1999	206	4	2	1	1		3	40	4	08	P	306	11	247	609	100	609	
Official	B00830 Rt 8812/10	1.2				373	02	48	1999	1414	4	2	1	1	1	4	6	5	08	P	2,100	11	1,697	280	100	280	
Official	B00830 Rt 8813/10	1.2				373	02	48	1999	387	4	2	1	1		1	0	2	08	P	575	11	464	570	100	570	
Official	B00830 Rt 8814/10	1.5				373	02	48	1989	200	4	2	1	1	1	4	40	3	08	P	297	11	300	761	100	761	
Official	B00830 Rt 8815/10	0.6				373	02	48	1989	250	4	2	1	1		1	0	5	08	P	371	11	150	140	100	140	
Official	B00830 Rt 8816/10	0.6				373	02	48	1999	155	4	2	1	1		3	40	3	08	G	230	11	93	233	100	233	
Official	B00830 Rt 8817/10	0.6				373	02	48	1989	150	4	2	1	1		1	0	2	08	G	223	11	90	214	100	214	
Official	B00830 Rt 8818/10	2.5				373	02	48	1989	300	4	2	1	1	2	4	40	3	08	P	446	11	750	1,268	100	1,268	
Official	B00830 Rt 8819/10	2.2				373	02	48	1999	1028	4	2	1	1	3	4	6	5	08	P	1,527	11	2,262	513	100	513	
Official	B04860 Rt 0007/810	4.8				043		20				1	3	2		4		5	05						20		
Official	B04860 Rt 0007/820	4.3				147		31				1	3	2		4		5	06						20		
Official	B04860 Rt 0070/810	5.0				013		20				1	3	2		4		5	05						20		
In-Process	B04860 Rt 0801/810	1.0				013		20	2006	200	4	1	5	2		1		5								100	
Official	B04860 Rt 0801/810	1.0				013		20				1	5	2		1		5	05							100	
Official	B04860 Rt 0802/10	0.1				147	01	31	1999		4	2	1	1		1	0	2	06	G	74	11	5	38	100	38	
In-Process	B04860 Rt 0803/10	3.0				013	02	20	1999		4	2	1	1		1	0	4									
Official	B04860 Rt 0803/10	3.0				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	150	358	100	358	
Official	B04860 Rt 0804/10	0.5				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	25	60	100	60	
Official	B04860 Rt 0805/10	0.3				147	01	31	1999		4	2	1	1		1	0	5	06	G	74	11	15	40	100	40	
Official	B04860 Rt 0806/10	0.3				147	01	31	1999		4	2	1	1		1	0	5	06	G	74	11	15	40	100	40	
Official	B04860 Rt 0807/10	0.1				147	01	31	1999		4	2	1	1		1	0	5	06	G	74	11	5	13	100	13	
Official	B04860 Rt 0808/10	0.5				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	25	60	100	60	
Official	B04860 Rt 0809/10	2.0				147	01	31	1999	250	4	2	1	1		4	30	5	06	P	371	11	500	588	100	588	
Official	B04860 Rt 0809/20		B316	2	25	147	01	31			4	1	1	1			5	06						100	100	100	
Official	B04860 Rt 0809/30	0.1				147	01	31	1999	250	4	2	1	1		4	30	5	06	P	371	11	25	29	100	29	
Official	B04860 Rt 0810/10	1.0				013	02	20	1999	350	4	2	1	1		4	30	4	05	P	520	11	350	565	100	565	
Official	B04860 Rt 0811/10	3.0				013	02	20	1999	350	4	2	1	1		1	0	5	05	P	520	11	1,050	920	100	920	
Official	B04860 Rt 0812/10	0.8				147	01	31	1999	60	4	2	1	1		1	0	5	06	G	89	11	48	107	100	107	
Official	B04860 Rt 0813/10	0.3				147	01	31	1999	60	4	2	1	1		1	0	5	06	G	89	11	18	40	100	40	
Official	B04860 Rt 0814/10	0.3				147	01	31	1999	60	4	2	1	1		1	0	5	06	G	89	11	18	40	100	40	
Official	B04860 Rt 0815/10	0.7				147	01	31	1999	60	4	2	1	1		1	0	5	06	G	89	11	42	94	100	94	
Official	B04860 Rt 0815/20		B314	1	150	147	01	31			4	1	1	1			5	06						600	100	600	
Official	B04860 Rt 0815/30	0.1				147	01	31	1999	60	4	2	1	1		3	30	5	06	G	89	11	6	13	100	13	
Official	B04860 Rt 0816/10	3.5				013	02	20			4	2	1	4		0	0	0	05	G	74	11	175	1,278	100	1,278	
Official	B04860 Rt 0817/10	0.5				147	01	31			4	2	1	4		0	0	0	06	G	74	11	25	188	100	188	
In-Process	B04860 Rt 0818/15	2.2				013	02	20	1989	90	4	2	1	1		4	90	3									
Official	B04860 Rt 0818/15	2.2				013	02	20	1989	90	4	2	1	1		4	90	5	05	G	134	11	198	84	100	84	
Official	B04860 Rt 0818/20		B310	1	92	013	02	20			4	1	1	0			5	05								100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B04860 Rt 0818/30	0.3				013	02	20	1989	90	4	2	1	1		4	90	5	05	G	134	11	27	11	100	11	
Official	B04860 Rt 0818/35	2.0				013	02	20	1989	90	4	2	1	1		4	30	5	05	G	134	11	180	76	100	76	
Official	B04860 Rt 0819/10	1.2				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	180	143	100	143	
Official	B04860 Rt 0820/10	0.8				147	01	31	1989	90	4	2	1	1		3	50	5	06	G	134	11	72	107	100	107	
Official	B04860 Rt 0820/20		B312	1	21	147	01	31			4	1	1	0											100		
Official	B04860 Rt 0820/30	0.5				147	01	31	1989	90	4	2	1	1		3	50	5	06	G	134	11	45	67	100	67	
Official	B04860 Rt 0820/40		B313	1	25	147	01	31			4	1	1	1										100	100		
Official	B04860 Rt 0820/50	2.2				147	01	31	1989	90	4	2	1	1		3	50	5	06	G	134	11	198	295	100	295	
Official	B04860 Rt 0820/60		B315	1	24	147	01	31			4	1	1	1										96	100	96	
Official	B04860 Rt 0820/70	0.4				147	01	31	1989	90	4	2	1	1		3	50	5	06	G	134	11	36	54	100	54	
In-Process	B04860 Rt 0821/10	2.1				013	02	20	1999	200	4	2	1	1		4	28	3	05	P	297	11	420	1,187	100	1,187	
Official	B04860 Rt 0821/10	2.1				013	02	20	1999	200	4	2	1	0		4	28	3	05	P	297	11	420	100			
In-Process	B04860 Rt 0821/20	1.1				013	02	31	1999	200	4	2	1	1		4	28	3	06	P	297	11	220	589	100	589	
Official	B04860 Rt 0821/20	1.1				013	02	20	1999	200	4	2	1	0		4	28	3	05	P	297	11	220	100			
Official	B04860 Rt 0821/30		B317	1	180	013	02	20			4	1	1	1										720	100	720	
In-Process	B04860 Rt 0821/40	1.0				013	02	20	1999	200	4	2	1	1		4	28	3									
Official	B04860 Rt 0821/40	1.0				013	02	20	1999	200	4	2	1	1		4	28	3	05	P	297	11	200	565	100	565	
Official	B04860 Rt 0822/10	3.5				013	02	20	1999	60	4	2	2	2		1	0	2	05	G	89	11	210	1,278	100	1,278	
Official	B04860 Rt 0822/810	1.0				013		20				1	5	2		1	2	05						100			
Official	B04860 Rt 0822/820	2.3				013		20				1	5	2		4	5	05						100			
Official	B04860 Rt 0826/10	1.4				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	210	167	100	167	
Official	B04860 Rt 0826/20		B318	1	88	043	02	20			4	1	1	1										352	100	352	
Official	B04860 Rt 0826/30	0.1				043	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	15	12	100	12	
Official	B04860 Rt 0826/40		B319	1	50	043	02	20			4	1	1	1										200	100	200	
Official	B04860 Rt 0826/810	1.5				043		20				1	5	2		1	5	05						100			
Official	B04860 Rt 0826/820	0.6				013		20				1	5	2		1	5	05						100			
Official	B04860 Rt 0827/10	0.3				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	15	110	100	110	
Official	B04860 Rt 0827/20	0.7				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	35	256	100	256	
Official	B04860 Rt 0831/810	0.5				013		20				1	5	2		1	2	05						100			
Official	B04860 Rt 0831/820	1.0				013		20				1	5	2		1	5	05						100			
Official	B04860 Rt 0832/810	2.3				013		20				1	5	2		1	5	05						100			
Official	B04860 Rt 0833/10	1.2				013	02	20	1999	60	4	2	2	2		1	0	2	05	G	89	11	72	438	100	438	
Official	B04860 Rt 0833/810	1.3				013		20				1	5	2		1	2	05						100			
Official	B04860 Rt 0834/810	8.3				013		20				1	5	2		4	5	05						100			
Official	B04860 Rt 0835/810	5.0				013		20				1	5	2		4	5	05						100			
Official	B04860 Rt 0836/810	3.0				013		20				1	5	2		4	5	05						100			
In-Process	B04861 Rt 0020/810	11.0				013	02	20			4	1	3	2		5	84	5	05	G	74	10	110	540	20	108	
Official	B04861 Rt 0020/810	11.0				013		20				1	3	2		4	5	05						20			
In-Process	B04861 Rt 1001/10	0.8				013	02	20			4	2	1	1		1	0	2	05	G	74	11	40	292	100	292	
Official	B04861 Rt 1001/10	0.8				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	40	292	100	292	
In-Process	B04861 Rt 1002/10	2.0				013	02	20	1999	75	5	2	1	1		1	0	2	05	G	111	14	150	534	100	534	
Official	B04861 Rt 1002/10	2.0				013	02	20	1999	75	4	2	1	1		1	0	5	05	G	111	11	150	238	100	238	
In-Process	B04861 Rt 1002/810	1.0				013	02	20			5	1	5	2		1	0	2	05	G	74	13	50	329	100	329	
Official	B04861 Rt 1002/810	1.0				013		20				1	5	2		1	5	05						100			
In-Process	B04861 Rt 1003/10	0.2				013	02	20			5	2	1	1		1	0	5	05	G	74	14	10	5	100	5	
Official	B04861 Rt 1003/10	0.2				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	10	24	100	24	
In-Process	B04861 Rt 1004/10	1.6				013	02	20	1999	60	5	2	1	1		1	0	2	05	G	89	14	96	427	100	427	
Official	B04861 Rt 1004/10	1.6				013	02	20	1999	60	4	2	1	1		1	0	2	05	G	89	11	96	584	100	584	
In-Process	B04861 Rt 1004/20		B101	1	40	013	02	20			4	1	1	1										5			
Official	B04861 Rt 1004/20		B101	1	40	013	02	20			4	1	1	1										160	100	160	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B04861 Rt 1004/30	0.4				013	02	20	1999	60	4	2	1	1		1	0	2	05	G	89	11	24	146	100	146
Official	B04861 Rt 1005/10	1.0				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	50	365	100	365
Official	B04861 Rt 1006/10	0.9				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	135	107	100	107
Official	B04861 Rt 1006/20		B106	1	61	013	02	20			4	1	1	1				5	05					244	100	244
Official	B04861 Rt 1006/30	1.8				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	270	215	100	215
Official	B04861 Rt 1006/40		B104	1	70	013	02	20			4	1	1	1				5	05					280	100	280
Official	B04861 Rt 1006/50	0.7				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	105	83	100	83
Official	B04861 Rt 1006/60	1.5				013	02	20	1999	150	4	2	1	1		1	0	5	05	G	223	11	225	179	100	179
Official	B04861 Rt 1006/810	1.0				013		20				1	5	2		1		2	05						100	100
Official	B04861 Rt 1006/820	1.0				013		20				1	5	2		1		5	05						100	100
In-Process	B04861 Rt 1007/10	1.0				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	60	119	100	119
Official	B04861 Rt 1007/10	1.0				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	60	119	100	119
Official	B04861 Rt 1008/5		B103	1	40	013	02	20			4	1	1	1				5	05					160	100	160
Official	B04861 Rt 1008/10	0.7				013	02	20	1999	125	4	2	1	1		1	0	5	05	G	186	11	88	83	100	83
Official	B04861 Rt 1008/20	0.3				013	02	20	1999	125	4	2	1	1		1	0	5	05	G	186	11	38	36	100	36
Official	B04861 Rt 1008/40	1.0				013	02	20	1999	100	4	2	1	1		1	0	5	05	G	149	11	100	119	100	119
Official	B04861 Rt 1008/810	1.0				013		20				1	5	2		1		5	05						100	100
Official	B04861 Rt 1009/10	0.9				013	02	20	1999	100	4	2	1	1		1	0	2	05	G	149	11	90	329	100	329
Official	B04861 Rt 1009/20		B111	1	60	013	02	20			4	1	1	1				5	05					240	100	240
Official	B04861 Rt 1009/30	2.6				013	02	20	1999	100	4	2	1	1		1	0	2	05	G	149	11	260	949	100	949
In-Process	B04861 Rt 1010/10	0.6				013	02	20	1999		4	1	1	1	1	1	0	2								
Official	B04861 Rt 1010/10	0.6				013	02	20	1999		4	1	1	1		1	0	2	05	G	74	10	30	250	100	250
Official	B04861 Rt 1010/20		B112	1	80	013	02	20			4	1	1	1				5	05					320	100	320
Official	B04861 Rt 1010/30	1.2				013	02	20	1999		4	1	1	1		1	0	2	05	G	74	10	60	500	100	500
Official	B04861 Rt 1010/40		B125	6	64	013	02	20			4	1	1	1				5	05						100	100
Official	B04861 Rt 1010/50	0.2				013	02	20	1999		4	1	1	1		1	0	5	05	G	74	10	10	31	100	31
Official	B04861 Rt 1011/10	3.0				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	150	1,095	100	1,095
Official	B04861 Rt 1012/10	0.2				013	02	20	1999	400	4	1	1	1		4	20	2	05	P	594	10	80	117	100	117
Official	B04861 Rt 1012/20	0.8				013	02	20	1999	400	4	1	1	1		4	20	2	05	P	594	10	320	467	100	467
Official	B04861 Rt 1012/30	2.0				013	02	20	1999	400	4	1	1	1		4	20	2	05	P	594	10	800	1,166	100	1,166
Official	B04861 Rt 1012/40	2.0				013	02	20	1999	400	4	1	1	1		1	0	5	05	P	594	10	800	647	100	647
Official	B04861 Rt 1012/810	1.0				013		20				1	5	2		1		5	05						100	100
Official	B04861 Rt 1013/10	0.5				013	02	20	1999	60	4	2	1	1		4	90	5	05	G	89	11	30	19	100	19
Official	B04861 Rt 1014/10	0.3				013	02	20	1999	60	4	2	1	1		4	90	4	05	G	89	11	18	89	100	89
Official	B04861 Rt 1015/10	0.4				013	02	20	1999		4	2	1	1		4	30	5	05	G	74	11	20	15	100	15
Official	B04861 Rt 1015/20	1.6				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	80	584	100	584
Official	B04861 Rt 1015/30	4.0				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	200	477	100	477
Official	B04861 Rt 1016/10	0.6				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	30	72	100	72
Official	B04861 Rt 1016/20	0.4				013	02	20	1999	80	4	2	1	1		4	30	5	05	G	119	11	32	15	100	15
Official	B04861 Rt 1017/10	1.1				013	02	20	1999		4	2	1	1		1	0	5	05	G	74	11	55	131	100	131
Official	B04861 Rt 1017/20	0.9				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	45	329	100	329
Official	B04861 Rt 1018/10	3.0				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11	150	1,095	100	1,095
Official	B04861 Rt 1019/10	0.7				013	02	20	1999	60	4	2	1	1		1	0	2	05	G	89	11	42	256	100	256
Official	B04861 Rt 1019/20	0.5				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	30	60	100	60
Official	B04861 Rt 1019/30	0.3				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	18	36	100	36
Official	B04861 Rt 1019/40	0.2				013	02	20	1999	60	4	2	1	1		1	0	2	05	G	89	11	12	73	100	73
Official	B04861 Rt 1019/50		B116	6	60	013	02	20			4	1	1	1				5	05						100	100
Official	B04861 Rt 1019/60	1.3				013	02	20	1999	60	4	2	1	1		1	0	2	05	G	89	11	78	475	100	475
Official	B04861 Rt 1019/70	0.5				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	30	60	100	60
Official	B04861 Rt 1019/80	0.5				013	02	20	1999	60	4	2	1	1		1	0	5	05	G	89	11	30	60	100	60



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B04861 Rt 1019/90	1.0				013	02	20	1999	60	4	2	1	1	1	1	0	2	05	G	89	11	60	365	100	365	
Official	B04861 Rt 1019/810	1.0				013		20				1	5	2	1	1	0	2	05						100		
Official	B04861 Rt 1029/10	1.0				013	02	20	1999		4	2	1	1	1	1	0	2	05	G	74	11	50	365	100	365	
Official	B04861 Rt 1029/810	1.0				013		20				1	5	2	1	1	2	05							100		
Official	B04861 Rt 1030/810	11.0				013		20				1	5	2	4	4	5	05							100		
Official	B04861 Rt 1031/810	1.0				013		20				1	5	2	1	1	5	05							100		
Official	B04861 Rt 1032/810	0.7				013		20				1	5	2	1	1	5	05							100		
Official	B04861 Rt 1033/10		B325	1	49	013	02	20			4	1	5	2			5	05						196	100	196	
Official	B04861 Rt 1033/810	0.5				013		20				1	5	2	1	1	5	05							100		
Official	B04861 Rt 1556/10	5.0				013	02	20	1999	100	4	2	1	1	1	1	0	5	05	G	149	11	500	596	100	596	
Official	B04861 Rt 1556/810	1.0				013		20				1	5	2	1	1	5	05							100		
In-Process	B04862 Rt 0075/810	3.7				085	02	20			4	1	3	2	5	70	5	05	G	74	10		37	182	20	36	
Official	B04862 Rt 0075/810	3.7				085		20				1	3	2	5	5	5	05							20		
In-Process	B04862 Rt 0321/10	5.0				085	02	20	2001	210	4	2	1	1	3	48	4	05	P	312	11		1,050	2,826	100	2,826	
Official	B04862 Rt 0321/10	5.0				085	02	20	2001	210	4	2	1	1	3	40	4	05	P	312	11		1,050	2,826	100	2,826	
In-Process	B04862 Rt 0321/20	6.0				085	02	20	2001	210	4	2	1	2	5	60	4	05	P	312	11		1,260	2,905	100	2,905	
Official	B04862 Rt 0321/20	6.0				085	02	20	2001	210	4	2	1	0	5	40	4	05	P	312	11		1,260	2,905	100	2,905	
In-Process	B04862 Rt 0321/810	1.0				085	02	20			5	2	5	2	1	0	5	05	G	74	14		50	25	100	25	
Official	B04862 Rt 0321/810	1.0				085		20				1	5	2	1	1	5	05							100		
In-Process	B04862 Rt 0321/820	0.7				085	02	20			5	1	5	2	5	48	5										
Official	B04862 Rt 0321/820	0.7				085		20				1	5	2	5	5	5	05							100		
In-Process	B04862 Rt 0719/10	6.0				085	02	20	2001	100	4	2	1	1	1	0	5	05	G	149	11		600	715	100	715	
Official	B04862 Rt 0719/10	6.0				085	02	20	2001	100	4	2	1	1	1	0	5	05	G	149	11		600	715	100	715	
In-Process	B04862 Rt 0719/20	5.0				085	02	20	2001	110	4	2	1	1	1	0	5	05	G	163	11		550	596	100	596	
Official	B04862 Rt 0719/20	5.0				085	02	20	2001	110	4	2	1	1	1	0	5	05	G	163	11		550	596	100	596	
Official	B04862 Rt 0719/30		B255AAL hnAAG	6	49	085	02	20			4	1	5	2			5	05							100		
In-Process	B04862 Rt 0719/810	3.0				085	02	20			5	1	5	2	1	0	5	05	G	74	13		150	266	100	266	
Official	B04862 Rt 0719/810	3.0				085		20				1	5	2	1	1	5	05							100		
In-Process	B04862 Rt 0719/820	1.5				085	02	20			4	1	5	2	1	4	46	5	05	G	74	10		75	74	100	74
Official	B04862 Rt 0719/820	1.5				085		20				1	5	2	4	4	5	05							100		
In-Process	B04862 Rt 0840/10	3.0				085	02	20			4	2	1	1	1	0	2	05	G	74	11		150	1,095	100	1,095	
Official	B04862 Rt 0840/10	3.0				085	02	20	2001		4	2	1	1	1	0	2	05	G	74	11		150	1,095	100	1,095	
In-Process	B04862 Rt 0844/10	6.0				085	02	20			4	2	1	1	1	0	5										
Official	B04862 Rt 0844/10	6.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11		300	715	100	715	
Official	B04862 Rt 0846/10	3.5				085	02	20	1999		4	2	1	1	1	0	5	05	G	74	11		175	417	100	417	
Official	B04862 Rt 0851/10	1.0				085	02	20	2001		4	2	5	2	1	0	5	05	G	74	11		50	119	100	119	
Official	B04862 Rt 0851/20	2.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11		100	238	100	238	
Official	B04862 Rt 0901/5	0.5				085	02	20	1989		4	2	1	1	1	0	5	05	G	74	11		25	60	100	60	
Official	B04862 Rt 0901/10	1.0				085	02	20	1989		4	2	1	1	3	50	5	05	G	74	11		50	119	100	119	
Official	B04862 Rt 0901/20	1.0				085	02	20	1989		4	2	1	1	3	50	5	05	G	74	11		50	119	100	119	
Official	B04862 Rt 0901/30		B229	9	22	085	02	20			4	1	1	0			5	05								100	
Official	B04862 Rt 0901/35	1.0				085	02	20	1989		4	2	1	1	1	0	5	05	G	74	11		50	119	100	119	
Official	B04862 Rt 0902/5	0.6				085	02	20	1989		4	2	1	1	1	0	5	05	G	74	11		30	72	100	72	
Official	B04862 Rt 0902/10	2.9				085	02	20	1989		4	2	1	1	3	50	5	05	G	74	11		145	346	100	346	
Official	B04862 Rt 0902/20		B202	1	55	085	02	20			4	1	1	1			5	05							220	100	220
Official	B04862 Rt 0902/30	1.1				085	02	20	1989		4	2	1	1	3	50	5	05	G	74	11		55	131	100	131	
Official	B04862 Rt 0902/810	1.0				085		20				1	5	2	1	1	5	05							100		
Official	B04862 Rt 0903/10	1.4				085	02	20	1989		4	2	1	1	3	50	5	05	G	74	11		70	167	100	167	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B04862 Rt 0903/20		B251	1	54	085	02	20			4	1	1	1				5	05					216	100	216
Official	B04862 Rt 0903/30	2.9				085	02	20	1989		4	2	1	1		3	50	5	05	G	74	11	145	346	100	346
Official	B04862 Rt 0903/40		B204	9	33	085	02	20			4	1	1	0				5	05					100		
Official	B04862 Rt 0903/50	0.4				085	02	20	1989		4	2	1	1		3	50	5	05	G	74	11	20	48	100	48
Official	B04862 Rt 0903/60		B205	6	103	085	02	20			4	1	1	1				5	05					100		
Official	B04862 Rt 0903/70	1.0				085	02	20	1989		4	2	1	1		3	50	5	05	G	74	11	50	119	100	119
Official	B04862 Rt 0903/80		B252	1	81	085	02	20			4	1	1	1				5	05					324	100	324
Official	B04862 Rt 0903/90	0.3				085	02	20	1989		4	2	1	1		3	50	5	05	G	74	11	15	36	100	36
Official	B04862 Rt 0903/810	1.0				085		20				1	5	2		1		5	05					100		
Official	B04862 Rt 0904/10	1.0				085	02	20	1989		4	2	1	1		1	0	5	05	G	74	11	50	119	100	119
Official	B04862 Rt 0905/10	0.1				085	02	20	1989		4	2	1	1		3	90	5	05	G	74	11	5	12	100	12
Official	B04862 Rt 0905/20	2.0				085	02	20	1989	65	4	2	1	1		1	0	2	05	G	97	11	130	730	100	730
Official	B04862 Rt 0905/30	2.0				085	02	20	1989	60	4	2	1	1		1	0	2	05	G	89	11	120	730	100	730
Official	B04862 Rt 0905/40		B208	6	24	085	02	20			4	1	1	1				5	05					100		
Official	B04862 Rt 0905/50	2.3				085	02	20	1989	55	4	2	1	1		1	0	2	05	G	82	11	127	840	100	840
Official	B04862 Rt 0905/60		B234	6	62	085	02	20			4	1	1	1				5	05					100		
Official	B04862 Rt 0905/70	0.7				085	02	20	1989	60	4	2	1	1		1	0	2	05	G	89	11	42	256	100	256
Official	B04862 Rt 0905/80	1.2				085	02	20	1989	60	4	2	1	1		1	0	2	05	G	89	11	72	438	100	438
Official	B04862 Rt 0905/90	0.3				085	02	20	1989		4	2	1	1		3	80	4	05	G	74	11	15	113	100	113
Official	B04862 Rt 0906/10	1.5				085	02	20	1989		4	2	1	1		3	80	4	05	G	74	11	75	567	100	567
Official	B04862 Rt 0906/20	5.0				085	02	20	1989		4	2	1	1		3	80	4	05	G	74	11	250	1,889	100	1,889
Official	B04862 Rt 0907/10	0.9				085	02	20	1989		4	2	1	1		1	0	2	05	G	74	11	45	329	100	329
Official	B04862 Rt 0908/10	0.9				085	02	20	1989		4	2	1	1		3	30	4	05	G	74	11	45	340	100	340
Official	B04862 Rt 0908/20		B255AAL hqAAH	9	92	085	02	20			4	1	1	0				5	05					100		
Official	B04862 Rt 0908/30	1.1				085	02	20	1989		4	2	1	1		1	0	5	05	G	74	11	55	131	100	131
Official	B04862 Rt 0909/10	1.1				085	02	20	1989		4	2	1	1		3	30	4	05	G	74	11	55	416	100	416
Official	B04862 Rt 0909/20		B213	6	92	085	02	20			4	1	1	1				5	05					100		
Official	B04862 Rt 0909/30	4.2				085	02	20	1989	150	4	2	1	1		3	30	4	05	G	223	11	630	1,586	100	1,586
Official	B04862 Rt 0909/40		B256	9	72	085	02	20			4	1	1	0				5	05					100		
Official	B04862 Rt 0909/50	3.7				085	02	20	1989	150	4	2	1	1		3	30	4	05	G	223	11	555	1,398	100	1,398
Official	B04862 Rt 0910/10	1.3				085	02	20	1989		4	2	1	1		1	0	5	05	G	74	11	65	155	100	155
Official	B04862 Rt 0910/20		B239	9	223	085	02	20			4	1	1	0				5	05					100		
Official	B04862 Rt 0910/30	0.7				085	02	20	1989		4	2	1	1		1	0	5	05	G	74	11	35	83	100	83
Official	B04862 Rt 0910/35	4.5				085	02	20	2001		4	2	1	1		1	0	5	05	G	74	11	225	536	100	536
Official	B04862 Rt 0910/810	1.0				085		20				1	5	2		1		5	05					100		
Official	B04862 Rt 0911/10	2.0				085	02	20	1989		4	2	1	1		3	30	4	05	G	74	11	100	755	100	755
Official	B04862 Rt 0912/5	2.0				085	02	20	1989		4	2	1	1		3	30	5	05	G	74	11	100	238	100	238
Official	B04862 Rt 0912/10	1.4				085	02	20	1989	53	4	2	1	1		3	30	5	05	G	79	11	74	167	100	167
Official	B04862 Rt 0912/20	0.6				085	02	20	1989	63	4	2	1	1		3	30	5	05	G	94	11	38	72	100	72
Official	B04862 Rt 0913/10	0.1				085	02	20	1989		4	2	1	1		1	0	2	05	G	74	11	5	37	100	37
Official	B04862 Rt 0913/20		B216	9	71	085	02	20			4	1	1	0				5	05					100		
Official	B04862 Rt 0913/30	0.9				085	02	20	1989		4	2	1	1		1	0	2	05	G	74	11	45	329	100	329
Official	B04862 Rt 0913/40	3.0				085	02	20	2001	80	4	2	1	1		1	0	5	05	G	119	11	240	358	100	358
Official	B04862 Rt 0914/5	1.0				085	02	20	2001		4	2	1	1		1	0	5	05	G	74	11	50	119	100	119
Official	B04862 Rt 0914/10	1.3				085	02	20	1989		4	2	1	1		3	30	5	05	G	74	11	65	155	100	155
Official	B04862 Rt 0914/20	1.9				085	02	20	1989		4	2	1	1		3	30	5	05	G	74	11	95	226	100	226
Official	B04862 Rt 0914/30	0.1				085	02	20	1989		4	2	1	1		3	30	4	05	G	74	11	5	38	100	38
Official	B04862 Rt 0914/40	0.3				085	02	20	1989		4	2	1	1		3	30	4	05	G	74	11	15	113	100	113



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B04862 Rt 0914/50	0.4				085	02	20	1989	60	4	2	1	1	3	30	5	05	G	89	11	24	48	100	48	
Official	B04862 Rt 0915/5	4.0				085	02	20	1989	140	4	2	1	1	1	0	5	05	G	208	11	560	477	100	477	
Official	B04862 Rt 0915/10	0.9				085	02	20	1989	110	4	2	1	1	3	30	5	05	G	163	11	99	107	100	107	
Official	B04862 Rt 0915/20		B221	9	44	085	02	20			4	1	1	0		5	05							100		
Official	B04862 Rt 0915/30	1.1				085	02	20	1989	140	4	2	1	1	3	30	5	05	G	208	11	154	131	100	131	
Official	B04862 Rt 0915/40	3.0				085	02	20	1989	70	4	2	1	1	3	30	5	05	G	104	11	210	358	100	358	
Official	B04862 Rt 0915/50	1.0				085	02	20	1989	140	4	2	1	1	1	0	5	05	G	208	11	140	119	100	119	
Official	B04862 Rt 0916/10	2.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11	100	238	100	238	
Official	B04862 Rt 0916/20	1.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11	50	119	100	119	
Official	B04862 Rt 0917/10	1.0				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	50	119	100	119	
Official	B04862 Rt 0918/10	1.0				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	50	119	100	119	
Official	B04862 Rt 0919/10	2.0				085	02	20	1989		4	2	1	1	1	0	5	05	G	74	11	100	238	100	238	
Official	B04862 Rt 0919/20	1.5				085	02	20	1989		4	2	1	1	1	0	5	05	G	74	11	75	179	100	179	
Official	B04862 Rt 0920/10	0.5				085	02	20	1989		4	2	1	1	3	30	4	05	G	74	11	25	189	100	189	
Official	B04862 Rt 0920/20	0.6				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	30	72	100	72	
Official	B04862 Rt 0920/30		B224	9	27	085	02	20			4	1	1	0		5	05						100			
Official	B04862 Rt 0920/40	0.9				085	02	20	1989		4	2	1	1	3	30	4	05	G	74	11	45	340	100	340	
Official	B04862 Rt 0920/50	1.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11	50	119	100	119	
Official	B04862 Rt 0921/10	0.3				085	02	20			4	2	1	4	0	0	0	05	G	74	11	15	110	100	110	
Official	B04862 Rt 0922/10	1.5				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	75	179	100	179	
Official	B04862 Rt 0922/20	0.5				085	02	20	1989		4	2	1	1	3	30	4	05	G	74	11	25	189	100	189	
Official	B04862 Rt 0923/10	1.0				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	50	119	100	119	
Official	B04862 Rt 0924/10	0.7				085	02	20	1989		4	2	1	1	1	0	2	05	G	74	11	35	256	100	256	
Official	B04862 Rt 0924/20		B226	1	70	085	02	20			4	1	1	1		5	05						280	100	280	
Official	B04862 Rt 0924/30	1.3				085	02	20	1989		4	2	1	1	1	0	2	05	G	74	11	65	475	100	475	
Official	B04862 Rt 0925/10	4.0				085	02	20	1989		4	2	1	1	3	30	4	05	G	74	11	200	1,511	100	1,511	
Official	B04862 Rt 0926/10	2.0				085	02	20	1989		4	2	1	1	3	30	5	05	G	74	11	100	238	100	238	
Official	B04862 Rt 0927/10	0.3				085	02	20	1989		4	2	1	1	1	0	2	05	G	74	11	15	110	100	110	
Official	B04862 Rt 0928/10	3.0				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11	150	358	100	358	
Official	B04862 Rt 0928/20	0.5				085	02	20	2001		4	2	1	1	1	0	5	05	G	74	11	25	60	100	60	
In-Process	B04862 Rt 0929/10	0.5				085	02	20			5	2	2	2	4	42	5	05	G	74	14	25	1	100	1	
In-Process	B04862 Rt 0929/20	1.0				085	02	20			5	2	5	2	3	56	3	05	G	74	14	50	268	100	268	
In-Process	B04862 Rt 0930/10	0.5				085	02	20			5	2	5	2	1	0	2	05	G	74	14	25	134	100	134	
In-Process	B04862 Rt 0930/20		J109	1	25	085	02	20			5		5	2		5							100	100	100	
In-Process	B04862 Rt 0930/30	0.9				085	02	20			5	2	5	2	1	0	2	05	G	74	14	45	240	100	240	
In-Process	B04862 Rt 0930/40	0.8				085	02	20			5	2	5	2	1	0	2	05	G	74	14	40	214	100	214	
In-Process	B04862 Rt 0931/10	0.5				085	02	20			5	2	2	2	1	0	2	05	G	74	14	25	134	100	134	
In-Process	B04862 Rt 0931/20	0.5				085	02	20			5	2	2	2	3	58	3	05	G	74	14	25	134	100	134	
In-Process	B04862 Rt 0932/10	1.7				085	02	20			5	2	2	2	3	64	3	05	G	74	14	85	455	100	455	
In-Process	B04862 Rt 0932/20		82004	9	66	085	02	20			5		2	2		5							100			
In-Process	B04862 Rt 0932/30	1.3				085	02	20			5	2	2	2	3	58	3	05	G	74	14	65	348	100	348	
In-Process	B04862 Rt 0933/10	1.0				085	02	20			3	2	2	2	3	64	3					20	107	100	107	
In-Process	B04862 Rt 0934/10	0.4				085	02	20			5	2	2	2	3	62	3	05	G	74	14		80	100	80	
In-Process	B04862 Rt 0934/20		Q104	1	20	085	02	20			5		2	2		5							60	321	100	321
In-Process	B04862 Rt 0934/30	1.2				085	02	20			5	2	2	2	3	56	3	05	G	74	14	60	321	100	321	
In-Process	B04862 Rt 0934/40		118P1	1	28	085	02	20			5		2	2		5							112	100	112	
In-Process	B04862 Rt 0934/50	0.6				085	02	20			5	2	2	2	3	62	3	05	G	74	14	30	161	100	161	
In-Process	B04862 Rt 0934/60	0.5				085	02	20			5	2	2	2	3	64	3	05	G	74	14	25	134	100	134	
In-Process	B04862 Rt 0934/70		Q122	5	20	085	02	20			5		2	2		5							100			
In-Process	B04862 Rt 0934/80	1.5				085	02	20			5	2	2	2	3	58	3	05	G	74	14	75	402	100	402	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)		
In-Process	B04862 Rt 0934/90	2.1				085	02	20			5	2	2	2		3	62	3	05	G		74	14	105	562	100	562	
In-Process	B04862 Rt 0934/100		Q236	7	22	085	02	20			5		2	2						05						100		
In-Process	B04862 Rt 0934/110	0.7				085	02	20			5	2	2	2		3	56	3	05	G		74	14	35	187	100	187	
In-Process	B04862 Rt 0934/120	1.9				085	02	20			5	2	2	2		4	44	3	05	G		74	14	95	465	100	465	
In-Process	B04862 Rt 0934/130	0.1				085	02	20			5	2	2	2		3	64	3	05	G		74	14	5	27	100	27	
In-Process	B04862 Rt 0935/10	1.8				085	02	20			5	2	3	2		5	82	5	05	G		74	14	18	4	20	1	
In-Process	B04862 Rt 0936/10	1.8				085	02	20			5	2	3	2		5	82	5	05	G		74	14	18	4	20	1	
Official	B04862 Rt 0937/10	1.0				085	02	20	2001		4	2	1	1		1	0	5	05	G		74	11	50	119	100	119	
Official	B04862 Rt 0937/20	2.0				085	02	20	2001		4	2	1	1		1	0	5	05	G		74	11	100	238	100	238	
Official	B04862 Rt 0938/10	0.5				085	02	20	2001		4	2	1	1		1	0	5	05	G		74	11	25	60	100	60	
In-Process	B04862 Rt 0939/10	25.5				085	02	20			1	2	3	2		3	5	84	5									
In-Process	B04862 Rt 0939/20	17.0				085	02	20			1	2	3	2		3	5	84	5									
In-Process	B04862 Rt 0939/30	0.5				085	02	20			1	2	3	2		3	5	82	5									
Official	B04862 Rt 0940/10	1.0				085	02	20	2001	100	4	2	1	2		1	0	2	05	G		149	11	100	365	100	365	
Official	B04862 Rt 0940/20	1.0				085	02	20	2001	2000		2	5	2		5	0	2	05			2,970		2,000		100		
Official	B04862 Rt 0940/30	1.0				085	02	20	2001	2000		2	5	2		5	0	2	05			2,970		2,000		100		
Official	B04862 Rt 0941/10	3.0				085	02	20	2001	300	4	2	1	2		1	0	2	05	P		446	11	900	1,658	100	1,658	
Official	B04862 Rt 0942/10	4.0				085	02	20	2001	300		2	1	3		1	0	2	05			446				100		
Official	B04862 Rt 0943/10	3.0				085	02	20	2001	250		2	5	3		1	0	2	05			371				100		
In-Process	B04862 Rt 0944/10	0.6				085	02	20			5	2	2	2		1	0	2	05	G		74	14	30	160	100	160	
In-Process	B04862 Rt 0944/20	0.4				085	02	20			5	2	2	2		3	56	3	05	G		74	14	20	107	100	107	
In-Process	B04862 Rt 0944/30	1.5				085	02	20			5	2	2	2		1	0	2	05	G		74	14	75	401	100	401	
In-Process	B04862 Rt 0944/40	2.5				085	02	20			5	2	2	2		1	0	2	05	G		74	14	125	668	100	668	
In-Process	B04862 Rt 0945/10	3.1				085	02	20			5	2	5	2		3	64	3	05	G		74	14	155	830	100	830	
In-Process	B04862 Rt 0945/20	2.4				085	02	20			5	2	5	2		3	58	3	05	G		74	14	120	643	100	643	
In-Process	B04862 Rt 0945/30	1.5				085	02	20			5	2	5	2		3	56	3	05	G		74	14	75	402	100	402	
In-Process	B04862 Rt 0945/40	2.8				085	02	20			5	2	5	2		3	56	3	05	G		74	14	140	750	100	750	
In-Process	B04862 Rt 0945/50		Q413	9	21	085	02	20			5		5	2					05							100		
In-Process	B04862 Rt 0945/60	0.6				085	02	20			5	2	5	2		3	64	3	05	G		74	14	30	161	100	161	
In-Process	B04862 Rt 0946/10	0.3				085	02	20			5	2	5	2		3	56	3	05	G		74	14	15	80	100	80	
In-Process	B04862 Rt 0946/20	0.2				085	02	20			5	2	5	2		3	0	2	05	G		74	14	10	53	100	53	
In-Process	B04862 Rt 0947/10	10.7				085	02	20			4	2	3	2		5	82	5	05	G		74	11	107	462	20	93	
In-Process	B04862 Rt 0947/20	0.8				085	02	20			4	2	3	2		5	84	5	05	G		74	11	8	35	20	7	
In-Process	B04862 Rt 0948/10	0.5				085	02	20			7		5	2		5	64	5	05	G		74	17	25	61	100	61	
In-Process	B04862 Rt 0949/10	0.3				085	02	20			9		2	2		5												
In-Process	B04862 Rt 0949/20	1.5				085	02	20			9		2	2		5												
In-Process	B04862 Rt 0949/30	0.1				085	02	20			9		2	2		5												
In-Process	B04862 Rt 0949/40	0.3				085	02	20			9		2	2		5												
In-Process	B04862 Rt 0949/50	1.6				085	02	20			9		2	2		5												
In-Process	B04862 Rt 0950/10	0.4				085	02	20			5	1	5	2		4	64	5	05	G		74	13	20		100		
In-Process	B04862 Rt 0951/10	0.1				085	02	20			5	2	5	2		4	44	4	05	G		74	14	10	49	100	49	
In-Process	B04862 Rt 0951/20	0.2				085	02	20			5	2	5	2		4	44	4	05	G		74	14	10	49	100	49	
In-Process	B04862 Rt 0951/30	0.2				085	02	20			5	2	5	2		3	5	62	5	05	G		74	14	10		100	
In-Process	B04862 Rt 0951/40	0.1				085	02	20			7		5	2		5	62	7	05	G		74	17	5	12	100	12	
In-Process	B04862 Rt 0951/50	0.2				085	02	20			7		5	2		4	64	7	05	G		74	17	10	24	100	24	
In-Process	B04862 Rt 0951/60	0.1				085	02	20			5	2	5	2		4	44	4	05	G		74	14	5	24	100	24	
In-Process	B04862 Rt 0951/70	0.2				085	02	20			5	2	5	2		4	42	4	05	G		74	14	10	49	100	49	
In-Process	B04862 Rt 0951/80	0.2				085	02	20			5	1	5	2		4	38	4	05	G		74	13	10	48	100	48	
In-Process	B04862 Rt 0951/90	0.4				085	02	20			5	2	5	2		4	38	4	05	G		74	14	20	98	100	98	
In-Process	B04862 Rt 0951/100	0.2				085	02	20			5	2	5	2		3	64	3	05	G		74	14	10	54	100	54	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
In-Process	B04862 Rt 0952/10	0.2				085	02	20			9	1	2	2		5	76	5									
In-Process	B04862 Rt 0952/20	0.1				085	02	20			9		2	2		5											
In-Process	B04862 Rt 0952/30	0.2				085	02	20			9		2	2		5											
In-Process	B04862 Rt 0952/40	0.1				085	02	20			9		2	2		5											
In-Process	B04862 Rt 0952/50	0.2				085	02	20			9		2	2		4											
In-Process	B04862 Rt 0952/60	0.1				085	02	20			9		2	2		5											
In-Process	B04862 Rt 0953/10	0.4				085	02	20			5	1	2	2	4	5	84	5	05	G		74	13	20		100	
In-Process	B04862 Rt 0953/20	0.1				085	02	20			5	1	2	2	4	5	76	7	05	G		74	13	5		100	
In-Process	B04862 Rt 0953/30	0.1				085	02	20			5	1	2	2	4	5	78	7	05	G		74	13	5		100	
In-Process	B04862 Rt 0953/40	0.1				085	02	20			5	1	2	2		5	82	5	05	G		74	13	5		100	
In-Process	B04862 Rt 0953/50	0.1				085	02	20			5	1	2	2	4	5	84	7	05	G		74	13	5		100	
In-Process	B04862 Rt 0953/60	0.1				085	02	20			5	1	2	2	4	5	82	7	05	G		74	13	5		100	
In-Process	B04862 Rt 0954/10	0.2				085	02	40			5	2	2	2		4	64	7	07	G		74	14	10	22	100	22
In-Process	B04862 Rt 0954/20	0.2				085	02	40			5	2	2	2		4	62	7	07	G		74	14	10	22	100	22
In-Process	B04862 Rt 0954/30	0.2				085	02	40			5	2	2	2		4	58	7	07	G		74	14	10	22	100	22
In-Process	B04862 Rt 0954/40	0.2				085	02	40			5	2	2	2		4	76	7	07	G		74	14	10	22	100	22
In-Process	B04862 Rt 0954/50	0.1				085	02	40			5	2	2	2		4	64	7	07	G		74	14	5	11	100	11
In-Process	B04862 Rt 0954/60	0.1				085	02	40			5	2	2	2		4	62	7	07	G		74	14	5	11	100	11
In-Process	B04862 Rt 0954/70	0.1				085	02	40			5	2	2	2		4	62	7	07	G		74	14	5	11	100	11
In-Process	B04862 Rt 0954/80	0.1				085	02	40			5	2	2	2		4	62	7	07	G		74	14	5	11	100	11
In-Process	B04862 Rt 0955/10	0.2				085	02	20			9	2	2	2		5	62	5									
In-Process	B04862 Rt 0955/20	0.1				085	02	20			9	1	2	2		4	62	5									
In-Process	B04862 Rt 0956/10	0.3				085	02	20			5	1	2	2		5	62	5									
In-Process	B04862 Rt 0956/20	0.2				085	02	20			5	1	2	2		5	0	5									
In-Process	B04862 Rt 0957/10	0.2				085	02	20			3	1	2	2		5	58	7									
In-Process	B04862 Rt 0957/20	0.1				085	02	20			3	1	2	2		5	56	7									
In-Process	B04862 Rt 0957/30	0.1				085	02	20			3	1	2	2		5	62	7									
In-Process	B04862 Rt 0957/40	0.1				085	02	20			3	1	2	2		5	62	7									
In-Process	B04862 Rt 0957/50	0.1				085	02	20			9	1	2	2		5	64	4									
In-Process	B04862 Rt 0957/60	0.3				085	02	20			3	1	2	2		5	62	7									
In-Process	B04862 Rt 0957/70	0.8				085	02	20			9	1	2	2		4	80	7									
In-Process	B04862 Rt 0958/10	0.2				085	02	20			5	2	2	2		3	62	3	05	G		74	14	10	54	100	54
In-Process	B04862 Rt 0959/10	0.2				085	02	20			9		2	2		3											
In-Process	B04862 Rt 0959/20	0.1				085	02	20			9		2	2		3											
In-Process	B04862 Rt 0960/10	0.2				085	02	20			5	2	2	2		5	64	5	05	G		74	14	10		100	
In-Process	B04862 Rt 0961/10	0.3				085	02	20			9		2	2		4											
In-Process	B04862 Rt 0961/20	0.1				085	02	20			9		2	2		4											
In-Process	B04862 Rt 0962/10	0.2						20			9	1	2	2		1	0										
In-Process	B04862 Rt 0963/10	0.4				085	02	20			5	2	5	2		5	78	4	05	G		74	14	20	98	100	98
In-Process	B04862 Rt 0966/10																										
In-Process	B04862 Rt 0967/10	0.2				085	02	20			5	2	2	2		3	30	3									
In-Process	B04862 Rt 0968/10	0.1				085	02	20			5	2	5	2		3	38	3									
In-Process	B04862 Rt 0968/20	0.1				085	02	20			5	2	5	2		3	34	3									
In-Process	B04862 Rt 0968/30	0.1				085	02	20			5	2	5	2		3	36	3									
In-Process	B04862 Rt 0969/10	0.3				085	02	20			9	2	2	2		3	31	3									
In-Process	B04862 Rt 0969/20																										
In-Process	B04862 Rt 0969/30	0.1				085	02	20			9	1	2	2		1		2									
In-Process	B04862 Rt 0969/40	0.2				085	02	40			9	1	2	2		3	33	3									
In-Process	B04862 Rt 0969/50	0.2				085	02	20			9	1	2	2		1		2									
In-Process	B04862 Rt 0970/10	0.1						20			9	1	2	2		3	32	3									



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)		
In-Process	B04862 Rt 0971/10	0.4				085	02	20			9	1	2	2		5	54	5										
In-Process	B04862 Rt 0972/10	1.7				085	02	20					2			0	0											
In-Process	B04862 Rt 0973/10	1.0				085	02	20			8	1	2	4		0	0											
In-Process	B04862 Rt 0974/10	1.0				085	02	20			8	1	2	4		0	0											
In-Process	B04862 Rt 0975/10	1.7				085	02	40	2007		8	1	2	4		0	0	0										
In-Process	B04862 Rt 0976/10	0.4						20			5	2	5	2		3	52	3										
In-Process	B04862 Rt 0976/20		118E3	7	48	085	02	20			5		5	2														
In-Process	B04862 Rt 0976/30	0.2				085	02	20			5	2	5	2		3	46	3										
In-Process	B04862 Rt 0976/40		120E5	1	20	085	02	20			5		5	2														
In-Process	B04862 Rt 0976/50	0.4				085	02	20			5	2	5	2		3	52	3										
In-Process	B04862 Rt 0976/60	3.0				085	02	20			5	2	5	2		3	34	3										
In-Process	B04862 Rt 0977/10	0.1				085	02	40			5	2	5	2		3	34	3										
In-Process	B04862 Rt 0977/20			9	39	085	02	20			5	2	5	2														
In-Process	B04862 Rt 0977/30	0.8				085	02	40			5	2	5	2		3	36	3										
In-Process	B04862 Rt 0977/40			6	27	085	02	20			5		5	2														
In-Process	B04862 Rt 0977/50	1.1				085	02	20			5	2	5	2		3	32	3										
In-Process	B04862 Rt 0977/60			1	50	085	02	40			5		5	2														
In-Process	B04862 Rt 0977/70	3.1				085	02	20			5	2	5	2		3	32	3										
In-Process	B04862 Rt 0978/10	2.0				085	02	20			5	2	2	2		4	44	5										
In-Process	B04862 Rt 0978/20	2.0				085	02	20			5	2	2	2		3	64	3	05	G	74	14		100	535	100	535	
In-Process	B04862 Rt 0978/30		Q20	9	147	085	02	20			5		2	2												100		
In-Process	B04862 Rt 0978/40	2.0				085	02	20			5	2	2	2		3	58	3	05	G	74	14		100	535	100	535	
In-Process	B04862 Rt 0979/10	1.0				085	02	20			5	2	2	2		3	56	3	05	G	74	14		50	268	100	268	
In-Process	B04862 Rt 0981/10	0.1				085	02	20			5	2	2	2		5	98	5										
In-Process	B04862 Rt 0981/20	0.9				085	02	20			5	2	2	2		3	58	3	05	G	74	14		45	241	100	241	
In-Process	B04862 Rt 0982/10	2.7				085	02	20			5	2	2	2		3	60	3	05	G	74	14		135	723	100	723	
In-Process	B04862 Rt 0982/20	0.4				085	02	20			5	2	2	2		3	58	3	05	G	74	14		20	107	100	107	
In-Process	B04862 Rt 0982/30	0.4				085	02	20			5	2	2	2		3	62	3	05	G	74	14		20	107	100	107	
In-Process	B04862 Rt 0983/10	1.0				085	02	20			5	2	2	2		1	0	2	05	G	74	14		50	267	100	267	
Official	B04862 Rt 1354/10	6.0				085	02	20	1989	100	4	2	1	1		3	40	4	05	G	149	11		600	2,266	100	2,266	
Official	B04863 Rt 0067/810	1.0				013		20				1	3	2		3	5	05								20		
Official	B04863 Rt 0602/810	1.9				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0631/810	1.7				013		20				1	5	2		1	5	05								100		
Official	B04863 Rt 0632/810	3.2				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0633/810	1.7				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0634/810	0.5				013		20				1	5	2		1	5	05								100		
Official	B04863 Rt 0634/820	2.0				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0701/10	2.6				013	02	20	2002	90	4	2	1	1		1	0	2	05	G	134	11		234	949	100	949	
Official	B04863 Rt 0701/20		B320	1	95	013	02	20			4	1	1	1			5	05								380	100	380
Official	B04863 Rt 0701/810	1.6				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0702/10	2.0				013	02	20	1990	100	4	2	1	1		4	28	3	05	G	149	11		200	593	100	593	
Official	B04863 Rt 0702/20	1.5				013	02	20	1990	100	4	2	1	1		1	0	5	05	G	149	11		150	179	100	179	
Official	B04863 Rt 0702/810	3.7				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0703/10	1.0				147	01	31	1999		4	2	1	1		1	0	2	06	G	74	11		50	375	100	375	
Official	B04863 Rt 0705/10	1.4				147	01	31	1999		4	2	1	1		1	0	2	06	G	74	11		70	526	100	526	
Official	B04863 Rt 0706/10	2.0				013	02	20	1990	100	4	2	1	1		3	28	3	05	G	149	11		200	755	100	755	
Official	B04863 Rt 0706/810	0.5				013		20				1	5	2		3	5	05								100		
Official	B04863 Rt 0708/10	0.3				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11		15	110	100	110	
Official	B04863 Rt 0708/20	1.7				013	02	20	1999		4	2	1	1		1	0	2	05	G	74	11		85	621	100	621	
Official	B04863 Rt 0709/10	2.9				147	01	31	1999	250	4	2	1	1		1	0	5	06	P	371	11		725	853	100	853	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B04863 Rt 0709/810	1.0				147		31				1	5	2	1		5	06							100		
Official	B04863 Rt 0710/10	2.0				013	02	20	1990	200	4	2	1	1	3		28	3	05	P	297	11	400	1,130	100	1,130	
Official	B04863 Rt 0710/810	0.5				013		20				1	5	2	3		5	05						100			
Official	B04863 Rt 0722/10	3.5				013	02	20	1990	100	4	2	1	1	3		28	3	05	G	149	11	350	1,322	100	1,322	
Official	B05801 Rt 0423/10	2.6				011	06	40	1989	60	4	2	5	2	1		0	5	07	G	89	11	156	336	100	336	
Official	B05801 Rt 0423/20		B501	1	29	011	06	40			4	1	5	2			5	07						116	100	116	
Official	B05801 Rt 0423/30	0.4				011	06	40	1989	60	4	2	5	2	1		0	5	07	G	89	11	24	52	100	52	
Official	B05801 Rt 0423/40		B502	1	29	011	06	40			4	1	5	2			5	07						116	100	116	
Official	B05801 Rt 0423/50	0.3				011	06	40	1989	60	4	2	5	2	1		0	5	07	G	89	11	18	39	100	39	
Official	B05801 Rt 0423/60		B503	1	32	011	06	40			4	1	5	2			5	07						128	100	128	
Official	B05801 Rt 0423/70	0.8				011	06	40	1989	60	4	2	5	2	1		0	5	07	G	89	11	48	103	100	103	
Official	B05801 Rt 0526/10	1.3				039	06	40	1989	120	4	2	5	0	5		0	5	07	G	178	11	156	100			
Official	B05801 Rt 2001/10	0.9				039	06	40	1974		4	2	5	2	1		0	5	07	G	74	11	45	116	100	116	
Official	B05801 Rt 2001/20		B509	1	50	039	06	40			4	1	5	2			5	07						200	100	200	
Official	B05801 Rt 2001/30	0.5				039	06	40	1974		4	2	5	2	1		0	5	07	G	74	11	25	65	100	65	
Official	B05801 Rt 2001/50	1.6				039	06	40	1974		4	2	5	2	1		0	5	07	G	74	11	80	207	100	207	
Official	B05801 Rt 5115/10	2.0				017	06	40	1979		4	2	5	2	4		80	5	07	G	74	11	100	70	100	70	
Official	B05801 Rt 5414/10	2.0				043	06	40	1974		4	2	5	2	1		0	5	07	G	74	11	100	258	100	258	
Official	B05801 Rt 5414/20	1.0				011	06	40	1974		4	2	5	2	1		0	5	07	G	74	11	50	129	100	129	
Official	B05801 Rt 5501/10	4.0				017	06	40	2001	323	4	2	5	2	4		30	5	07	P	480	11	1,292	1,300	100	1,300	
Official	B05801 Rt 5502/10	3.0				017	06	40	1989	140	4	2	5	2	1		0	5	07	G	208	11	420	388	100	388	
Official	B05801 Rt 5503/10	1.7				011	06	40	1989		4	1	5	2	1		0	5	07	G	74	10	85	222	100	222	
Official	B05801 Rt 5503/20		B504	1	28	011	06	40			4	1	5	2			5	07						112	100	112	
Official	B05801 Rt 5503/30	2.3				011	06	40	1989		4	1	5	2	1		0	5	07	G	74	10	115	301	100	301	
Official	B05801 Rt 5504/10	1.0				017	06	40	1989	140	4	2	5	2	1		0	5	07	G	208	11	140	129	100	129	
Official	B05801 Rt 5505/10	2.0				017	06	40	1989	140	4	2	5	2	4		68	5	07	G	208	11	280	70	100	70	
Official	B05801 Rt 5506/10	3.5				017	06	40	1989	140	4	2	5	2	4		30	5	07	G	208	11	490	122	100	122	
Official	B05801 Rt 5506/20		B505	1	46	017	06	40			4	1	5	2			5	07						184	100	184	
Official	B05801 Rt 5506/30	3.5				017	06	40	1989	140	4	2	5	2	4		30	5	07	G	208	11	490	122	100	122	
Official	B05801 Rt 5507/10	0.5				017	06	40	1989	150	4	1	5	2	1		0	5	07	G	223	10	75	65	100	65	
Official	B05801 Rt 5507/20		B506	1	50	017	06	40			4	1	5	2			5	07						200	100	200	
Official	B05801 Rt 5507/30	0.5				017	06	40	1989	150	4	1	5	2	1		0	5	07	G	223	10	75	65	100	65	
Official	B05801 Rt 5508/10	4.0				017	06	40	1989	162	4	2	5	2	1	4		30	4	07	G	241	11	648	1,373	100	1,373
Official	B05801 Rt 5509/10	3.5				017	06	40	1989	173	2	2	5	2	4		60	5	07	P	257	8	606	823	100	823	
Official	B05801 Rt 5509/20		B507	1	46	017	06	40			2	1	5	2			5	07						184	100	184	
Official	B05801 Rt 5509/30	0.5				017	06	40	1989	173	2	2	5	2	4		60	5	07	P	257	8	87	118	100	118	
Official	B05801 Rt 5510/10	2.1				017	06	40	1989	140	2	2	5	2	4		60	5	07	P	208	8	294	494	100	494	
Official	B05801 Rt 5510/20		B508	1	162	017	06	40			2	1	5	2			5	07						648	100	648	
Official	B05801 Rt 5510/30	1.9				017	06	40	1989	140	2	2	5	2	4		60	5	07	P	208	8	266	447	100	447	
Official	B05801 Rt 5511/10	2.3				011	06	40	1999		4	1	5	2	1		0	5	07	G	74	10	115	301	100	301	
Official	B05801 Rt 5512/10	2.0				011	06	40	1986	108	4	2	5	2	1		0	5	07	G	160	11	216	258	100	258	
Official	B05801 Rt 5513/10	4.0				073	06	40	1986		4	1	5	2	1		0	5	07	G	74	10	200	523	100	523	
Official	B05801 Rt 5514/10	2.0				073	06	40	1986		4	2	5	2	1		0	5	07	G	74	11	100	258	100	258	
Official	B05801 Rt 5515/10	1.0				039	06	40	1986		4	2	5	2	1		0	5	07	G	74	11	50	129	100	129	
Official	B05801 Rt 5517/10	3.4				017	06	40	1986		4	1	5	2	1		0	5	07	G	74	10	170	445	100	445	
Official	B05801 Rt 5519/10	0.4				017	06	40	1990		4	2	5	2	1		0	5	07	G	74	11	20	52	100	52	
Official	B05801 Rt 5519/20		B517	1	20	011	06	40			4	1	5	2			5	07						80	100	80	
Official	B05801 Rt 5519/30	0.6				017	06	40	1990		4	2	5	2	1		0	5	07	G	74	11	30	78	100	78	
Official	B05801 Rt 5520/10	1.2				073	06	40	1986		4	1	5	2	1		0	5	07	G	74	10	60	157	100	157	
Official	B05801 Rt 5520/20		B534	1	20	073	06	40			4	1	5	2			5	07						80	100	80	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B05801 Rt 5520/30	0.8				073	06 40	1986			4	1	5	2		1	0	5	07	G	74	10	40	105	100	105	
Official	B05801 Rt 5523/10	0.2				073	06 40	1986	150	4	2	5	2	1	4	8	5	07	G	223	11		30	7	100	7	
Official	B05801 Rt 5523/20		B544	9	144	073	06 40				4	1	5	2			5	07							100		
Official	B05801 Rt 5523/30	3.8				073	06 40	1986	150	4	2	5	2	1	4	8	5	07	G	223	11		570	133	100	133	
Official	B05801 Rt 5524/10	3.9				039	06 40	1986	86	4	2	5	2		4	6	5	07	G	128	11		335	136	100	136	
Official	B05801 Rt 5525/10	1.9				043	06 40	1999	537	4	2	5	2		4	10	5	07	P	797	11		1,020	617	100	617	
Official	B05801 Rt 5525/20		B533	1	23	073	06 40				4	1	5	2			5	07							92	100	92
Official	B05801 Rt 5525/30	1.1				043	06 40	1986	214	4	2	5	2		4	10	5	07	P	318	11		235	357	100	357	
Official	B05801 Rt 5526/10	8.0				043	06 40	1999	211	4	2	5	2		4	10	5	07	P	313	11		1,688	2,599	100	2,599	
Official	B05801 Rt 5527/10	4.0				043	06 40	1986	71	4	2	5	2		4	10	5	07	G	105	11		284	140	100	140	
Official	B05801 Rt 5529/10	0.8				017	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		80	103	100	103	
Official	B05801 Rt 5529/20		B510	1	48	017	06 40				4	1	5	2			5	07							192	100	192
Official	B05801 Rt 5529/30	0.2				017	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		20	26	100	26	
Official	B05801 Rt 5530/10	1.2				011	06 40	1992	150	4	2	5	2		1	0	5	07	G	223	11		180	155	100	155	
Official	B05801 Rt 5530/20		B511	1	100	011	06 40				4	1	5	2			5	07							400	100	400
Official	B05801 Rt 5530/30	2.8				011	06 40	1992	150	4	2	5	2		1	0	5	07	G	223	11		420	362	100	362	
Official	B05801 Rt 5530/40		B514	1	31	011	06 40				4	1	5	2			5	07							124	100	124
Official	B05801 Rt 5530/50	1.0				011	06 40	1992	150	4	2	5	2		1	0	5	07	G	223	11		150	129	100	129	
Official	B05801 Rt 5531/10	1.8				015	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		180	233	100	233	
Official	B05801 Rt 5531/20		B512	1	24	015	06 40				4	1	5	2			5	07							96	100	96
Official	B05801 Rt 5531/30	0.4				015	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		40	52	100	52	
Official	B05801 Rt 5531/40		B513	1	62	015	06 40				4	1	5	2			5	07							248	100	248
Official	B05801 Rt 5531/50	0.2				015	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		20	26	100	26	
Official	B05801 Rt 5532/10	0.7				011	06 40	1990			4	2	5	2		1	0	5	07	G	74	11		35	90	100	90
Official	B05801 Rt 5532/20		B516	1	53	011	06 40				4	1	5	2			5	07							212	100	212
Official	B05801 Rt 5532/30	0.3				011	06 40	1990			4	2	5	2		1	0	5	07	G	74	11		15	39	100	39
Official	B05801 Rt 5533/10	0.2				039	06 40	1990	80	4	2	5	2		1	0	5	07	G	119	11		16	26	100	26	
Official	B05801 Rt 5533/20		B518	1	131	039	06 40				4	1	5	2			5	07							524	100	524
Official	B05801 Rt 5533/30	1.3				039	06 40	1990	80	4	2	5	2		1	0	5	07	G	119	11		104	168	100	168	
Official	B05801 Rt 5533/40		B519	1	142	039	06 40				4	1	5	2			5	07							568	100	568
Official	B05801 Rt 5533/50	0.5				039	06 40	1990	80	4	2	5	2		1	0	5	07	G	119	11		40	65	100	65	
Official	B05801 Rt 5534/10	0.4				011	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		40	52	100	52	
Official	B05801 Rt 5534/20		B520	1	24	011	06 40				4	1	5	2			5	07							96	100	96
Official	B05801 Rt 5534/30	0.1				011	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		10	13	100	13	
Official	B05801 Rt 5534/40		B521	1	36	011	06 40				4	1	5	2			5	07							144	100	144
Official	B05801 Rt 5534/50	1.5				011	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		150	194	100	194	
Official	B05801 Rt 5535/10	0.4				011	06 40	1992	80	4	2	5	2		1	0	5	07	G	119	11		32	52	100	52	
Official	B05801 Rt 5535/20		B522	1	26	011	06 40				4	1	5	2			5	07							104	100	104
Official	B05801 Rt 5535/30	0.1				011	06 40	1992	80	4	2	5	2		1	0	5	07	G	119	11		8	13	100	13	
Official	B05801 Rt 5535/40		B523	1	26	011	06 40				4	1	5	2			5	07							104	100	104
Official	B05801 Rt 5535/50	2.5				011	06 40	1992	80	4	2	5	2		1	0	5	07	G	119	11		200	323	100	323	
Official	B05801 Rt 5536/10	0.6				011	06 40	1992	90	4	2	5	2		1	0	5	07	G	134	11		54	78	100	78	
Official	B05801 Rt 5536/20		B524	9	28	011	06 40				4	1	5	2			5	07							100		
Official	B05801 Rt 5536/30	1.4				011	06 40	1992	90	4	2	5	2		1	0	5	07	G	134	11		126	181	100	181	
Official	B05801 Rt 5537/10	0.1				011	06 40	1992	90	4	2	5	2		1	0	5	07	G	134	11		9	13	100	13	
Official	B05801 Rt 5537/20		B525	1	102	011	06 40				4	1	5	2			5	07							408	100	408
Official	B05801 Rt 5537/30	1.9				011	06 40	1992	90	4	2	5	2		1	0	5	07	G	134	11		171	246	100	246	
Official	B05801 Rt 5538/10	0.6				011	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		60	78	100	78	
Official	B05801 Rt 5538/20		B526	1	48	011	06 40				4	1	5	2			5	07							192	100	192
Official	B05801 Rt 5538/30	0.4				011	06 40	1992	100	4	2	5	2		1	0	5	07	G	149	11		40	52	100	52	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B05801 Rt 5539/10	0.8				017	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	64	103	100	103	
Official	B05801 Rt 5539/20		B530	1	40	011	06	40			4	1	5	2				5	07					160	100	160	
Official	B05801 Rt 5539/30	0.2				017	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	16	26	100	26	
Official	B05801 Rt 5540/10	1.5				039	06	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	135	194	100	194	
Official	B05801 Rt 5541/10	0.4				039	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	32	52	100	52	
Official	B05801 Rt 5541/20		B532	9	56	039	06	40			4	1	5	2				5	07						100	100	
Official	B05801 Rt 5541/30	0.6				039	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78	
Official	B05801 Rt 5542/10	1.4				073	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	140	181	100	181	
Official	B05801 Rt 5542/20		B535	1	25	073	06	40			4	1	5	2				5	07					100	100	100	
Official	B05801 Rt 5542/30	1.1				073	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	110	142	100	142	
Official	B05801 Rt 5542/40		B536	1	20	073	06	40			4	1	5	2				5	07					80	100	80	
Official	B05801 Rt 5542/50	0.5				073	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65	
Official	B05801 Rt 5543/10	0.8				011	06	40	1993	4	2	5	2		1	0	5	07	G	74	11		40	103	100	103	
Official	B05801 Rt 5543/20		B537	1	24	011	06	40			4	1	5	2				5	07					96	100	96	
Official	B05801 Rt 5543/30	0.2				011	06	40	1993	4	2	5	2		1	0	5	07	G	74	11		10	26	100	26	
Official	B05801 Rt 5544/10	1.9				011	06	40	1993	140	4	2	5	2		1	0	5	07	G	208	11	266	246	100	246	
Official	B05801 Rt 5544/20		B538	1	37	011	06	40			4	1	5	2				5	07					148	100	148	
Official	B05801 Rt 5544/30	1.5				011	06	40	1993	140	4	2	5	2		1	0	5	07	G	208	11	210	194	100	194	
Official	B05801 Rt 5544/40		B539	1	41	011	06	40			4	1	5	2				5	07					164	100	164	
Official	B05801 Rt 5544/50	0.6				011	06	40	1993	140	4	2	5	2		1	0	5	07	G	208	11	84	78	100	78	
Official	B05801 Rt 5545/10	1.8				011	06	40	1993	100	4	2	5	2		1	0	5	07	G	149	11	180	233	100	233	
Official	B05801 Rt 5545/20		B540	1	24	011	06	40			4	1	5	2				5	07					96	100	96	
Official	B05801 Rt 5545/30	0.2				011	06	40	1993	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26	
Official	B05801 Rt 5546/10	0.7				011	06	40	1993	100	4	2	5	2		1	0	5	07	G	149	11	70	90	100	90	
Official	B05801 Rt 5546/20		B541	1	31	011	06	40			4	1	5	2				5	07					124	100	124	
Official	B05801 Rt 5546/30	0.8				011	06	40	1993	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103	
Official	B05801 Rt 5547/10	0.6				011	06	40	1994	200	4	2	5	2		1	0	5	07	P	297	11	120	195	100	195	
Official	B05801 Rt 5547/20		B542	1	48	011	06	40			4	1	5	2				5	07					192	100	192	
Official	B05801 Rt 5547/30	0.4				011	06	40	1994	200	4	2	5	2		1	0	5	07	P	297	11	80	130	100	130	
Official	B05801 Rt 5550/10	0.7				011	06	40	1993	4	2	5	2		1	0	5	07	G	74	11		35	90	100	90	
Official	B05801 Rt 5550/20		B545	1	49	011	06	40			4	1	5	2				5	07					196	100	196	
Official	B05801 Rt 5550/30	0.3				011	06	40	1993	4	2	5	2		1	0	5	07	G	74	11		15	39	100	39	
Official	B05801 Rt 5555/10	0.3				129	06	40	1999	2219	4	2	5	2		1	0	5	07	P	3,295	11	666	97	100	97	
Official	B05801 Rt 5556/10	3.0				011	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	450	388	100	388	
Official	B05801 Rt 5557/10	2.0				011	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	200	258	100	258	
Official	B05801 Rt 5558/10	0.5				011	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	75	65	100	65	
Official	B05801 Rt 5559/10	1.5				017	06	40	1999	1030	4	2	5	0		5	0	2	07	P	1,530	11	1,545		100		
Official	B05801 Rt 5560/10	5.0				017	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	750	646	100	646	
Official	B05801 Rt 5561/10	4.0				149	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	600	517	100	517	
In-Process	B05801 Rt 5568/10	1.8				129	03	40	2003	4	2	7	2		4	80	5	07	G	74	11		90	63	100	63	
In-Process	B05801 Rt 5568/20		20047000 0000000	9	26	129	03	40			4	1	3	2				5	07						100		
In-Process	B05801 Rt 5568/30	0.4				129	03	40	2003	4	2	3	2		4	80	5	07	G	74	11		4	14	21	3	
Returned-To-R	B05801 Rt 5569/10	0.1				017	03	40	2003	1544	4	2	5	2		4	60	5	07	P	2,293	11	154	32	100	32	
Returned-To-R	B05801 Rt 5569/20		23262000 0000000	9	46	017	03	40			4	1	5	2				5	07						100		
Returned-To-R	B05801 Rt 5569/30	0.5				017	03	40	2003	1544	4	2	5	2		4	26	5	07	P	2,293	11	772	162	100	162	
Returned-To-R	B05801 Rt 5569/40		10274000 0000000	9	47	017	03	40			4	1	5	2				5	07						100		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Returned-To-R	B05801 Rt 5569/50	0.7				017	03	40	2003	1544	4	2	5	2		4	26	5	07	P	2,293	11	1,081	227	100	227
Returned-To-R	B05801 Rt 5569/60		11463000	9	23	017	03	40			4	1	5	2				5	07						100	
			0000000																							
Returned-To-R	B05801 Rt 5569/70	0.7				017	03	40	2003	1549	4	2	5	2		4	50	5	07	P	2,300	11	1,084	227	100	227
Returned-To-R	B05801 Rt 5571/10	0.7				073	03	40	2003	238	4	2	5	2		4	26	4	07	P	353	11	167	443	100	443
Returned-To-R	B05801 Rt 5571/20		16730000	9	122	073	03	40			4	1	5	2				5	07						100	
			0000000																							
Returned-To-R	B05801 Rt 5571/30	0.1				073	03	40	2003	238	4	2	5	2		4	26	5	07	P	353	11	24	32	100	32
Returned-To-R	B05801 Rt 5571/40		16771000	9	182	073	03	40			4	1	5	2				5	07						100	
			0000000																							
Returned-To-R	B05801 Rt 5571/50	1.2				073	03	40	2003	241	4	2	5	2		4	26	5	07	P	358	11	289	390	100	390
In-Process	B05801 Rt 5572/10	0.7				017	03	40	2003	154	4	1	5	2		3	26	4	07	G	229	10	108	211	100	211
In-Process	B05801 Rt 5572/20	0.5				017	03	40	2003	394	4	1	5	2		4	26	4	07	P	585	10	197	251	100	251
In-Process	B05801 Rt 5572/30		12728000	1	28	017	03	40			4	1	5	2				5	07						100	112
			0000000																							
In-Process	B05801 Rt 5572/40	0.3				017	03	40	2003	394	4	1	5	2		4	26	5	07	P	585	10	118	99	100	99
In-Process	B05801 Rt 5572/50		02781000	1	39	017	03	40			4	1	5	2				5	07						100	156
			0000000																							
In-Process	B05801 Rt 5572/60	0.1				017	03	40	2003	394	4	1	5	2		4	26	5	07	P	585	10	39	33	100	33
In-Process	B05801 Rt 5572/70	0.3				017	03	40	2003	398	3	2	5	2		1	26	2	07	P	591	18	119	242	100	242
In-Process	B05801 Rt 5572/80	0.1				017	03	40	2003	404	4	2	5	2		1	26	2	07	P	600	11	40	62	100	62
Returned-To-R	B05801 Rt 5573/10	1.0				017	03	40	2003	145	4	1	5	2		4	60	4	07	G	215	10	145	203	100	203
Returned-To-R	B05801 Rt 5575/10	3.5				017	03	40	2003	198	4	2	5	2		4	60	5	07	P	294	11	693	1,137	100	1,137
Returned-To-R	B05801 Rt 5575/20		21344000	9	302	017	03	40			4	1	5	2				5	07						100	
			0000000																							
Returned-To-R	B05801 Rt 5575/30	0.5				017	03	40	2003	204	4	2	5	2		4	60	4	07	P	303	11	102	317	100	317
In-Process	B05801 Rt 5577/10	0.1				149	03	40	2003	154	4	1	3	2	3	4	26	5	07	G	229	10	3	3	21	1
In-Process	B05801 Rt 5577/20	0.3				149	03	40	2003	350	4	1	5	2		4	26	5	07	P	520	10	105	99	100	99
In-Process	B05801 Rt 5577/30		16454000	8	82	149	03	40			4	1	5	2				5	07						100	
			0000000																							
In-Process	B05801 Rt 5577/40	0.7				149	03	40	2003	350	4	2	5	2		4	26	5	07	P	520	11	245	227	100	227
In-Process	B05801 Rt 5577/50		16246000	9	22	149	03	40			4	1	5	2				5	07						100	
			0000000																							
In-Process	B05801 Rt 5577/60	1.9				149	03	40	2003	350	4	2	5	2		4	26	5	07	P	520	11	665	617	100	617
In-Process	B05801 Rt 5577/70	1.1				149	03	40	2003	350	4	2	5	2		4	26	5	07	P	520	11	385	357	100	357
In-Process	B05801 Rt 5577/80		16437000	7	67	149	03	40	2003	350	4	1	5	2				5	07						100	
			0000000																							
In-Process	B05801 Rt 5577/90	1.9				149	03	40	2003	350	4	2	5	2		4	26	5	07	P	520	11	665	617	100	617
Official	B06803 Rt 0381/10	0.3				015	06	40	1989	100	4	2	1	1	1	1	0	5	07	G	149	11	30	39	100	39
Official	B06803 Rt 6660/10	2.0				015	06	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	100	258	100	258
Official	B06803 Rt 6837/10	2.0				015	06	40	1997	100	4	2	5	2	1	1	0	5	07	G	149	11	200	258	100	258
Official	B06803 Rt 6842/10	2.0				015	06	40	1997	99	4	2	5	2	1	1	0	5	07	G	147	11	198	258	100	258
Official	B06803 Rt 6843/10	0.5				015	06	40	1997	280	4	2	5	2	1	1	0	5	07	P	416	11	140	162	100	162
Official	B06804 Rt 3001/10	3.0				015	06	40	1999	400	4	2	5	0	4	4	20	3	07	P	594	11	1,200		100	
Official	B06804 Rt 3002/10	1.0				015	06	40	2001	97	4	2	5	2	1	1	0	2	07	G	144	11	97	426	100	426
Official	B06804 Rt 3003/10	1.0				015	06	40	2001	62	4	2	5	2	4	4	20	3	07	G	92	11	62	343	100	343
Official	B06804 Rt 3004/10	1.5				015	06	40			11	1		1												
Official	B06804 Rt 3005/10	5.5				015	06	40	2001	71	4	2	5	2	1	1	0	2	07	G	105	11	391	2,343	100	2,343
Official	B06804 Rt 3006/10	2.0				015	06	40			11	1		1												



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B06804 Rt 3007/10	4.0				015	06	40	2001	72	4	2	5	2		1	0	2	07	G	107	11	288	1,704	100	1,704	
Official	B06804 Rt 3008/10	3.5				015	06	40			11	1		1				5									
Official	B06804 Rt 4550/10	0.2				015	06	40	1992	190	4	2	5	2		1	0	5	07	P	282	11	38	65	100	65	
Official	B06804 Rt 4550/20		B930	1	21	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 4550/30	0.8				015	06	40	1992	190	4	2	5	2		1	0	5	07	P	282	11	152	260	100	260	
Official	B06804 Rt 4551/10	0.1				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	8	13	100	13	
Official	B06804 Rt 4551/20		B662	1	35	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 4551/30	0.9				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	68	116	100	116	
Official	B06804 Rt 4552/10	0.1				015	06	40	1992	85	4	2	5	2		1	0	5	07	G	126	11	9	13	100	13	
Official	B06804 Rt 4552/20		B663	1	42	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 4552/30	0.9				015	06	40	1992	85	4	2	5	2		1	0	5	07	G	126	11	77	116	100	116	
Official	B06804 Rt 6608/10	1.0				015	06	40	1986	72	4	2	5	2		1	0	5	07	G	107	11	72	129	100	129	
Official	B06804 Rt 6654/10	6.1				015	06	40	1999	126	2	2	5	2		4	28	5	07	P	187	8	769	1,434	100	1,434	
Official	B06804 Rt 6655/10	2.9				015	06	40	1999	691	2	2	5	2		4	28	5	07	P	1,026	5	2,004	1,116	100	1,116	
Official	B06804 Rt 6658/10	2.0				015	06	40	1989		2	2	5	2		4	28	5	07	P	149	8	200	470	100	470	
Official	B06804 Rt 6659/10	2.2				015	06	40	1992	263	4	2	5	2		1	0	5	07	P	391	11	579	715	100	715	
Official	B06804 Rt 6659/20		B666	1	64	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6659/30	1.8				015	06	40	1992	263	4	2	5	2		1	0	5	07	P	391	11	473	585	100	585	
Official	B06804 Rt 6690/10	5.0				015	06	40	1989		4	1	5	2		1	0	5	07	G	74	10	250	654	100	654	
Official	B06804 Rt 6691/10	0.7				015	06	40	1989		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90	
Official	B06804 Rt 6691/20		B148	7	148	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6691/30	0.3				015	06	40	1989		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39	
Official	B06804 Rt 6692/10	4.9				015	06	40	1989		2	2	5	2		1	0	5	07	P	149	8	490	1,152	100	1,152	
Official	B06804 Rt 6693/10	3.5				015	06	40	1989		2	2	5	2		4	28	5	07	P	149	8	350	823	100	823	
Official	B06804 Rt 6699/10	1.2				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	90	155	100	155	
Official	B06804 Rt 6699/20		B630	1	41	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6699/30	0.8				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	60	103	100	103	
Official	B06804 Rt 6715/10	0.1				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13	
Official	B06804 Rt 6715/20		B657	1	64	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6715/30	0.6				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78	
Official	B06804 Rt 6715/40		B658	1	37	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6715/50	0.3				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	24	39	100	39	
Official	B06804 Rt 6716/10	1.2				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	96	155	100	155	
Official	B06804 Rt 6716/20		B351	1	63	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6716/30	0.8				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	64	103	100	103	
Official	B06804 Rt 6749/10	0.1				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13	
Official	B06804 Rt 6749/20		B932	1	27	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6749/30	0.9				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	54	116	100	116	
Official	B06804 Rt 6808/10	0.8				015	06	40	1992	200	4	2	5	2		1	0	5	07	P	297	11	160	260	100	260	
Official	B06804 Rt 6809/10	6.5				015	06	40	1999	321	4	2	5	2		1	0	5	07	P	477	11	2,087	2,112	100	2,112	
Official	B06804 Rt 6809/20		B642	1	84	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6809/30	3.2				015	06	40	2001	85	4	2	5	2		1	0	5	07	G	126	11	272	413	100	413	
Official	B06804 Rt 6810/10	3.2				015	06	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	480	413	100	413	
Official	B06804 Rt 6810/20		B146	1	22	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6810/30	0.3				015	06	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	45	39	100	39	
Official	B06804 Rt 6811/10	5.0				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	400	646	100	646	
Official	B06804 Rt 6812/10	2.0				015	06	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	180	258	100	258	
Official	B06804 Rt 6816/10	0.7				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90	
Official	B06804 Rt 6816/20		B913	1	91	015	06	40			4	1	5	2				5	07								
Official	B06804 Rt 6816/30	1.3				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	65	168	100	168	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B06804 Rt 6838/10	3.0				015	06	40	1999	223	4	2	5	2		1	0	5	07	P	331	11	669	975	100	975	
Official	B06804 Rt 6838/20		B147	1	40	015	06	40			4	1	5	2				5	07						160	100	160
Official	B06804 Rt 6838/30	8.0				015	06	40	1999	223	4	2	5	2		1	0	5	07	P	331	11	1,784	2,599	100	2,599	
Official	B06804 Rt 6839/10	6.0				015	06	40	1992	200	4	2	5	2		1	0	5	07	P	297	11	1,200	1,949	100	1,949	
Official	B06804 Rt 6840/10	3.0				015	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	600	975	100	975	
Official	B06804 Rt 6858/10	8.5				015	06	40	1997	220	4	2	5	2		1	0	5	07	P	327	11	1,870	2,762	100	2,762	
Official	B06804 Rt 6867/10	0.7				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	70	90	100	90	
Official	B06804 Rt 6867/20		B145	1	50	015	06	40			4	1	5	2				5	07					200	100	200	
Official	B06804 Rt 6867/30	5.3				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	530	685	100	685	
Official	B06806 Rt 4527/10	3.0				015	06	40	1974		4	1	5	2		1	0	5	07	G	74	10	150	392	100	392	
Official	B06806 Rt 4541/10	0.4				015	06	40	1992	144	4	2	5	2		1	0	5	07	G	214	11	58	52	100	52	
Official	B06806 Rt 4541/20		B929	1	27	015	06	40			4	1	5	2				5	07					108	100	108	
Official	B06806 Rt 4541/30	3.6				015	06	40	1992	144	4	2	5	2		1	0	5	07	G	214	11	518	465	100	465	
Official	B06806 Rt 4560/10	1.5				015	06	40	1999	120	4	2	5	2		4	20	3	07	G	178	11	180	515	100	515	
Official	B06806 Rt 4561/10	7.0				015	06	40	1999	160		2	5	3		3	28	3	07		238			100			
Official	B06806 Rt 4562/10	5.0				015	06	40	1999	150	4	2	5	2		4	20	3	07	G	223	11	750	1,717	100	1,717	
Official	B06806 Rt 4563/10	3.0				015	06	40	1999	200	4	2	5	2		1	0	2	07	P	297	11	600	1,865	100	1,865	
Official	B06806 Rt 6607/10	5.0				015	06	40	1986	84	4	2	5	2		1	0	5	07	G	125	11	420	646	100	646	
Official	B06806 Rt 6610/10	0.2				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	14	26	100	26	
Official	B06806 Rt 6610/20		B664	1	50	015	06	40			4	1	5	2				5	07					200	100	200	
Official	B06806 Rt 6610/30	1.8				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	126	233	100	233	
Official	B06806 Rt 6610/40		B665	1	38	015	06	40			4	1	5	2				5	07					152	100	152	
Official	B06806 Rt 6610/50	1.4				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	98	181	100	181	
Official	B06806 Rt 6612/10	0.9				015	06	40			11	1		1				5									
Official	B06806 Rt 6612/20		B668	1	92	015	06	40			11	1		1				5									
Official	B06806 Rt 6612/30	1.8				015	06	40			11	1		1				5									
Official	B06806 Rt 6612/40		B669	1	28	015	06	40			11	1		1				5									
Official	B06806 Rt 6612/50	0.2				015	06	40			11	1		1				5									
Official	B06806 Rt 6612/60		B670	1	80	015	06	40			11	1		1				5									
Official	B06806 Rt 6612/70	0.2				015	06	40			11	1		1				5									
Official	B06806 Rt 6613/10	1.6				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	160	207	100	207	
Official	B06806 Rt 6613/20		B610	1	62	015	06	40			4	1	5	2				5	07					248	100	248	
Official	B06806 Rt 6613/30	0.9				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	90	116	100	116	
Official	B06806 Rt 6615/10	1.0				015	06	40	1989		4	1	5	2		1	0	5	07	G	74	10	50	131	100	131	
Official	B06806 Rt 6616/10	0.3				015	06	40	1990	252	4	2	5	2		1	0	5	07	P	374	11	76	97	100	97	
Official	B06806 Rt 6616/20		B672	1	66	015	06	40			4	1	5	2				5	07					264	100	264	
Official	B06806 Rt 6616/30	6.7				015	06	40	1990	252	4	2	5	2		1	0	5	07	P	374	11	1,688	2,177	100	2,177	
Official	B06806 Rt 6657/10	1.2				015	06	40	1992		2	2	5	2		4	26	3	07	P	149	8	120	553	100	553	
Official	B06806 Rt 6657/20		B659	1	36	015	06	40			2	1	5	2				5	07					144	100	144	
Official	B06806 Rt 6657/30	2.3				015	06	40	1992		2	2	5	2		4	26	3	07	P	149	8	230	1,059	100	1,059	
Official	B06806 Rt 6807/10	0.1				015	06	40	1992	500	4	2	5	0		4	60	3	07	P	743	11	50	100		100	
Official	B06806 Rt 6807/20		B908	1	24	015	06	40			4	1	5	0				5	07					100		100	
Official	B06806 Rt 6807/30	0.3				015	06	40	1999	1257	4	2	5	0		4	60	3	07	P	1,867	11	377	100		100	
Official	B06806 Rt 6857/10	4.0				015	06	40	2001	85	4	2	5	2		1	0	5	07	G	126	11	340	517	100	517	
Official	B06806 Rt 6859/10	6.0				015	06	40	1997	80	4	2	5	2		1	0	5	07	G	119	11	480	775	100	775	
Official	B06806 Rt 6860/10	2.0				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	200	258	100	258	
Official	B06806 Rt 6861/10	2.0				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	200	258	100	258	
Official	B06806 Rt 6868/10	0.6				015	06	40	2001	81	4	2	5	2		1	0	5	07	G	120	11	49	78	100	78	
Official	B06806 Rt 6868/20		B020	1	30	015	06	40			4	1	5	2				5	07					120	100	120	
Official	B06806 Rt 6868/30	0.4				015	06	40	2001	81	4	2	5	2		1	0	5	07	G	120	11	32	52	100	52	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06806 Rt 6869/10	2.0				015	06	40	1992	150	4	2	5	2		4	24	3	07	G	223	11	300	687	100	687
Official	B06807 Rt 3020/10	2.0				015	06	40	1999	100	4	2	5	2		4	40	3	07	G	149	11	200	687	100	687
Official	B06807 Rt 3021/10	2.5				015	06	40	1999	110	4	2	5	2		1	0	2	07	G	163	11	275	1,065	100	1,065
Official	B06807 Rt 3022/10	3.0				015	06	40	1999	300	4	2	5	2		1	0	2	07	P	446	11	900	1,865	100	1,865
Official	B06807 Rt 3023/10	1.0				015	06	40	1999	100	4	2	5	2		1	0	2	07	G	149	11	100	426	100	426
Official	B06807 Rt 3033/10	7.5				015	06	40	1999	200	4	2	5	2		1	0	2	07	P	297	11	1,500	4,663	100	4,663
Official	B06807 Rt 6653/10	2.0				015	06	40	1989	95	4	2	5	2		1	0	5	07	G	141	11	190	258	100	258
Official	B06807 Rt 6656/10	1.0				015	06	40	1989	2	2	2	5	2		4	26	5	07	P	149	8	100	235	100	235
Official	B06807 Rt 6717/10	0.3				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	30	39	100	39
Official	B06807 Rt 6717/20		B671	1	162	015	06	40			4	1	5	2					5	07				648	100	648
Official	B06807 Rt 6717/30	0.7				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	70	90	100	90
Official	B06807 Rt 6719/10	2.9				015	06	40	1992	85	4	2	5	2		1	0	5	07	G	126	11	247	375	100	375
Official	B06807 Rt 6719/20		B676	1	59	015	06	40			4	1	5	2					5	07				236	100	236
Official	B06807 Rt 6719/30	3.2				015	06	40	1992	85	4	2	5	2		1	0	5	07	G	126	11	272	413	100	413
Official	B06807 Rt 6719/40		B730	1	24	015	06	40			4	1	5	2					5	07				96	100	96
Official	B06807 Rt 6719/50	0.9				015	06	40	1992	85	4	2	5	2		1	0	5	07	G	126	11	77	116	100	116
Official	B06807 Rt 6722/10	0.8				015	06	40	1992	120	4	2	5	2		4	40	3	07	G	178	11	96	275	100	275
Official	B06807 Rt 6722/20		B681	1	161	015	06	40			4	1	5	2					5	07				644	100	644
Official	B06807 Rt 6722/30	1.2				015	06	40	1992	120	4	2	5	2		4	40	3	07	G	178	11	144	412	100	412
Official	B06807 Rt 6746/10	4.0				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	280	517	100	517
Official	B06807 Rt 6750/10	0.2				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	14	26	100	26
Official	B06807 Rt 6750/20		B933	1	24	015	06	40			4	1	5	2					5	07				96	100	96
Official	B06807 Rt 6750/30	0.8				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	56	103	100	103
Official	B06807 Rt 6841/10	3.0				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	300	388	100	388
Official	B06807 Rt 6844/10	1.5				015	06	40	1997	80	4	2	5	2		1	0	5	07	G	119	11	120	194	100	194
Official	B06807 Rt 6864/10	3.6				015	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	720	1,170	100	1,170
Official	B06808 Rt 0115/10	2.2				031	04	40	1999	411	4	2	3	2		4	24	2	07	P	610	11	186	1,368	21	281
Official	B06808 Rt 0115/20		B173	1	26	031	04	40			4	1	3	2					5	07				104	100	104
Official	B06808 Rt 0115/30	2.0				031	04	40	1999	411	4	2	3	2		4	24	2	07	P	610	11	169	1,243	21	256
Official	B06808 Rt 0115/40		B174	1	27	031	04	40			4	1	3	2					5	07				108	100	108
Official	B06808 Rt 0115/50	1.1				031	04	40	1999	411	4	2	3	2		4	24	2	07	P	610	11	93	684	21	141
Official	B06808 Rt 0115/60		B175	1	22	031	04	40			4	1	3	2					5	07				88	100	88
Official	B06808 Rt 0115/70	1.6				031	04	40	1999	411	4	2	3	2		4	24	2	07	P	610	11	135	995	21	205
Official	B06808 Rt 0115/80		B176	1	20	031	04	40			4	1	3	2					5	07				80	100	80
Official	B06808 Rt 0115/90	2.3				031	04	40	1999	411	4	2	3	2		4	24	2	07	P	610	11	195	1,430	21	294
Official	B06808 Rt 0115/100		B177	9	48	031	04	40			4	1	3	2					5	07				100	100	100
Official	B06808 Rt 0115/110	0.8				031	04	40	1999	411	4	2	5	2		4	24	2	07	P	610	11	329	497	100	497
Official	B06808 Rt 0115/120		B178	9	50	031	04	40			4	1	3	2					5	07				100	100	100
Official	B06808 Rt 0115/130	2.5				031	04	40	1999	411	4	2	5	2		4	24	2	07	P	610	11	1,028	1,554	100	1,554
Official	B06808 Rt 0431/10	0.1				031	04	40	1974	450	4	2	5	2		4	80	5	07	P	668	11	45	32	100	32
Official	B06808 Rt 0431/20		B617	9	54	031	04	40			4	1	5	2					5	07				100	100	100
Official	B06808 Rt 0431/30	1.0				031	04	40	1999	589	4	2	5	2		4	80	5	07	P	875	11	589	325	100	325
Official	B06808 Rt 0431/40		B102	9	29	031	04	40			4	1	5	2					5	07				100	100	100
Official	B06808 Rt 0431/50	2.0				031	04	40	1974	450	4	2	5	2		4	80	5	07	P	668	11	900	650	100	650
Official	B06808 Rt 0431/60		B031	9	76	031	04	40			4	1	5	2					5	07				100	100	100
Official	B06808 Rt 0431/70	2.8				031	04	40	1974	450	4	2	5	2		4	30	5	07	P	668	11	1,260	910	100	910
Official	B06808 Rt 0431/80		B056	1	25	031	04	40			4	1	5	2					5	07				100	100	100
Official	B06808 Rt 0431/90	2.0				031	04	40	1974	450	4	2	5	2		4	30	5	07	P	668	11	900	650	100	650
Official	B06808 Rt 0431/100		B076	9	25	031	04	40			4	1	5	2					5	07				100	100	100
Official	B06808 Rt 0431/110	2.1				031	04	40	1974	450	4	2	5	2		4	30	5	07	P	668	11	945	682	100	682



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06808 Rt 0431/120		B097	1	36	031	04	40			4	1	5	2			5	07						144	100	144
Official	B06808 Rt 0431/130	1.4				031	04	40	1974	450	4	2	5	2		4	30	5	07	P	668	11	630	455	100	455
Official	B06808 Rt 0432/10	2.3				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	115	80	100	80
Official	B06808 Rt 0432/20		B154	1	20	031	04	40			4	1	5	2			5	07						80	100	80
Official	B06808 Rt 0432/30	3.1				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	155	108	100	108
Official	B06808 Rt 0432/40		B155	1	22	031	04	40			4	1	5	2			5	07						88	100	88
Official	B06808 Rt 0432/50	2.0				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	100	70	100	70
Official	B06808 Rt 0432/60		B156	1	40	031	04	40			4	1	5	2			5	07						160	100	160
Official	B06808 Rt 0432/70	0.4				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	20	14	100	14
Official	B06808 Rt 0432/80		B157	1	67	031	04	40			4	1	5	2			5	07						268	100	268
Official	B06808 Rt 0432/90	2.8				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	140	98	100	98
Official	B06808 Rt 0432/100		B158	1	24	031	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 0432/110	0.1				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	5	3	100	3
Official	B06808 Rt 0432/120		B159	1	30	031	04	40			4	1	5	2			5	07						120	100	120
Official	B06808 Rt 0432/130	0.4				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	20	14	100	14
Official	B06808 Rt 0432/140		B160	9	46	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0432/150	0.9				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	45	31	100	31
Official	B06808 Rt 0432/160		B161	9	24	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0432/170	1.8				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	90	63	100	63
Official	B06808 Rt 0432/180		B162	9	100	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0432/190	1.7				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	85	59	100	59
Official	B06808 Rt 0432/200		B163	9	100	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0432/210	1.5				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	75	52	100	52
Official	B06808 Rt 0454/10	0.4				031	04	40	1974	500	4	2	5	2		4	80	5	07	P	743	11	200	130	100	130
Official	B06808 Rt 0454/20		B164	9	48	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0454/30	1.6				031	04	40	2000	2005	4	2	5	2		4	80	5	07	P	2,977	11	3,208	520	100	520
Official	B06808 Rt 0454/40		B165	9	68	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 0454/50	0.6				031	04	40	2000	2005	4	2	5	2		4	80	5	07	P	2,977	11	1,203	195	100	195
Official	B06808 Rt 4112/10	3.0				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	150	388	100	388
Official	B06808 Rt 4113/10	1.3				033	04	40	1992	70	4	2	5	3		1	0	5	07		104			100	100	100
Official	B06808 Rt 4113/20		B766	1	26	033	04	40			4	1	5	2			5	07						104	100	104
Official	B06808 Rt 4113/30	2.7				033	04	40	1992	70	4	2	5	3		1	0	5	07		104			100	100	100
Official	B06808 Rt 4114/10	5.2				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	260	672	100	672
Official	B06808 Rt 4114/20		B166	1	24	033	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 4114/30	1.1				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	55	142	100	142
Official	B06808 Rt 4114/40		B167	1	24	033	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 4114/50	0.7				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90
Official	B06808 Rt 4115/10	1.8				033	04	40	1992	100	4	2	5	3		1	0	5	07		149			100	100	100
Official	B06808 Rt 4115/20		B168	1	21	033	04	40			4	1	5	2			5	07						84	100	84
Official	B06808 Rt 4115/30	1.1				033	04	40	1992	100	4	2	5	3		1	0	5	07		149			100	100	100
Official	B06808 Rt 4115/40		B777	1	22	033	04	40			4	1	5	2			5	07						88	100	88
Official	B06808 Rt 4115/50	1.1				033	04	40	1992	100	4	2	5	3		1	0	5	07		149			100	100	100
Official	B06808 Rt 4116/10	6.0				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	300	775	100	775
Official	B06808 Rt 4117/10	0.5				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65
Official	B06808 Rt 4117/20		B604	1	98	033	04	40			4	1	5	2			5	07						392	100	392
Official	B06808 Rt 4117/30	2.5				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	125	323	100	323
Official	B06808 Rt 4118/10	0.1				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B06808 Rt 4118/20		B601	1	30	033	04	40			4	1	5	2			5	07						120	100	120
Official	B06808 Rt 4118/30	5.4				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	270	698	100	698
Official	B06808 Rt 4118/40		B055	9	187	033	04	40			4	1	5	2			5	07						100	100	100



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06808 Rt 4118/50	1.5				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194
Official	B06808 Rt 4120/10	2.0				033	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258
Returned-To-Fi	B06808 Rt 4311/1	0.7				015	04	40	2003		3	1	2	2		3	60	5	07	E	37	18	18	31	100	31
Official	B06808 Rt 4312/10	2.2				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	110	284	100	284
Official	B06808 Rt 4312/20	1.1				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	55	38	100	38
Official	B06808 Rt 4312/30		B033	9	20	031	04	40			4	1	5	2				5	07						100	
Official	B06808 Rt 4312/40	0.1				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	5	3	100	3
Official	B06808 Rt 4312/50		B034	1	20	031	04	40			4	1	5	2				5	07					80	100	80
Official	B06808 Rt 4312/60	0.8				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	40	28	100	28
Official	B06808 Rt 4313/10	0.8				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	40	28	100	28
Official	B06808 Rt 4313/20		B606	1	25	031	04	40			4	1	5	2				5	07					100	100	100
Official	B06808 Rt 4313/30	1.5				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	75	52	100	52
Official	B06808 Rt 4313/40		B021	0	20	031	04	40			4	1	5	2				5	07						100	
Official	B06808 Rt 4313/50	1.7				031	04	40	1974		4	2	5	2		4	50	5	07	G	74	11	85	59	100	59
In-Process	B06808 Rt 4315/1	3.2				031	04	40	2003	70	4	2	5	2		3	40	5	07	G	104	11	224	413	100	413
Returned-To-Fi	B06808 Rt 4315/2	3.0				015	03	40	2003	63	4	2	5	2		3	40	4	07	G	94	11	189	1,313	100	1,313
Official	B06808 Rt 4316/10	2.1				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	105	271	100	271
Official	B06808 Rt 4316/20		B609	1	60	031	04	40			4	1	5	2				5	07					240	100	240
Official	B06808 Rt 4316/30	1.9				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	95	246	100	246
Official	B06808 Rt 4317/10	5.9				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	295	206	100	206
Official	B06808 Rt 4317/20		B169	1	40	031	04	40			4	1	5	2				5	07					160	100	160
Official	B06808 Rt 4317/30	1.5				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	75	52	100	52
Official	B06808 Rt 4317/40		B070	9	130	031	04	40			4	1	5	2				5	07						100	
Official	B06808 Rt 4317/50	0.6				031	04	40	1974		4	2	5	2		4	80	5	07	G	74	11	30	21	100	21
Official	B06808 Rt 4318/10	2.0				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258
Official	B06808 Rt 4318/20	1.0				031	04	40	1974		4	2	5	2	3	5	80	5	07	G	74	11	50	35	100	35
Official	B06808 Rt 4318/30	1.0				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
Official	B06808 Rt 4318/40	1.0				031	04	40	1974		4	2	5	2	3	5	80	5	07	G	74	11	50	35	100	35
Official	B06808 Rt 4319/10	0.7				031	04	40	1990	176		2	5	3		4	80	3	07			261			100	
Official	B06808 Rt 4319/20		B649	9	104	031	04	40			4	1	5	2				5	07						100	
Official	B06808 Rt 4319/30	2.0				031	04	40	1990	176		2	5	3		4	80	3	07			261			100	
Official	B06808 Rt 4319/40		B650	1	238	031	04	40			4	1	5	2				5	07					952	100	952
Official	B06808 Rt 4319/50	5.3				031	04	40	1990	176		2	5	3		4	80	3	07			261			100	
Official	B06808 Rt 4320/10	3.0				031	04	40	1974		4	2	5	2	3	5	50	5	07	G	74	11	150	105	100	105
Official	B06808 Rt 4320/20	1.0				031	04	40	1974		4	2	5	2		3	80	5	07	G	74	11	50	129	100	129
Official	B06808 Rt 4320/30	1.0				031	04	40	1974		4	2	5	2	3	5	50	5	07	G	74	11	50	35	100	35
Official	B06808 Rt 4323/10	3.0				031	04	40	1989	40		2	5	3		1	0	5	07			59			100	
Official	B06808 Rt 4423/10	3.0				031	04	40	1974		4	2	5	2		1	0	5	07	G	74	11	150	388	100	388
Returned-To-Fi	B06808 Rt 6065/1	0.4				015	04	40	2003	44	3	1	2	2		4	80	5	07	G	65	18	18	18	100	18
Official	B06808 Rt 6619/10	3.0				031	04	40	1989	216	4	2	5	2		1	0	5	07	P	321	11	648	975	100	975
Official	B06808 Rt 6620/10	3.0				031	04	40	1989	180	4	2	5	2		1	0	5	07	P	267	11	540	975	100	975
Official	B06808 Rt 6621/10	4.0				031	04	40	1989	115	4	2	5	2		1	0	5	07	G	171	11	460	517	100	517
Official	B06808 Rt 6622/10	2.0				031	04	40	1989	108	4	2	5	2		1	0	5	07	G	160	11	216	258	100	258
Official	B06808 Rt 6623/10	0.9				031	04	40	1989	102	4	2	5	2		1	0	5	07	G	151	11	92	116	100	116
Official	B06808 Rt 6623/20		B187	9	360	031	04	40			4	1	5	2				5	07						100	
Official	B06808 Rt 6623/30	1.0				031	04	40	1989	102	4	2	5	2		1	0	5	07	G	151	11	102	129	100	129
Official	B06808 Rt 6624/10	3.0				031	04	40	1989	95	4	2	5	2		1	0	5	07	G	141	11	285	388	100	388
Official	B06808 Rt 6625/10	3.0				031	04	40	1989	80	4	2	5	2		1	0	5	07	G	119	11	240	388	100	388
Official	B06808 Rt 6626/10	3.2				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	192	413	100	413
Official	B06808 Rt 6626/20		B740	1	20	031	04	40			4	1	5	2				5	07					80	100	80



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)		
Official	B06808 Rt 6626/30	0.8				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103		
Official	B06808 Rt 6627/10	0.7				031	04	40	1989	65	4	2	5	2		1	0	5	07	G	97	11	46	90	100	90		
Official	B06808 Rt 6628/10	1.7				031	04	40	1990	60	4	2	5	2		1	0	5	07	G	89	11	102	220	100	220		
Official	B06808 Rt 6628/20		B632	9	102	031	04	40			4	1	5	2											100			
Official	B06808 Rt 6628/30	3.2				031	04	40	1990	60	4	2	5	2		1	0	5	07	G	89	11	192	413	100	413		
Official	B06808 Rt 6628/40		B195	9	174	031	04	40			4	1	5	2											100			
Official	B06808 Rt 6628/50	3.4				031	04	40	1990	60	4	2	5	2		1	0	5	07	G	89	11	204	439	100	439		
Official	B06808 Rt 6629/10	0.1				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13		
Official	B06808 Rt 6629/20		B951	1	128	031	04	40			4	1	5	2											512	100	512	
Official	B06808 Rt 6629/30	3.9				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	312	504	100	504		
Official	B06808 Rt 6630/10	1.0				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129		
Official	B06808 Rt 6631/10	2.0				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258		
Official	B06808 Rt 6632/10	1.0				031	04	40	1989		4	2	5	2		4	26	5	07	G	74	11	50	35	100	35		
Official	B06808 Rt 6633/10	0.8				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	40	103	100	103		
Official	B06808 Rt 6633/20		B185	1	170	031	04	40			4	1	5	2											680	100	680	
Official	B06808 Rt 6633/30	0.1				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13		
Official	B06808 Rt 6633/40		B186	1	20	031	04	40			4	1	5	2											80	100	80	
Official	B06808 Rt 6633/50	2.1				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	105	271	100	271		
Official	B06808 Rt 6634/10	2.0				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258		
Official	B06808 Rt 6635/10	5.0				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	250	646	100	646		
Official	B06808 Rt 6636/10	1.0				031	04	40	1989		4	2	5	2		4	26	5	07	G	74	11	50	35	100	35		
Official	B06808 Rt 6637/10	2.0				031	04	40	1989	155	4	2	5	2		1	0	5	07	G	230	11	310	258	100	258		
Official	B06808 Rt 6638/10	1.5				031	04	40	1989	120	4	2	5	2		1	0	5	07	G	178	11	180	194	100	194		
Official	B06808 Rt 6639/10	0.5				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65		
Official	B06808 Rt 6640/10	4.0				031	04	40	1989	107	4	2	5	2		4	26	5	07	G	159	11	428	140	100	140		
Official	B06808 Rt 6641/10	1.0				031	04	40	1989	102	4	2	5	2		4	26	5	07	G	151	11	102	35	100	35		
Official	B06808 Rt 6642/10	1.0				031	04	40	1989	100	4	2	5	2		4	26	5	07	G	149	11	100	35	100	35		
Official	B06808 Rt 6643/10	0.5				031	04	40	1990	95	4	2	5	2		4	80	3	07	G	141	11	48	172	100	172		
Official	B06808 Rt 6643/20		B936	1	95	031	04	40			4	1	5	2											380	100	380	
Official	B06808 Rt 6643/30	1.5				031	04	40	1992	95	4	2	5	2		4	80	3	07	G	141	11	143	515	100	515		
Official	B06808 Rt 6643/40		B621	1	30	031	04	40			4	1	5	2											120	100	120	
Official	B06808 Rt 6643/50	0.3				031	04	40	1992	95	4	2	5	2		4	80	3	07	G	141	11	29	103	100	103		
Official	B06808 Rt 6644/10	0.7				031	04	40	1989		2	2	5	2		4	28	5	07	P	149	8	70	165	100	165		
Official	B06808 Rt 6645/10	3.0				031	04	40	1989		2	2	5	2		4	28	5	07	P	149	8	300	705	100	705		
Official	B06808 Rt 6646/10	2.1				031	04	40	1989		2	2	5	2		4	28	5	07	P	149	8	210	494	100	494		
Official	B06808 Rt 6647/10	0.5				031	04	40	1989		2	2	5	2		1	0	5	07	P	149	8	50	118	100	118		
Official	B06808 Rt 6648/10	1.1				031	04	40	1999	1241	2	2	5	2		1	4	20	5	07	P	1,843	5	1,365	423	100	423	
Official	B06808 Rt 6648/20		B188	9	195	031	04	40			2	1	5	2												100		
Official	B06808 Rt 6648/30	5.5				031	04	40	1999	1241	2	2	5	2		1	4	20	5	07	P	1,843	5	6,826	2,116	100	2,116	
Official	B06808 Rt 6648/40		B189	9	230	031	04	40			2	1	5	2												100		
Official	B06808 Rt 6648/50	1.4				031	04	40	1999	1241	2	2	5	2		1	4	20	5	07	P	1,843	5	1,737	539	100	539	
Official	B06808 Rt 6649/10	3.0				031	04	40	1989	67	4	2	5	2		4	28	5	07	G	99	11	201	105	100	105		
Official	B06808 Rt 6670/10	2.0				031	04	40	1989		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258		
Official	B06808 Rt 6694/10	0.1				033	04	40	1992	120	4	2	5	2		1	0	5	07	G	178	11	12	13	100	13		
Official	B06808 Rt 6694/20		B190	9	90	033	04	40			4	1	5	0												100		
Official	B06808 Rt 6694/30	0.4				033	04	40	1992	120	4	2	5	2		1	0	5	07	G	178	11	48	52	100	52		
Official	B06808 Rt 6694/40		B191	1	34	033	04	40			4	1	5	2												136	100	136
Official	B06808 Rt 6694/50	1.6				033	04	40	1992	120	4	2	5	2		1	0	5	07	G	178	11	192	207	100	207		
Official	B06808 Rt 6694/60		B129	9	74	033	04	40			4	1	5	2												100		
Official	B06808 Rt 6694/70	0.6				033	04	40	1992	120	4	2	5	2		1	0	5	07	G	178	11	72	78	100	78		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06808 Rt 6694/80		B193	1	28	033	04	40			4	1	5	2			5	07						112	100	112
Official	B06808 Rt 6694/90	0.3				033	04	40	1992	120	4	2	5	2		1	0	5	07	G	178	11	36	39	100	39
Returned-To-Fi	B06808 Rt 6694/100	2.0				033	04	40	1992	60	4	2	5	2		3	0	3	07	G	89	11	120	875	100	875
Official	B06808 Rt 6695/10	0.8				031	04	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	128	103	100	103
Official	B06808 Rt 6695/20		B623	1	22	031	04	40			4	1	5	2			5	07						88	100	88
Official	B06808 Rt 6695/30	0.4				031	04	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	64	52	100	52
Official	B06808 Rt 6695/40		B613	1	112	031	04	40			4	1	5	2			5	07						448	100	448
Official	B06808 Rt 6695/50	0.8				031	04	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	128	103	100	103
Official	B06808 Rt 6697/10	2.6				031	04	40	1992	160	4	2	5	2		3	80	2	07	G	238	11	416	1,108	100	1,108
Official	B06808 Rt 6697/20		B627	1	40	031	04	40			4	1	5	2			5	07						160	100	160
Official	B06808 Rt 6697/30	0.6				031	04	40	1992	160	4	2	5	2		3	80	2	07	G	238	11	96	256	100	256
Official	B06808 Rt 6697/40		B628	1	46	031	04	40			4	1	5	2			5	07						184	100	184
Official	B06808 Rt 6697/50	3.9				031	04	40	1992	160	4	2	5	2		3	80	2	07	G	238	11	624	1,661	100	1,661
Official	B06808 Rt 6698/5	0.2				033	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	16	26	100	26
Official	B06808 Rt 6698/7		B194	9	24	033	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6698/10	4.9				033	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	392	633	100	633
Official	B06808 Rt 6698/20		B629	9	40	033	04	40			4	1	5	0			5	07						100		
Official	B06808 Rt 6698/30	1.1				033	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	88	142	100	142
Official	B06808 Rt 6700/10	1.3				031	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	130	168	100	168
Official	B06808 Rt 6700/20		B631	1	25	031	04	40			4	1	5	2			5	07						100	100	100
Official	B06808 Rt 6700/30	0.7				031	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	70	90	100	90
Official	B06808 Rt 6701/10	0.4				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	40	52	100	52
Official	B06808 Rt 6701/20		B622	9	143	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6701/30	0.8				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B06808 Rt 6701/40		B633	9	188	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6701/50	0.3				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	30	39	100	39
Official	B06808 Rt 6701/60		B634	1	22	031	04	40			4	1	5	0			5	07						100		
Official	B06808 Rt 6701/70	0.4				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	40	52	100	52
Official	B06808 Rt 6701/80		B196	1	22	031	04	40			4	1	5	2			5	07						88	100	88
Official	B06808 Rt 6701/90	0.6				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	60	78	100	78
Official	B06808 Rt 6701/100		B197	1	96	031	04	40			4	1	5	2			5	07						384	100	384
Official	B06808 Rt 6701/110	0.6				031	04	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	60	78	100	78
Official	B06808 Rt 6702/10	1.8				015	06	40	1990	535	4	2	5	2		4	46	3	07	P	794	11	963	1,140	100	1,140
Official	B06808 Rt 6702/20		B635	1	221	015	06	40			4	1	5	2			5	07						884	100	884
Official	B06808 Rt 6702/30	0.7				015	06	40	1990	535	4	2	5	2		4	26	3	07	P	794	11	375	443	100	443
Official	B06808 Rt 6707/10	0.7				015	06	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	56	90	100	90
Official	B06808 Rt 6707/20		B643	1	76	015	06	40			4	1	5	2			5	07						304	100	304
Official	B06808 Rt 6707/30	0.6				015	06	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78
Official	B06808 Rt 6707/40		B644	1	41	015	06	40			4	1	5	2			5	07						164	100	164
Official	B06808 Rt 6707/50	0.7				015	06	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	56	90	100	90
Official	B06808 Rt 6709/10	0.9				031	04	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	81	116	100	116
Official	B06808 Rt 6709/20		B646	9	62	015	06	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6709/30	2.1				031	04	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	189	271	100	271
Official	B06808 Rt 6710/10	1.7				031	04	40	1990	75	4	2	5	2		1	0	5	07	G	111	11	128	220	100	220
Official	B06808 Rt 6710/20		B647	9	214	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6710/30	0.9				031	04	40	1990	75	4	2	5	2		1	0	5	07	G	111	11	68	116	100	116
Official	B06808 Rt 6710/40		B648	1	41	031	04	40			4	1	5	2			5	07						164	100	164
Official	B06808 Rt 6710/50	0.4				031	04	40	1990	75	4	2	5	2		1	0	5	07	G	111	11	30	52	100	52
Official	B06808 Rt 6711/10	0.4				033	04	40	1990	162	4	2	5	2		1	0	5	07	G	241	11	65	52	100	52
Official	B06808 Rt 6711/20		B651	1	102	033	04	40			4	1	5	2			5	07						408	100	408



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06808 Rt 6711/30	1.6				033	04	40	1990	162	4	2	5	2		1	0	5	07	G	241	11	259	207	100	207
Official	B06808 Rt 6712/10	2.2				033	04	40	1990		4	2	5	2		1	0	5	07	G	74	11	110	284	100	284
Official	B06808 Rt 6712/20		B652	1	32	033	04	40			4	1	5	2			5	07						128	100	128
Official	B06808 Rt 6712/30	2.7				033	04	40	1990		4	2	5	2		1	0	5	07	G	74	11	135	349	100	349
Official	B06808 Rt 6712/40		B198	1	24	033	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 6712/50	0.1				033	04	40	1990		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B06808 Rt 6713/10	0.7				033	04	40	1990		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90
Official	B06808 Rt 6713/20		B653	1	135	033	04	40			4	1	5	2			5	07						540	100	540
Official	B06808 Rt 6713/30	2.3				033	04	40	1990		4	2	5	2		1	0	5	07	G	74	11	115	297	100	297
Official	B06808 Rt 6714/10	1.9				033	04	40	1990	60	4	2	5	2		1	0	5	07	G	89	11	114	246	100	246
Official	B06808 Rt 6714/20		B654	9	182	033	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6714/30	0.1				033	04	40	1990	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B06808 Rt 6751/10	0.8				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	64	103	100	103
Official	B06808 Rt 6751/20		B937	1	24	031	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 6751/30	2.2				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	176	284	100	284
Official	B06808 Rt 6752/10	0.7				031	04	40	1999	220	4	2	5	2		4	80	3	07	P	327	11	154	443	100	443
Official	B06808 Rt 6752/20		B938	1	40	031	04	40			4	1	5	2			5	07						160	100	160
Official	B06808 Rt 6752/30	1.3				031	04	40	1992	630	4	2	5	2		4	80	3	07	P	936	11	819	823	100	823
Official	B06808 Rt 6753/10	0.9				031	04	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	90	309	100	309
Official	B06808 Rt 6753/20		B940	1	24	031	04	40			4	1	5	2			5	07						96	100	96
Official	B06808 Rt 6753/30	0.6				031	04	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	60	206	100	206
Official	B06808 Rt 6753/40		B955	1	34	031	04	40			4	1	5	2			5	07						136	100	136
Official	B06808 Rt 6753/50	0.1				031	04	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	10	34	100	34
Official	B06808 Rt 6753/60		B180	1	26	031	04	40			4	1	5	2			5	07						104	100	104
Official	B06808 Rt 6753/70	1.9				031	04	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	190	652	100	652
Official	B06808 Rt 6753/80		B181	1	20	031	04	40			4	1	5	2			5	07						80	100	80
Official	B06808 Rt 6753/90	0.5				031	04	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	50	172	100	172
Official	B06808 Rt 6754/10	0.4				031	04	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	52	52	100	52
Official	B06808 Rt 6754/20		B941	9	100	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6754/30	0.4				031	04	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	52	52	100	52
Official	B06808 Rt 6754/40		B942	1	60	031	04	40			4	1	5	2			5	07						240	100	240
Official	B06808 Rt 6754/50	0.6				031	04	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	78	78	100	78
Official	B06808 Rt 6754/60		B943	9	100	031	04	40			4	1	5	2			5	07						78	100	78
Official	B06808 Rt 6754/70	0.6				031	04	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	78	78	100	78
Official	B06808 Rt 6755/10	0.5				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06808 Rt 6755/20		B944	9	114	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6755/30	0.5				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06808 Rt 6756/10	0.4				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	32	52	100	52
Official	B06808 Rt 6756/20		B945	9	66	031	04	40			4	1	5	2			5	07						100		
Official	B06808 Rt 6756/30	0.6				031	04	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78
Official	B06808 Rt 6757/10	0.1				031	04	40	1992	425	4	2	5	2		4	80	3	07	P	631	11	43	63	100	63
Official	B06808 Rt 6757/20		B946	1	100	031	04	40			4	1	5	2			5	07						400	100	400
Official	B06808 Rt 6757/30	0.9				031	04	40	1999	76	4	2	5	2		4	80	3	07	G	113	11	68	309	100	309
Official	B06808 Rt 6758/10	0.1				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B06808 Rt 6758/20		B947	1	102	031	04	40			4	1	5	2			5	07						408	100	408
Official	B06808 Rt 6758/30	0.9				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	54	116	100	116
Official	B06808 Rt 6758/40		B934	1	115	031	04	40			4	1	5	2			5	07						460	100	460
Official	B06808 Rt 6758/50	0.1				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B06808 Rt 6759/10	2.0				031	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	200	258	100	258
Official	B06808 Rt 6759/20		B948	1	30	031	04	40			4	1	5	2			5	07						120	100	120



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B06808 Rt 6759/30	0.2				031	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26	
Official	B06808 Rt 6760/10	0.1				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13	
Official	B06808 Rt 6760/20		B949	1	83	031	04	40			4	1	5	2				5	07					332	100	332	
Official	B06808 Rt 6760/30	0.7				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	42	90	100	90	
Official	B06808 Rt 6760/40		B950	1	170	031	04	40			4	1	5	2				5	07					680	100	680	
Official	B06808 Rt 6760/50	0.3				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	18	39	100	39	
Official	B06808 Rt 6761/10	0.7				031	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	53	90	100	90	
Official	B06808 Rt 6761/20		B956	1	31	031	04	40			4	1	5	2				5	07					124	100	124	
Official	B06808 Rt 6761/30	0.3				031	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	23	39	100	39	
Returned-To-Fi	B06808 Rt 6762/10	4.0				031	04	40	2003		4	2	5	2		3	60	5	07	G	74	11	200	517	100	517	
Returned-To-Fi	B06808 Rt 6763/1	0.5				031	04	40	2003	100	4	1	5	2		3	40	4	07	G	149	10	50	151	100	151	
Returned-To-Fi	B06808 Rt 6763/2	0.3				031	04	40	2003	150									07		223		45		100		
Returned-To-Fi	B06808 Rt 6763/3	0.7				031	04	40	2003	100	4	2	5	2		3	40	4	07	G	149	11	70	306	100	306	
Returned-To-Fi	B06808 Rt 6764/1	0.5				031	04	40	2003	140	4	1	5	2		3	40	4	07	G	208	10	70	151	100	151	
Returned-To-Fi	B06808 Rt 6764/2	0.7				031	04	40	2003	137	4	1	5	2		4	80	5	07	G	203	10	96	23	100	23	
Returned-To-Fi	B06808 Rt 6764/3		21337000	9	272	031	04	40			4	1	5	2				5	07						100		
			0000000																								
Returned-To-Fi	B06808 Rt 6764/4	0.3				031	04	40	2003	129	4	1	5	2		4	80	5	07	G	192	10	39	10	100	10	
Returned-To-Fi	B06808 Rt 6764/5	2.0				031	04	40	2003	75	4	2	5	2		3	40	4	07	G	111	11	150	875	100	875	
Official	B06808 Rt 6765/10	0.2				031	04	40	1992	74	4	2	5	2		1	0	5	07	G	110	11	15	26	100	26	
Official	B06808 Rt 6765/20		B957	9	78	031	04	40			4	1	5	2				5	07						100		
Official	B06808 Rt 6765/30	3.8				031	04	40	1992	74	4	2	5	2		1	0	5	07	G	110	11	281	491	100	491	
Official	B06808 Rt 6766/10	3.1				031	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	233	401	100	401	
Official	B06808 Rt 6766/20		B754	1	102	031	04	40			4	1	5	2				5	07					408	100	408	
Official	B06808 Rt 6766/30	0.9				031	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	68	116	100	116	
Official	B06808 Rt 6767/10	0.3				031	04	40	1992	84	4	2	5	2		1	0	5	07	G	125	11	25	39	100	39	
Official	B06808 Rt 6767/20		B958	1	41	031	04	40			4	1	5	2				5	07					164	100	164	
Official	B06808 Rt 6767/30	0.7				031	04	40	1992	84	4	2	5	2		1	0	5	07	G	125	11	59	90	100	90	
Official	B06808 Rt 6768/10	0.5				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65	
Official	B06808 Rt 6768/20		B959	1	66	031	04	40			4	1	5	2				5	07					264	100	264	
Official	B06808 Rt 6768/30	0.8				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103	
Official	B06808 Rt 6768/40		B935	1	60	031	04	40			4	1	5	2				5	07					240	100	240	
Official	B06808 Rt 6768/50	0.7				031	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	42	90	100	90	
Official	B06808 Rt 6769/10	0.8				031	04	40	1999	103	4	2	5	2		1	0	5	07	G	153	11	82	103	100	103	
Official	B06808 Rt 6769/20		B960	9	174	031	04	40			4	1	5	2				5	07						100		
Official	B06808 Rt 6769/30	0.2				031	04	40	1992	286	4	2	5	2		1	0	5	07	P	425	11	57	65	100	65	
Official	B06808 Rt 6770/10	0.6				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	36	78	100	78	
Official	B06808 Rt 6770/20		B961	1	20	033	04	40			4	1	5	2				5	07					80	100	80	
Official	B06808 Rt 6770/30	1.4				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	84	181	100	181	
Official	B06808 Rt 6771/10	1.8				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	108	233	100	233	
Official	B06808 Rt 6771/20		B760	1	57	033	04	40			4	1	5	2				5	07					228	100	228	
Official	B06808 Rt 6771/30	0.2				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26	
Official	B06808 Rt 6773/10	1.1				033	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	83	142	100	142	
Official	B06808 Rt 6773/20		B762	1	37	033	04	40			4	1	5	2				5	07					148	100	148	
Official	B06808 Rt 6773/30	1.1				033	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	83	142	100	142	
Official	B06808 Rt 6773/40		B763	1	20	033	04	40			4	1	5	2				5	07					80	100	80	
Official	B06808 Rt 6773/50	0.8				033	04	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	60	103	100	103	
Official	B06808 Rt 6774/10	2.3				033	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	230	297	100	297	
Official	B06808 Rt 6774/20		B764	1	30	033	04	40			4	1	5	2				5	07					120	100	120	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06808 Rt 6774/30	1.7				033	04	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	170	220	100	220
Official	B06808 Rt 6775/10	0.3				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	18	39	100	39
Official	B06808 Rt 6775/20		B765	1	47	033	04	40			4	1	5	2				5	07					188	100	188
Official	B06808 Rt 6775/30	4.7				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	282	607	100	607
Official	B06808 Rt 6776/10	1.7				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	102	220	100	220
Official	B06808 Rt 6776/20		B962	1	20	033	04	40			4	1	5	2				5	07					80	100	80
Official	B06808 Rt 6776/30	0.3				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	18	39	100	39
Official	B06808 Rt 6777/10	1.1				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	97	142	100	142
Official	B06808 Rt 6777/20		B768	1	40	033	04	40			4	1	5	2				5	07					160	100	160
Official	B06808 Rt 6777/30	0.4				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	35	52	100	52
Official	B06808 Rt 6778/10	2.9				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	255	375	100	375
Official	B06808 Rt 6778/20		B769	1	30	033	04	40			4	1	5	2				5	07					120	100	120
Official	B06808 Rt 6778/30	1.1				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	97	142	100	142
Official	B06808 Rt 6779/10	0.7				033	04	40	1992	76	4	2	5	2		1	0	5	07	G	113	11	53	90	100	90
Official	B06808 Rt 6779/20		B770	1	103	033	04	40			4	1	5	2				5	07					412	100	412
Official	B06808 Rt 6779/30	1.3				033	04	40	1992	76	4	2	5	2		1	0	5	07	G	113	11	99	168	100	168
Official	B06808 Rt 6781/10	0.5				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	44	65	100	65
Official	B06808 Rt 6781/20		B772	1	20	033	04	40			4	1	5	2				5	07					80	100	80
Official	B06808 Rt 6781/30	0.5				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	44	65	100	65
Official	B06808 Rt 6782/10	2.2				033	04	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	154	284	100	284
Official	B06808 Rt 6782/20		B773	1	26	033	04	40			4	1	5	2				5	07					104	100	104
Official	B06808 Rt 6782/30	0.8				033	04	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	56	103	100	103
Official	B06808 Rt 6783/10	0.8				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	70	103	100	103
Official	B06808 Rt 6783/20		B774	1	23	033	04	40			4	1	5	2				5	07					92	100	92
Official	B06808 Rt 6783/30	0.2				033	04	40	1992	88	4	2	5	2		1	0	5	07	G	131	11	18	26	100	26
Official	B06808 Rt 6784/10	0.2				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26
Official	B06808 Rt 6784/20		B775	1	22	033	04	40			4	1	5	2				5	07					88	100	88
Official	B06808 Rt 6784/30	1.8				033	04	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	108	233	100	233
Official	B06808 Rt 6785/10	1.3				033	04	40	1992	170	4	2	5	2		4	20	3	07	P	252	11	221	823	100	823
Official	B06808 Rt 6785/20		B776	1	32	033	04	40			4	1	5	2				5	07					128	100	128
Official	B06808 Rt 6785/30	0.7				033	04	40	1992	170	4	2	5	2		4	20	3	07	P	252	11	119	443	100	443
Official	B06808 Rt 6817/10	0.5				031	04	40	1997	150	4	2	5	2		4	40	3	07	G	223	11	75	172	100	172
Official	B06808 Rt 6817/20		B614	1	60	031	04	40			4	1	5	2				5	07					240	100	240
Official	B06808 Rt 6817/30	0.5				031	04	40	1992	150	4	2	5	2		4	40	3	07	G	223	11	75	172	100	172
Official	B06808 Rt 6818/10	0.9				031	04	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	135	116	100	116
Official	B06808 Rt 6818/20		B615	1	50	031	04	40			4	1	5	2				5	07					200	100	200
Official	B06808 Rt 6818/30	0.1				031	04	40	1997	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B06808 Rt 6827/10	2.2				031	04	40	1999	1527	4	2	5	0		5	0	3	07	P	2,268	11	3,359		100	
Official	B06808 Rt 6827/20		B939	9	22	031	04	40			4	1	5	0				5	07						100	
Official	B06808 Rt 6827/30	0.9				031	04	40	1992	300	4	2	5	0		5	0	3	07	P	446	11	270		100	
Official	B06808 Rt 6828/10	3.0				031	04	40	1992	220	4	2	5	2		1	0	5	07	P	327	11	660	975	100	975
Official	B06808 Rt 6854/10	0.8				031	04	40	1997	100	4	2	5	2		4	26	2	07	G	149	11	80	265	100	265
Official	B06808 Rt 6854/20		B952	1	22	031	04	40			4	1	5	2				5	07					88	100	88
Official	B06808 Rt 6854/30	1.0				031	04	40	1997	100	4	2	5	2		4	26	2	07	G	149	11	100	332	100	332
Official	B06808 Rt 6854/40		B953	1	78	031	04	40			4	1	5	2				5	07					312	100	312
Official	B06808 Rt 6854/50	0.6				031	04	40	1997	100	4	2	5	2		4	26	2	07	G	149	11	60	199	100	199
Official	B06808 Rt 6854/60		B954	1	20	031	04	40			4	1	5	2				5	07					80	100	80
Official	B06808 Rt 6854/70	1.6				031	04	40	1997	100	4	2	5	2		4	26	2	07	G	149	11	160	531	100	531
Official	B06808 Rt 6856/10	3.4				031	04	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	340	439	100	439
Official	B06808 Rt 6856/20		B179	1	22	031	04	40			4	1	5	2				5	07					88	100	88



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B06808 Rt 6856/30	0.6				031	04	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	60	78	100	78	
Official	B06808 Rt 6865/10	0.7				031	04	40	1997		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90	
Official	B06808 Rt 6866/10	0.5				033	04	40	1997		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65	
Official	B06808 Rt 6871/10	0.5				031	04	40			8	1	2	2		0	0	0	07		30	19	10	13	100	13	
Official	B06808 Rt 6883/10	1.0				031	04	40	2000	100	4	2	2	2		1	0	2	07	G	149	11	100	426	100	426	
Official	B06808 Rt 6887/10	0.2				031	04	40	2001	100	4	1	4	2		4	24	3	07	G	149	10	20	41	100	41	
Returned-To-Fi	B06808 Rt 6900/1	7.4				031	04	40	2003	100	4	2	5	2		4	20	4	07	G	149	11	740	2,541	100	2,541	
Returned-To-Fi	B06808 Rt 6900/2		14582000	1	34	031	04	40			4	1	5	2			5	07						136	100	136	
			0000000																								
Returned-To-Fi	B06808 Rt 6900/3	1.1				031	04	40	2003	150	4	1	5	2		4	20	3	07	G	223	10	165	223	100	223	
Official	B06808 Rt 6950/10	0.7				031	04	40	2001	60	4	2	5	2		1	0	5	07	G	89	11	42	90	100	90	
Official	B06809 Rt 0804/10	1.9				015	06	40	1974		4	2	5	2		1	0	5	07	G	74	11	95	246	100	246	
Official	B06809 Rt 0804/20		B019	1	24	015	06	40			4	1	5	2			5	07						96	100	96	
Official	B06809 Rt 0804/30	0.3				015	06	40	1974		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39	
Official	B06809 Rt 0804/40		B022	1	48	015	06	40			4	1	5	2			5	07						192	100	192	
Official	B06809 Rt 0804/50	1.8				015	06	40	1974		4	2	5	2		1	0	5	07	G	74	11	90	233	100	233	
Official	B06809 Rt 4810/10	0.8				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	64	103	100	103	
Official	B06809 Rt 4810/20		B920	1	21	015	06	40			4	1	5	2			5	07						84	100	84	
Official	B06809 Rt 4810/30	2.1				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	168	271	100	271	
Official	B06809 Rt 4810/40		B921	1	30	015	06	40			4	1	5	2			5	07						120	100	120	
Official	B06809 Rt 4810/50	0.1				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13	
Official	B06809 Rt 4812/10	14.0				015	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	2,100	1,809	100	1,809	
Official	B06809 Rt 4813/10	7.7				015	06	40	1989	210	4	1	5	2		1	0	5	07	P	312	10	1,617	2,546	100	2,546	
Official	B06809 Rt 4813/20		B974	1	20	015	06	40			4	1	5	2			5	07						80	100	80	
Official	B06809 Rt 4813/30	0.1				015	06	40	1989	210	4	1	5	2		1	0	5	07	P	312	10	21	33	100	33	
Official	B06809 Rt 4813/40		B602	1	20	015	06	40			4	1	5	2			5	07						80	100	80	
Official	B06809 Rt 4813/50	6.2				015	06	40	1989	210	4	1	5	2		1	0	5	07	P	312	10	1,302	2,050	100	2,050	
Official	B06809 Rt 4814/10	2.0				015	06	40	1989	65	4	2	5	2		1	0	5	07	G	97	11	130	258	100	258	
Official	B06809 Rt 4815/10	0.5				015	06	40	1989	98	4	1	5	0		5	0	3	07	G	146	10	49		100		
Official	B06809 Rt 4815/20		B603	9	74	015	06	40			4	1	5	0			5	07							100		
Official	B06809 Rt 4815/30	0.5				015	06	40	1989	98	4	1	5	0		5	0	3	07	G	146	10	49		100		
Official	B06809 Rt 4816/10	1.0				015	06	40	1989	65	4	2	5	2		1	0	5	07	G	97	11	65	129	100	129	
Official	B06809 Rt 4817/10	2.5				015	06	40	1989	65	4	2	5	2		1	0	5	07	G	97	11	163	323	100	323	
Official	B06809 Rt 4818/10	0.3				015	06	40	1992	65	4	2	5	0		5	0	3	07	G	97	11	20		100		
Official	B06809 Rt 4818/20		B923	9	24	015	06	40			4	1	5	0			5	07							100		
Official	B06809 Rt 4818/30	0.6				015	06	40	1992	65	4	2	5	0		5	0	3	07	G	97	11	39		100		
Official	B06809 Rt 4818/40		B922	9	40	015	06	40			4	1	5	0			5	07							100		
Official	B06809 Rt 4818/50	1.1				015	06	40	1992	65	4	2	5	0		5	0	3	07	G	97	11	72		100		
Official	B06809 Rt 4819/10	1.0				015	06	40	1989	70	4	2	5	2		1	0	5	07	G	104	11	70	129	100	129	
In-Process	B06809 Rt 6602/10	0.8				015	06	40	1999	243	4	2	5	2		4	28	3	07	P	361	11	194	507	100	507	
Official	B06809 Rt 6602/10	0.8				015	06	40	1999	243	4	2	1	1		4	40	3	07	P	361	11	194	507	100	507	
In-Process	B06809 Rt 6602/15		B618	1	70	015	06	40			4		1	2					07						280	100	280
Official	B06809 Rt 6602/15		B618	1	70	015	06	40			4	1	1	1			5	07						280	100	280	
In-Process	B06809 Rt 6602/20	2.1				015	06	40	1989	200	4	2	5	2		4	40	3	07	P	297	11	420	1,330	100	1,330	
Official	B06809 Rt 6602/20	2.1				015	06	40	1989	200	4	2	1	1		4	40	3	07	P	297	11	420	1,330	100	1,330	
In-Process	B06809 Rt 6602/30		B605	1	98	015	06	40			4		1	1					07						392	100	392
Official	B06809 Rt 6602/30		B605	1	98	015	06	40			4	1	1	1			5	07						392	100	392	
In-Process	B06809 Rt 6602/40	3.3				015	06	40	1989	200	4	2	5	2		4	40	3	07	P	297	11	660	2,090	100	2,090	
Official	B06809 Rt 6602/40	3.3				015	06	40	1989	200	4	2	1	1		4	40	3	07	P	297	11	660	2,090	100	2,090	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	B06809 Rt 6602/50		B619	1	34	015	06	40			4		5	2										136	100	136
Official	B06809 Rt 6602/50		B619	1	34	015	06	40			4	1	1	1				5	07					136	100	136
In-Process	B06809 Rt 6602/60	6.8				015	06	40	1989	200	4	2	5	2		4	40	3	07	P	297	11	1,360	4,307	100	4,307
Official	B06809 Rt 6602/60	6.8				015	06	40	1989	200	4	2	1	1		4	40	3	07	P	297	11	1,360	4,307	100	4,307
Official	B06809 Rt 6603/10	1.6				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	96	207	100	207
Official	B06809 Rt 6603/20		B683	1	38	015	06	40			4	1	5	2				5	07					152	100	152
Official	B06809 Rt 6603/30	0.7				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	42	90	100	90
Official	B06809 Rt 6604/10	1.0				015	06	40	1989		4	2	5	2		4	80	3	07	G	74	11	50	343	100	343
Official	B06809 Rt 6605/10	2.0				015	06	40	1989	100	4	2	5	0		5	0	3	07	G	149	11	200		100	
Official	B06809 Rt 6650/10	3.0				015	06	40	1989	354	4	2	5	2		4	28	3	07	P	526	11	1,062	1,900	100	1,900
Official	B06809 Rt 6652/10	1.0				015	06	40	1989	71	4	2	5	2		1	0	5	07	G	105	11	71	129	100	129
Official	B06809 Rt 6706/10	0.2				015	06	40	1990		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26
Official	B06809 Rt 6706/20		B641	1	56	015	06	40			4	1	5	2				5	07					224	100	224
Official	B06809 Rt 6706/30	1.8				015	06	40	1990		4	2	5	2		1	0	5	07	G	74	11	90	233	100	233
Official	B06809 Rt 6720/10	1.1				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	55	142	100	142
Official	B06809 Rt 6720/20		B677	1	41	015	06	40			4	1	5	2				5	07					164	100	164
Official	B06809 Rt 6720/30	0.9				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	45	116	100	116
Official	B06809 Rt 6723/10	0.6				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78
Official	B06809 Rt 6723/20		B682	1	40	015	06	40			4	1	5	2				5	07					160	100	160
Official	B06809 Rt 6723/30	1.4				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	112	181	100	181
Official	B06809 Rt 6724/10	0.2				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	14	26	100	26
Official	B06809 Rt 6724/20		B685	1	40	015	06	40			4	1	5	2				5	07					160	100	160
Official	B06809 Rt 6724/30	2.1				015	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	147	271	100	271
Official	B06809 Rt 6724/40		B684	1	20	015	06	40			4	1	5	2				5	07					80	100	80
Official	B06809 Rt 6724/50	0.7				015	06	40	1992	70	4	2	5	2		3	26	3	07	G	104	11	49	306	100	306
Official	B06809 Rt 6725/10	0.5				015	06	40	1992	210	4	2	5	2		1	0	5	07	P	312	11	105	162	100	162
Official	B06809 Rt 6725/20		B686	1	20	015	06	40			4	1	5	2				5	07					80	100	80
Official	B06809 Rt 6725/30	1.5				015	06	40	1992	210	4	2	5	2		1	0	5	07	P	312	11	315	487	100	487
Official	B06809 Rt 6726/10	2.4				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	120	310	100	310
Official	B06809 Rt 6726/20		B687	1	50	015	06	40			4	1	5	2				5	07					200	100	200
Official	B06809 Rt 6726/30	0.6				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	30	78	100	78
Official	B06809 Rt 6727/10	0.1				015	06	40	1992	210	4	2	5	2		4	28	3	07	P	312	11	21	63	100	63
Official	B06809 Rt 6727/20		B688	1	30	015	06	40			4	1	5	2				5	07					120	100	120
Official	B06809 Rt 6727/30	0.9				015	06	40	1992	210	4	2	5	2		4	28	3	07	P	312	11	189	570	100	570
Official	B06809 Rt 6729/10	0.2				015	06	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	18	26	100	26
Official	B06809 Rt 6729/20		B691	1	27	015	06	40			4	1	5	2				5	07					108	100	108
Official	B06809 Rt 6729/30	0.8				015	06	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	72	103	100	103
Official	B06809 Rt 6732/10	0.2				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26
Official	B06809 Rt 6732/20		B699	1	29	015	06	40			4	1	5	2				5	07					116	100	116
Official	B06809 Rt 6732/30	1.8				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	90	233	100	233
Official	B06809 Rt 6733/10	0.8				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B06809 Rt 6733/20		B700	1	24	015	06	40			4	1	5	2				5	07					96	100	96
Official	B06809 Rt 6733/30	5.2				015	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	520	672	100	672
Official	B06809 Rt 6734/10	0.5				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06809 Rt 6734/20		B624	1	20	015	06	40			4	1	5	2				5	07					80	100	80
Official	B06809 Rt 6734/30	0.5				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06809 Rt 6735/10	0.5				015	06	40	1992	60	4	2	5	2		4	26	3	07	G	89	11	30	172	100	172
Official	B06809 Rt 6735/20		B626	1	21	015	06	40			4	1	5	2				5	07					84	100	84
Official	B06809 Rt 6735/30	0.5				015	06	40	1992	60	4	2	5	2		4	26	3	07	G	89	11	30	172	100	172
Official	B06809 Rt 6736/10	0.8				015	06	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	120	103	100	103



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06809 Rt 6736/20		B636	1	26	015	06	40			4	1	5	2			5	07						104	100	104
Official	B06809 Rt 6736/30	0.2				015	06	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	30	26	100	26
Official	B06809 Rt 6736/40		B114	1	51	015	06	40			4	1	5	2			5	07						204	100	204
Official	B06809 Rt 6736/50	0.5				015	06	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	75	65	100	65
Official	B06809 Rt 6737/10	0.5				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06809 Rt 6737/20		B660	1	20	015	06	40			4	1	5	2			5	07						80	100	80
Official	B06809 Rt 6737/30	0.5				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06809 Rt 6742/10	1.1				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	83	142	100	142
Official	B06809 Rt 6742/20		B918	1	40	015	06	40			4	1	5	2			5	07						160	100	160
Official	B06809 Rt 6742/30	0.7				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	53	90	100	90
Official	B06809 Rt 6742/40		B715	1	55	015	06	40			4	1	5	2			5	07						220	100	220
Official	B06809 Rt 6742/50	0.3				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	23	39	100	39
Official	B06809 Rt 6743/10	0.3				015	06	40	1992	4	2	5	2		1	0	5	07	G	74	11	15	39	100	39	
Official	B06809 Rt 6743/20		B924	1	36	015	06	40			4	1	5	2			5	07						144	100	144
Official	B06809 Rt 6743/30	0.7				015	06	40	1992	4	2	5	2		1	0	5	07	G	74	11	35	90	100	90	
Official	B06809 Rt 6744/10	0.1				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13
Official	B06809 Rt 6744/20		B925	1	50	015	06	40			4	1	5	2			5	07						200	100	200
Official	B06809 Rt 6744/30	1.9				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	152	246	100	246
Official	B06809 Rt 6745/10	0.2				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26
Official	B06809 Rt 6745/20		B926	1	20	015	06	40			4	1	5	2			5	07						80	100	80
Official	B06809 Rt 6745/30	0.8				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103
Official	B06809 Rt 6747/10	1.0				015	06	40	1992	60	4	2	5	2		4	26	3	07	G	89	11	60	343	100	343
Official	B06809 Rt 6747/20		B928	1	24	015	06	40			4	1	5	2			5	07						96	100	96
Official	B06809 Rt 6747/30	0.1				015	06	40	1992	60	4	2	5	2		4	26	3	07	G	89	11	6	34	100	34
Official	B06809 Rt 6747/40		B927	1	21	015	06	40			4	1	5	2			5	07						84	100	84
Official	B06809 Rt 6747/50	0.8				015	06	40	1992	60	4	2	5	2		4	26	3	07	G	89	11	48	275	100	275
Official	B06809 Rt 6823/10	0.7				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	56	90	100	90
Official	B06809 Rt 6823/20		B408	1	185	015	06	40			4	1	5	2			5	07						740	100	740
Official	B06809 Rt 6823/30	0.8				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	64	103	100	103
Official	B06809 Rt 6830/10	1.0				015	06	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	150	129	100	129
Official	B06809 Rt 6862/10	0.7				015	06	40	1992	80	4	1	5	2		1	0	5	07	G	119	10	56	92	100	92
Official	B06809 Rt 6862/20		B118	1	33	015	06	40			4	1	5	2			5	07						132	100	132
Official	B06809 Rt 6862/30	1.8				015	06	40	1992	80	4	1	5	2		1	0	5	07	G	119	10	144	235	100	235
Official	B06809 Rt 6862/40		B119	1	54	015	06	40			4	1	5	2			5	07						216	100	216
Official	B06809 Rt 6862/50	2.4				015	06	40	1992	80	4	1	5	2		1	0	5	07	G	119	10	192	314	100	314
Official	B06809 Rt 6862/60		B120	1	50	015	06	40			4	1	5	2			5	07						200	100	200
Official	B06809 Rt 6862/70	2.1				015	06	40	1992	80	4	1	5	2		1	0	5	07	G	119	10	168	275	100	275
Official	B06809 Rt 7001/10	1.0				015	06	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	100	129	100	129
Official	B06815 Rt 0085/10	3.0				015	06	40	1989	250	4	2	1	1		4	40	4	07	P	371	11	750	1,900	100	1,900
Official	B06815 Rt 4123/10	0.8				033	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	40	105	100	105
Official	B06815 Rt 4123/20		B607	9	27	033	04	40			4	1	5	2			5	07						105	100	105
Official	B06815 Rt 4123/30	4.1				033	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	205	536	100	536
Official	B06815 Rt 4211/10	0.2				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	10	26	100	26
Official	B06815 Rt 4211/20		B036	1	45	141	04	40			4	1	5	2			5	07						180	100	180
Official	B06815 Rt 4211/30	4.3				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	215	562	100	562
Official	B06815 Rt 4211/40		B050	1	21	141	04	40			4	1	5	2			5	07						84	100	84
Official	B06815 Rt 4211/50	6.7				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	335	876	100	876
Official	B06815 Rt 4211/60		B105	9	75	141	04	40			4	1	5	2			5	07						100	100	100
Official	B06815 Rt 4211/70	6.0				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	300	785	100	785
Official	B06815 Rt 4212/10	3.0				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	150	392	100	392



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06815 Rt 4213/10	5.0				141	04	40	1974		4	1	5	2		1	0	5	07	G	74	10	250	654	100	654
Official	B06815 Rt 4321/10	3.5				031	04	40	1974		4	2	5	0		5	80	3	07	G	74	11	175		100	
Official	B06815 Rt 4512/10	0.9				015	06	40	1974		4	2	5	2		4	80	3	07	G	74	11	45	309	100	309
Official	B06815 Rt 6606/10	4.5				015	06	40	1986	90	4	2	5	2		1	0	5	07	G	134	11	405	581	100	581
Official	B06815 Rt 6661/10	1.0				015	06	40	1989	200	4	2	5	2		1	0	5	07	P	297	11	200	325	100	325
Official	B06815 Rt 6662/10	1.2				015	06	40	1989	220	4	2	5	2		4	80	3	07	P	327	11	264	760	100	760
Official	B06815 Rt 6663/10	2.0				075	06	40	1989	200	4	2	5	2		1	0	5	07	P	297	11	400	650	100	650
Official	B06815 Rt 6664/10	1.0				075	06	40	1989	200	4	2	5	2		1	0	5	07	P	297	11	200	325	100	325
Official	B06815 Rt 6665/10	0.1				075	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	8	13	100	13
Official	B06815 Rt 6665/20		B900	1	25	075	06	40			4	1	5	2			5	07						100	100	100
Official	B06815 Rt 6665/30	2.0				075	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	150	258	100	258
Official	B06815 Rt 6665/40		B901	1	26	075	06	40			4	1	5	2			5	07						104	100	104
Official	B06815 Rt 6665/50	0.9				075	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	68	116	100	116
Official	B06815 Rt 6666/10	2.0				075	06	40	1989	52	4	2	5	2		1	0	5	07	G	77	11	104	258	100	258
Official	B06815 Rt 6667/10	2.0				075	06	40	1989	91	4	2	5	2		1	0	5	07	G	135	11	182	258	100	258
Official	B06815 Rt 6668/10	3.0				075	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	150	392	100	392	
Official	B06815 Rt 6669/10	2.8				075	06	40	1989	52	4	1	5	2		1	0	5	07	G	77	10	146	366	100	366
Official	B06815 Rt 6671/10	0.1				015	06	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	11	13	100	13
Official	B06815 Rt 6671/20		B655	1	63	015	06	40			4	1	5	2			5	07						252	100	252
Official	B06815 Rt 6671/30	1.1				015	06	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	121	142	100	142
Official	B06815 Rt 6671/40		B656	1	30	015	06	40			4	1	5	2			5	07						120	100	120
Official	B06815 Rt 6671/50	0.9				015	06	40			11	1		1			5									
Official	B06815 Rt 6672/10	1.8				015	06	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	135	233	100	233
Official	B06815 Rt 6672/20		B680	1	31	015	06	40			4	1	5	2			5	07						124	100	124
Official	B06815 Rt 6672/30	0.2				015	06	40	1992	75	4	2	5	2		3	26	3	07	G	111	11	15	88	100	88
Official	B06815 Rt 6673/10	1.6				075	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	96	325	100	325
Official	B06815 Rt 6673/20		B905	1	50	075	06	40			4	1	5	2			5	07						200	100	200
Official	B06815 Rt 6673/30	0.9				075	06	40	1992	60	4	1	5	2		3	20	3	07	G	89	10	54	272	100	272
Official	B06815 Rt 6674/10	2.0				075	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	100	262	100	262	
Official	B06815 Rt 6675/10	1.7				075	06	40	1992	60	4	1	5	2		3	42	3	07	G	89	10	102	513	100	513
Official	B06815 Rt 6675/20		B779	1	28	075	06	40			4	1	5	2			5	07						112	100	112
Official	B06815 Rt 6675/30	0.3				075	06	40	1992	60	4	1	5	2		3	42	3	07	G	89	10	18	91	100	91
Official	B06815 Rt 6676/10	2.5				075	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	125	327	100	327	
Official	B06815 Rt 6677/10	0.1				015	06	40	1992	125	4	2	5	2		3	26	3	07	G	186	11	13	44	100	44
Official	B06815 Rt 6677/20		B661	1	29	015	06	40			4	1	5	2			5	07						116	100	116
Official	B06815 Rt 6677/30	1.9				015	06	40	1992	125	4	2	5	2		3	26	3	07	G	186	11	238	832	100	832
Official	B06815 Rt 6678/10	1.0				015	06	40	1989	4	1	5	2		3	26	3	07	G	74	10	50	302	100	302	
Official	B06815 Rt 6679/10	1.4				075	06	40	1990	4	2	5	2		1	0	5	07	G	74	11	70	181	100	181	
Official	B06815 Rt 6679/20		B600	1	86	075	06	40			4	1	5	2			5	07						344	100	344
Official	B06815 Rt 6679/30	0.1				075	06	40	1989	4	2	5	2		1	0	5	07	G	74	11	5	13	100	13	
Official	B06815 Rt 6680/10	1.0				015	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	50	131	100	131	
Official	B06815 Rt 6681/10	1.0				075	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	50	131	100	131	
Official	B06815 Rt 6682/10	0.7				015	06	40	1990	4	1	5	2		1	0	5	07	G	74	10	35	92	100	92	
Official	B06815 Rt 6682/20		B697	1	62	015	06	40			4	1	5	2			5	07						248	100	248
Official	B06815 Rt 6682/30	1.3				015	06	40	1990	4	1	5	2		1	0	5	07	G	74	10	65	170	100	170	
Official	B06815 Rt 6683/10	3.2				075	06	40	1989	4	1	5	2		1	0	5	07	G	74	10	160	418	100	418	
Official	B06815 Rt 6684/10	0.5				015	06	40	1992	4	2	5	2		1	0	5	07	G	74	11	25	65	100	65	
Official	B06815 Rt 6684/20		B973	1	37	015	06	40			4	1	5	2			5	07						148	100	148
Official	B06815 Rt 6684/30	0.5				015	06	40	1992	4	2	5	2		1	0	5	07	G	74	11	25	65	100	65	
Official	B06815 Rt 6685/10	2.0				015	06	40	1989	4	2	5	2		1	0	5	07	G	74	11	100	258	100	258	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B06815 Rt 6686/10	1.9				075	06 40	1999	731	2	2	5	2		4		20	3	07	P	1,086	5	1,389	1,774	100	1,774	
Official	B06815 Rt 6686/20		B127	1	42	075	06 40											5	07					168	100	168	
Official	B06815 Rt 6686/30	2.5				075	06 40	1999	731	2	2	5	2		4		20	3	07	P	1,086	5	1,828	2,334	100	2,334	
Official	B06815 Rt 6686/40		B128	1	40	075	06 40											5	07					160	100	160	
Official	B06815 Rt 6686/50	1.9				075	06 40	1999	731	2	2	5	2		4		20	3	07	P	1,086	5	1,389	1,774	100	1,774	
Official	B06815 Rt 6686/60		B620	1	40	075	06 40											5	07					160	100	160	
Official	B06815 Rt 6686/70	0.7				075	06 40	1999	731	2	2	5	2		4		20	3	07	P	1,086	5	512	654	100	654	
Official	B06815 Rt 6687/10	2.5				015	06 40	1989	186	4	2	5	2		4		20	3	07	P	276	11	465	1,583	100	1,583	
Official	B06815 Rt 6696/10	1.0				075	06 40	1992	60	4	2	5	2		1		0	5	07	G	89	11	60	129	100	129	
Official	B06815 Rt 6696/20		B625	1	202	075	06 40											5	07					808	100	808	
Official	B06815 Rt 6696/30	1.0				075	06 40	1992	60	4	1	5	2		1		0	5	07	G	89	10	60	131	100	131	
Official	B06815 Rt 6696/40		B616	1	28	075	06 40											5	07					112	100	112	
Official	B06815 Rt 6696/50	0.5				075	06 40	1992	60	4	1	5	2		1		0	5	07	G	89	10	30	65	100	65	
Official	B06815 Rt 6703/10	0.5				015	06 40	1990	125	4	2	5	2		1		0	5	07	G	186	11	63	65	100	65	
Official	B06815 Rt 6703/20		B696	1	59	015	06 40											5	07					236	100	236	
Official	B06815 Rt 6703/30	1.5				015	06 40	1990	125	4	2	5	2		1		0	5	07	G	186	11	188	194	100	194	
Official	B06815 Rt 6705/10	2.7				015	06 40	1990	80	4	2	5	2		1		0	5	07	G	119	11	216	349	100	349	
Official	B06815 Rt 6705/20		B639	1	38	015	06 40											5	07					152	100	152	
Official	B06815 Rt 6705/30	1.1				015	06 40	1990	80	4	2	5	2		1		0	5	07	G	119	11	88	142	100	142	
Official	B06815 Rt 6705/40		B640	1	24	015	06 40											5	07					96	100	96	
Official	B06815 Rt 6705/50	0.2				015	06 40	1990	80	4	2	5	2		1		0	5	07	G	119	11	16	26	100	26	
Official	B06815 Rt 6708/10	0.1				015	06 40	1990										5	07	G	74	10	5	13	100	13	
Official	B06815 Rt 6708/20		B645	1	23	015	06 40											5	07					92	100	92	
Official	B06815 Rt 6708/30	1.2				015	06 40	1990									26	3	07	G	74	10	60	362	100	362	
Official	B06815 Rt 6718/10	1.3				015	06 40	1992	690	4	2	5	2		4		80	3	07	P	1,025	11	897	823	100	823	
Official	B06815 Rt 6718/20		B673	1	82	015	06 40											5	07					328	100	328	
Official	B06815 Rt 6718/30	5.2				015	06 40	1999	687	4	2	5	2		4		80	3	07	P	1,020	11	3,572	3,293	100	3,293	
Official	B06815 Rt 6718/40		B674	1	78	015	06 40											5	07					312	100	312	
Official	B06815 Rt 6718/50	2.8				015	06 40	1992	690	4	2	5	2		4		80	3	07	P	1,025	11	1,932	1,773	100	1,773	
Official	B06815 Rt 6718/60		B675	1	92	015	06 40											5	07					368	100	368	
Official	B06815 Rt 6718/70	0.1				015	06 40	1999	857	4	2	5	2		4		80	3	07	P	1,273	11	86	63	100	63	
Official	B06815 Rt 6721/10	0.1				015	06 40	1992	80	4	2	5	2		1		0	5	07	G	119	11	8	13	100	13	
Official	B06815 Rt 6721/20		B678	1	59	015	06 40											5	07					236	100	236	
Official	B06815 Rt 6721/30	0.8				015	06 40	1992	80	4	2	5	2		1		0	5	07	G	119	11	64	103	100	103	
Official	B06815 Rt 6721/40		B679	1	68	015	06 40											5	07					272	100	272	
Official	B06815 Rt 6721/50	2.1				015	06 40	1992	80	4	2	5	2		1		0	5	07	G	119	11	168	271	100	271	
Official	B06815 Rt 6728/10	0.9				015	06 40	1992	200	4	2	5	2		1		0	5	07	P	297	11	180	292	100	292	
Official	B06815 Rt 6728/20		B689	1	39	015	06 40											5	07					156	100	156	
Official	B06815 Rt 6728/30	0.3				015	06 40	1992	200	4	2	5	2		1		0	5	07	P	297	11	60	97	100	97	
Official	B06815 Rt 6728/40		B690	1	20	015	06 40											5	07					80	100	80	
Official	B06815 Rt 6728/50	0.8				015	06 40	1992	200	4	2	5	2		1		0	5	07	P	297	11	160	260	100	260	
Official	B06815 Rt 6730/10	0.1				015	06 40	1992	125	4	2	5	2		1		0	5	07	G	186	11	13	13	100	13	
Official	B06815 Rt 6730/20		B692	1	30	015	06 40											5	07					120	100	120	
Official	B06815 Rt 6730/30	2.6				015	06 40	1992	125	4	2	5	2		1		0	5	07	G	186	11	325	336	100	336	
Official	B06815 Rt 6730/40		B693	1	21	015	06 40											5	07					84	100	84	
Official	B06815 Rt 6730/50	0.1				015	06 40	1992	125	4	2	5	2		1		0	5	07	G	186	11	13	13	100	13	
Official	B06815 Rt 6730/60		B694	1	21	015	06 40											5	07					84	100	84	
Official	B06815 Rt 6730/70	2.7				015	06 40											5									
Official	B06815 Rt 6730/80		B695	1	24	015	06 40											5	07					96	100	96	
Official	B06815 Rt 6730/90	0.5				015	06 40	1992	125	4	2	5	2		1		0	5	07	G	186	11	63	65	100	65	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06815 Rt 6738/10	1.1				015	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	66	144	100	144
Official	B06815 Rt 6738/20		B667	1	37	015	06	40			4	1	5	2				5	07					148	100	148
Official	B06815 Rt 6738/30	0.9				015	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	54	118	100	118
Official	B06815 Rt 6739/10	0.7				015	06	40			11	1		1				5								
Official	B06815 Rt 6739/20		B698	1	48	015	06	40			11	1		1				5								
Official	B06815 Rt 6739/30	0.3				015	06	40			11	1		1				5								
Official	B06815 Rt 6740/10	1.9				015	06	40	1992	175	4	2	5	2		1	0	5	07	P	260	11	333	617	100	617
Official	B06815 Rt 6740/20		B914	1	36	015	06	40			4	1	5	2				5	07					144	100	144
Official	B06815 Rt 6740/30	0.1				015	06	40	1992	175	4	2	5	2		1	0	5	07	P	260	11	18	32	100	32
Official	B06815 Rt 6741/10	0.9				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	72	116	100	116
Official	B06815 Rt 6741/20		B915	1	30	015	06	40			4	1	5	2				5	07					120	100	120
Official	B06815 Rt 6741/30	1.3				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	104	168	100	168
Official	B06815 Rt 6741/40		B916	1	71	015	06	40			4	1	5	2				5	07					284	100	284
Official	B06815 Rt 6741/50	1.8				015	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	144	233	100	233
Official	B06815 Rt 6748/10	1.1				015	06	40	1999	170	4	2	5	2		1	0	5	07	P	252	11	187	357	100	357
Official	B06815 Rt 6748/20		B931	1	34	015	06	40			4	1	5	2				5	07					136	100	136
Official	B06815 Rt 6748/30	0.9				015	06	40	1999	170	4	2	5	2		1	0	5	07	P	252	11	153	292	100	292
Official	B06815 Rt 6786/10	0.5				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	30	65	100	65
Official	B06815 Rt 6786/20		B778	1	40	015	06	40			4	1	5	2				5	07					160	100	160
Official	B06815 Rt 6786/30	2.5				015	06	40	1992	60	4	1	5	2		3	20	3	07	G	89	10	150	754	100	754
Official	B06815 Rt 6787/10	2.5				075	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	150	327	100	327
Official	B06815 Rt 6787/20		B780	1	60	075	06	40			4	1	5	2				5	07					240	100	240
Official	B06815 Rt 6787/30	0.5				075	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	30	65	100	65
Official	B06815 Rt 6788/10	0.6				075	06	40	1992	130	4	2	5	2		4	20	3	07	G	193	11	78	206	100	206
Official	B06815 Rt 6788/20		B781	1	22	075	06	40			4	1	5	2				5	07					88	100	88
Official	B06815 Rt 6788/30	1.7				075	06	40	1992	130	4	2	5	2		4	20	3	07	G	193	11	221	584	100	584
Official	B06815 Rt 6788/40		B133	1	65	075	06	40			4	1	5	2				5	07					260	100	260
Official	B06815 Rt 6788/50	0.4				075	06	40	1992	130	4	2	5	2		4	20	3	07	G	193	11	52	137	100	137
Official	B06815 Rt 6788/60		B134	1	20	075	06	40			4	1	5	2				5	07					80	100	80
Official	B06815 Rt 6788/70	0.3				075	06	40	1992	130	4	2	5	2		4	20	3	07	G	193	11	39	103	100	103
Official	B06815 Rt 6789/10	0.5				075	06	40	1992		4	1	5	2		4	22	3	07	G	74	10	25	102	100	102
Official	B06815 Rt 6789/20		B608	9	158	075	06	40			4	1	5	2				5	07					100		
Official	B06815 Rt 6789/30	0.1				075	06	40	1992		4	1	5	2		4	22	3	07	G	74	10	5	20	100	20
Official	B06815 Rt 6789/40		B611	9	35	075	06	40			4	1	5	2				5	07					100		
Official	B06815 Rt 6789/50	2.3				075	06	40	1992		4	1	5	2		4	22	3	07	G	74	10	115	467	100	467
Official	B06815 Rt 6789/60		B982	1	83	075	06	40			4	1	5	2				5	07					332	100	332
Official	B06815 Rt 6789/70	0.3				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	15	39	100	39
Official	B06815 Rt 6789/80		B983	1	47	075	06	40			4	1	5	2				5	07					188	100	188
Official	B06815 Rt 6789/90	0.8				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	40	105	100	105
Official	B06815 Rt 6790/10	0.8				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	40	105	100	105
Official	B06815 Rt 6790/20		B984	1	77	075	06	40			4	1	5	2				5	07					308	100	308
Official	B06815 Rt 6790/30	0.6				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	30	78	100	78
Official	B06815 Rt 6790/40		B612	1	24	075	06	40			4	1	5	2				5	07					96	100	96
Official	B06815 Rt 6790/50	0.6				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	30	78	100	78
Official	B06815 Rt 6791/10	0.4				075	06	40	1992	155	4	2	5	2		1	0	5	07	G	230	11	62	52	100	52
Official	B06815 Rt 6791/20		B785	9	62	075	06	40			4	1	5	2				5	07					100		
Official	B06815 Rt 6791/30	2.2				075	06	40	1992	155	4	2	5	2		4	40	3	07	G	230	11	341	755	100	755
Official	B06815 Rt 6791/40		B786	1	24	075	06	40			4	1	5	2				5	07					96	100	96
Official	B06815 Rt 6791/50	0.4				075	06	40	1992	155	4	2	5	2		4	40	3	07	G	230	11	62	137	100	137
Official	B06815 Rt 6792/10	0.4				075	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	32	52	100	52



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06815 Rt 6792/20		B787	1	67	075	06	40			4	1	5	2			5	07						268	100	268
Official	B06815 Rt 6792/30	0.6				075	06	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78
Official	B06815 Rt 6793/10	0.1				075	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	6	13	100	13
Official	B06815 Rt 6793/20		B789	1	27	075	06	40			4	1	5	2			5	07						108	100	108
Official	B06815 Rt 6793/30	2.1				075	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	126	275	100	275
Official	B06815 Rt 6794/10	0.6				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	30	78	100	78
Official	B06815 Rt 6794/20		B790	1	62	075	06	40			4	1	5	2			5	07						248	100	248
Official	B06815 Rt 6794/30	0.4				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	20	52	100	52
Official	B06815 Rt 6795/10	0.9				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	45	116	100	116
Official	B06815 Rt 6795/20		B791	1	54	075	06	40			4	1	5	2			5	07						216	100	216
Official	B06815 Rt 6795/30	0.1				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B06815 Rt 6796/10	0.1				075	06	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	16	13	100	13
Official	B06815 Rt 6796/20		B792	1	22	075	06	40			4	1	5	2			5	07						88	100	88
Official	B06815 Rt 6796/30	1.0				075	06	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	160	129	100	129
Official	B06815 Rt 6796/40		B793	1	167	075	06	40			4	1	5	2			5	07						668	100	668
Official	B06815 Rt 6796/50	1.0				075	06	40	1992	160	4	2	5	2		1	0	5	07	G	238	11	160	129	100	129
Official	B06815 Rt 6797/10	0.2				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26
Official	B06815 Rt 6797/20		B794	1	53	075	06	40			4	1	5	2			5	07						212	100	212
Official	B06815 Rt 6797/30	1.8				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	90	233	100	233
Official	B06815 Rt 6798/10	4.9				075	06	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	490	633	100	633
Official	B06815 Rt 6798/20		B795	9	203	075	06	40			4	1	5	2			5	07						100		100
Official	B06815 Rt 6798/30	1.1				075	06	40	1992	100	4	2	5	2		4	26	3	07	G	149	11	110	378	100	378
Official	B06815 Rt 6799/10	1.1				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	55	142	100	142
Official	B06815 Rt 6799/20		B796	1	58	075	06	40			4	1	5	2			5	07						232	100	232
Official	B06815 Rt 6799/30	0.6				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	30	78	100	78
Official	B06815 Rt 6799/40		B797	1	22	075	06	40			4	1	5	2			5	07						88	100	88
Official	B06815 Rt 6799/50	0.3				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B06815 Rt 6801/10	0.4				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	20	52	100	52
Official	B06815 Rt 6801/20		B799	1	32	075	06	40			4	1	5	2			5	07						128	100	128
Official	B06815 Rt 6801/30	0.6				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	30	78	100	78
Official	B06815 Rt 6803/10	3.0				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	150	392	100	392
Official	B06815 Rt 6803/20		B903	1	71	075	06	40			4	1	5	2			5	07						284	100	284
Official	B06815 Rt 6803/30	1.0				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	50	131	100	131
Official	B06815 Rt 6803/40		B902	1	25	075	06	40			4	1	5	2			5	07						100	100	100
Official	B06815 Rt 6803/50	0.1				075	06	40	1992		4	1	5	2		1	0	5	07	G	74	10	5	13	100	13
Official	B06815 Rt 6804/10	0.7				075	06	40	1992		4	2	5	2		3	20	3	07	G	74	11	35	306	100	306
Official	B06815 Rt 6804/20		B904	1	46	075	06	40			4	1	5	2			5	07						184	100	184
Official	B06815 Rt 6804/30	0.3				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B06815 Rt 6805/10	0.3				141	04	40	1992		4	1	5	2		1	0	5	07	G	74	10	15	39	100	39
Official	B06815 Rt 6805/20		B906	1	57	141	04	40			4	1	5	2			5	07						228	100	228
Official	B06815 Rt 6805/30	0.7				141	04	40	1992		4	1	5	2		1	0	5	07	G	74	10	35	92	100	92
Official	B06815 Rt 6806/10	2.6				141	04	40	1992		4	2	5	2		1	0	5	07	G	74	11	130	336	100	336
Official	B06815 Rt 6806/20		B907	1	21	141	04	40			4	1	5	2			5	07						84	100	84
Official	B06815 Rt 6806/30	0.4				141	04	40	1992		4	2	5	2		1	0	5	07	G	74	11	20	52	100	52
Official	B06815 Rt 6813/10	0.2				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26
Official	B06815 Rt 6813/20		B910	1	55	075	06	40			4	1	5	2			5	07						220	100	220
Official	B06815 Rt 6813/30	0.8				075	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	40	103	100	103
Official	B06815 Rt 6814/10	0.4				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	20	52	100	52
Official	B06815 Rt 6814/20		B911	1	21	015	06	40			4	1	5	2			5	07						84	100	84
Official	B06815 Rt 6814/30	0.6				015	06	40	1992		4	2	5	2		1	0	5	07	G	74	11	30	78	100	78



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06815 Rt 6815/10	0.1				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B06815 Rt 6815/20		B912	1	39	015	06	40			4	1	5	2			5	07						156	100	156
Official	B06815 Rt 6815/30	0.9				015	06	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	54	116	100	116
Official	B06815 Rt 6820/10	0.4				075	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	28	52	100	52
Official	B06815 Rt 6820/20		B917	1	69	015	06	40			4	1	5	2			5	07						276	100	276
Official	B06815 Rt 6820/30	0.6				075	06	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	42	78	100	78
Official	B06815 Rt 6821/10	1.3				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	78	264	100	264
Official	B06815 Rt 6821/20		B006	1	37	015	06	40			4	1	5	2			5	07						148	100	148
Official	B06815 Rt 6821/30	0.3				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	18	61	100	61
Official	B06815 Rt 6821/40		B966	1	36	015	06	40			4	1	5	2			5	07						144	100	144
Official	B06815 Rt 6821/50	1.9				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	114	386	100	386
Official	B06815 Rt 6821/60		B967	1	29	015	06	40			4	1	5	2			5	07						116	100	116
Official	B06815 Rt 6821/70	4.1				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	246	833	100	833
Official	B06815 Rt 6821/80		B968	1	36	015	06	40			4	1	5	2			5	07						144	100	144
Official	B06815 Rt 6821/90	0.3				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	18	61	100	61
Official	B06815 Rt 6821/100		B135	1	36	015	06	40			4	1	5	2			5	07						144	100	144
Official	B06815 Rt 6821/110	1.1				015	06	40	1992	60	4	1	5	2		4	20	3	07	G	89	10	66	223	100	223
Official	B06815 Rt 6822/10	0.8				015	06	40	1992	125	4	2	5	2		1	0	5	07	G	186	11	100	103	100	103
Official	B06815 Rt 6822/20		B407	1	30	015	06	40			4	1	5	2			5	07						120	100	120
Official	B06815 Rt 6822/30	0.2				015	06	40	1992	125	4	2	5	2		1	0	5	07	G	186	11	25	26	100	26
Official	B06815 Rt 6824/10	4.3				015	06	40	1992	60	4	1	5	2		1	0	5	07	G	89	10	258	562	100	562
Official	B06815 Rt 6824/20		B409	1	20	015	06	40			4	1	5	2			5	07						80	100	80
Official	B06815 Rt 6824/30	0.7				015	06	40			11	1		1			5									
Official	B06815 Rt 6825/10	1.0				075	06	40	2001	100	4	2	5	0		5	26	2	07	G	149	11	100		100	
Official	B06815 Rt 6831/10	5.5				015	06	40	1999	276	4	2	5	2		1	0	5	07	P	410	11	1,518	1,787	100	1,787
Official	B06815 Rt 6832/10	0.9				015	06	40	1999	282	4	2	5	2		3	26	2	07	P	419	11	254	560	100	560
Official	B06815 Rt 6832/20		B963	1	66	015	06	40			4	1	5	2			5	07						264	100	264
Official	B06815 Rt 6832/30	0.1				015	06	40	1999	282	4	2	5	2		3	26	2	07	P	419	11	28	62	100	62
Official	B06815 Rt 6832/40		B964	1	60	015	06	40			4	1	5	2			5	07						240	100	240
Official	B06815 Rt 6832/50	2.0				015	06	40	1999	282	4	2	5	2		3	26	2	07	P	419	11	564	1,243	100	1,243
Official	B06815 Rt 6833/10	0.3				015	06	40	1999	269	4	2	5	2		3	40	3	07	P	399	11	81	190	100	190
Official	B06815 Rt 6833/20		B637	1	25	015	06	40			4	1	5	2			5	07						100	100	100
Official	B06815 Rt 6833/30	1.2				015	06	40	1997	600	4	2	5	2		3	40	3	07	P	891	11	720	760	100	760
Official	B06815 Rt 6833/40		B638	1	24	015	06	40			4	1	5	2			5	07						96	100	96
Official	B06815 Rt 6833/50	1.5				015	06	40	1997	600	4	2	5	2		1	0	5	07	P	891	11	900	487	100	487
Official	B06815 Rt 6834/10	3.0				015	06	40	1997	4	1	5	2		3	26	2	07	G	74	10	150	873	100	873	
Official	B06815 Rt 6835/10	4.1				015	06	40	1997	100	4	2	5	2		3	26	2	07	G	149	11	410	1,747	100	1,747
Official	B06815 Rt 6835/20		B965	1	28	015	06	40			4	1	5	2			5	07						112	100	112
Official	B06815 Rt 6835/30	0.4				015	06	40	1997	100	4	2	5	2		3	26	2	07	G	149	11	40	170	100	170
Official	B06815 Rt 6836/10	4.0				015	06	40	1997	180	4	2	5	2		3	26	2	07	P	267	11	720	2,487	100	2,487
Official	B06815 Rt 6845/10	3.0				075	06	40	1997	4	1	5	2		3	26	2	07	G	74	10	150	873	100	873	
Official	B06815 Rt 6847/10	1.4				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	280	455	100	455
Official	B06815 Rt 6847/20		B138	1	22	075	06	40			4	1	5	2			5	07						88	100	88
Official	B06815 Rt 6847/30	0.3				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	60	97	100	97
Official	B06815 Rt 6847/40		B139	1	100	075	06	40			4	1	5	2			5	07						400	100	400
Official	B06815 Rt 6847/50	1.3				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	260	422	100	422
Official	B06815 Rt 6847/60		B140	9	33	075	06	40			4	1	5	2			5	07						100		
Official	B06815 Rt 6847/70	1.4				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	280	455	100	455
Official	B06815 Rt 6847/80		B141	9	36	075	06	40			4	1	5	2			5	07						100		
Official	B06815 Rt 6847/90	0.2				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	40	65	100	65



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B06815 Rt 6847/100		B142	1	31	075	06	40			4	1	5	2			5	07						124	100	124
Official	B06815 Rt 6847/110	0.1				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	20	32	100	32
Official	B06815 Rt 6847/120		B143	1	31	075	06	40			4	1	5	2			5	07						124	100	124
Official	B06815 Rt 6847/130	2.3				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	460	747	100	747
Official	B06815 Rt 6847/140		B144	1	31	075	06	40			4	1	5	2			5	07						124	100	124
Official	B06815 Rt 6847/150	2.0				075	06	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	400	650	100	650
Official	B06815 Rt 6848/10	2.0				075	06	40	1997		4	1	5	2		1	0	5	07	G	74	10	100	262	100	262
Official	B06815 Rt 6849/10	2.7				075	06	40	1997	200	4	2	5	2		4	26	2	07	P	297	11	540	1,679	100	1,679
Official	B06815 Rt 6849/20		B972	1	25	015	06	40			4	1	5	2			5	07						100	100	100
Official	B06815 Rt 6849/30	1.5				075	06	40	1997	200	4	2	5	2		4	26	2	07	P	297	11	300	933	100	933
Official	B06815 Rt 6850/10	2.5				075	06	40	2001	80	4	2	5	2		1	0	5	07	G	119	11	200	323	100	323
Official	B06815 Rt 6851/10	0.5				075	06	40	1997	160	4	2	5	2		4	26	2	07	G	238	11	80	166	100	166
Official	B06815 Rt 6851/20		B969	1	32	075	06	40			4	1	5	2			5	07						128	100	128
Official	B06815 Rt 6851/30	1.5				075	06	40	1997	160	4	2	5	2		4	26	2	07	G	238	11	240	498	100	498
Official	B06815 Rt 6851/40		B970	1	21	075	06	40			4	1	5	2			5	07						84	100	84
Official	B06815 Rt 6851/50	3.5				075	06	40	1997	160	4	2	5	2		4	26	2	07	G	238	11	560	1,161	100	1,161
Official	B06815 Rt 6852/10	2.5				075	06	40	1997	150	4	2	5	2		4	26	2	07	G	223	11	375	829	100	829
Official	B06815 Rt 6852/20		B909	1	21	075	06	40			4	1	5	2			5	07						84	100	84
Official	B06815 Rt 6852/30	2.2				075	06	40	1997	150	4	2	5	2		4	26	2	07	G	223	11	330	730	100	730
Official	B06815 Rt 6852/40		B971	1	38	075	06	40			4	1	5	2			5	07						152	100	152
Official	B06815 Rt 6852/50	0.8				075	06	40	1997	150	4	2	5	2		4	26	2	07	G	223	11	120	265	100	265
Official	B06815 Rt 6853/10	4.0				075	06	40	1997		4	1	5	2		1	0	5	07	G	74	10	200	523	100	523
Official	B07810 Rt 3571/10	0.5				071	05	40			3	1	5	2		1	0	5	07	E	37	18	13	22	100	22
Official	B07810 Rt 4571/10	1.8				071	05	40	1979		4	2	5	2		1	0	5	07	G	74	11	90	233	100	233
Official	B07810 Rt 4571/20		B571	1	50	071	05	40			4	1	5	2			5	07						200	100	200
Official	B07810 Rt 4571/30	1.6				071	05	40	1989		4	2	5	2		1	0	5	07	G	74	11	80	207	100	207
Official	B07810 Rt 4571/40		B759	1	500	071	05	40			4	1	5	2			5	07						2,001	100	2,001
Official	B07810 Rt 4571/50	2.1				071	05	40	1989		4	2	5	2		1	0	5	07	G	74	11	105	271	100	271
Official	B07810 Rt 4571/60	3.0				071	03	40	2003	55	4	2	5	2		3	40	4	07	G	82	11	165	1,313	100	1,313
Official	B07810 Rt 4571/70		16200000	9	26	071	03	40			4	1	5	2			5	07						100		
Official	B07810 Rt 4571/80	1.4	0000000			071	03	40	2003		4	2	5	2		3	40	4	07	G	74	11	70	613	100	613
Official	B07810 Rt 4571/90		16593000	9	200	071	03	40			4	1	5	2			5	07						100		
Official	B07810 Rt 4571/100	2.6				071	03	40	2003		4	2	5	2		3	40	4	07	G	74	11	130	1,138	100	1,138
Official	B07810 Rt 4571/110	0.6				071	03	40	2003		4	2	5	2		3	40	4	07	G	74	11	30	263	100	263
Official	B07810 Rt 4572/10	0.5				071	05	40	1990		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65
Official	B07810 Rt 4573/10	1.0				071	05	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	100	129	100	129
Official	B07810 Rt 6039/10	3.5				071	05	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	350	452	100	452
Official	B07810 Rt 6040/10	0.5				071	05	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65
Official	B07810 Rt 6041/10	0.5				071	05	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65
Official	B07810 Rt 6050/10	5.9				071	03	40	2003	506	4	2	5	2		4	80	4	07	P	751	11	2,985	3,737	100	3,737
Official	B07810 Rt 6050/20		16641000	9	900	071	05	40			4	1	5	2			5	07						100		
Official	B07810 Rt 6050/30	2.7				071	03	40	2003	148	4	2	5	2		4	60	4	07	G	220	11	400	927	100	927
Official	B07810 Rt 6050/40		14688000	9	75	071	03	40			4	1	5	2			5	07						100		
Official	B07810 Rt 6050/50	0.4				071	03	40	2003	147	4	2	5	2		4	80	4	07	G	218	11	59	137	100	137
Official	B07810 Rt 6060/10	0.5				071	05	40	1996	150	4	2	5	2		1	0	5	07	G	223	11	75	65	100	65



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)		
Official	B07810 Rt 6061/10	0.7				071	05 40	1996	180	4	2	5	2		3		24	3	07	P	267	11	126	443	100	443		
Official	B07810 Rt 6070/10		B058	1	26	071	05 40				4	1	5	2				5	07						104	100	104	
Official	B07810 Rt 6070/20		B246	1	26	071	05 40				4	1	5	2				5	07						104	100	104	
Official	B07810 Rt 6070/30		B248	1	62	071	05 40				4	1	5	2				5	07						248	100	248	
Official	B07810 Rt 6107/10	0.3				071	03 40				5	1	5	2		4	68	5	07	G	74	13	15	17	100	17		
Official	B07810 Rt 6107/20		01591	9	32	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6107/30	0.2				071	03 40				5	1	5	2		4	70	5	07	G	74	13	10	11	100	11		
Official	B07810 Rt 6107/40		01592	1	74	071	03 40				5		5	2					07						296	100	296	
Official	B07810 Rt 6107/50	2.6				071	03 40				5	1	5	2		4	74	5	07	G	74	13	130	147	100	147		
Official	B07810 Rt 6107/60		15753	9	121	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6107/70	2.6				071	03 40				5	1	5	2		4	82	5	07	G	74	13	130	147	100	147		
Official	B07810 Rt 6107/80		12286	1	61	071	03 40				5		5	2					07						244	100	244	
Official	B07810 Rt 6107/90	2.8				071	03 40				5	1	5	2		4	84	5	07	G	74	13	140	159	100	159		
Official	B07810 Rt 6132/10	3.0				071	03 40				5	2	5	2		3	42	3	07	G	74	14	150	1,863	100	1,863		
At-The-Region	B07810 Rt 6133/10	14.0				071	03 40				4	2	3	2		5	82	5	07	G	74	11	700	489	100	489		
At-The-Region	B07810 Rt 6134/10	13.0				071	03 40				4	2	3	2		5	86	5	07	G	74	11	650	454	100	454		
At-The-Region	B07810 Rt 6135/10	10.0				071	03 40				4	2	3	2		5	90	5	07	G	74	11	500	349	100	349		
Official	B07810 Rt 6136/10	0.6				071	03 40				5	2	5	2		4	38	3	07	G	74	14	30	279	100	279		
Official	B07810 Rt 6136/20		03033	1	64	071	03 40				5		5	2					07						256	100	256	
Official	B07810 Rt 6136/30	0.4				071	03 40				5	2	5	2		3	42	3	07	G	74	14	20	248	100	248		
Official	B07810 Rt 6136/40		02798	1	64	071	03 40				5		5	2					07						256	100	256	
Official	B07810 Rt 6136/50	4.7				071	03 40				5	2	5	2		3	38	3	07	G	74	14	235	2,919	100	2,919		
Official	B07810 Rt 6136/60	0.8				071	03 40				5	2	5	2		4	42	3	07	G	74	14	40	373	100	373		
Official	B07810 Rt 6136/70		10242	9	32	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6136/80	1.2				071	03 40				5	2	5	2		4	42	3	07	G	74	14	60	559	100	559		
Official	B07810 Rt 6136/90		20703	9	41	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6136/100	3.1				071	03 40				5	2	5	2		4	48	3	07	G	74	14	155	1,444	100	1,444		
Official	B07810 Rt 6136/110		03038	1	64	071	03 40				5		5	2					07						256	100	256	
Official	B07810 Rt 6136/120	2.7				071	03 40				5	2	5	2		4	52	3	07	G	74	14	135	1,258	100	1,258		
Official	B07810 Rt 6137/10	2.9				071	03 40				5	2	5	2		4	46	3	07	G	74	14	145	1,351	100	1,351		
Official	B07810 Rt 6137/20		10993	9	30	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6137/30	3.1				071	03 40				5	2	5	2		4	48	3	07	G	74	14	155	1,444	100	1,444		
Official	B07810 Rt 6138/10	0.6				071	03 40				5	2	5	2		3	44	3	07	G	74	14	30	373	100	373		
Official	B07810 Rt 6138/20		25911	7	40	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6138/30	2.6				071	03 40				5	2	5	2		3	42	3	07	G	74	14	130	1,615	100	1,615		
Official	B07810 Rt 6138/40	0.4				071	03 40				5	2	5	2		4	58	3	07	G	74	14	20	186	100	186		
Official	B07810 Rt 6138/50	4.0				071	03 40				5	2	5	2		3	44	3	07	G	74	14	200	2,484	100	2,484		
Official	B07810 Rt 6138/60	1.0				071	03 40				5	2	5	2		4	56	3	07	G	74	14	50	466	100	466		
Official	B07810 Rt 6139/10	6.4				071	03 40				5	2	5	2		3	46	3	07	G	74	14	320	3,974	100	3,974		
Official	B07810 Rt 6139/20		20665	9	32	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6139/30	0.1				071	03 40				5	2	5	2		3	42	3	07	G	74	14	5	62	100	62		
Official	B07810 Rt 6140/10	8.0				071	03 40				5	2	5	2		3	48	3	07	G	74	14	400	4,968	100	4,968		
Official	B07810 Rt 6141/1	6.4				071	03 40				5	2	5	2		3	44	3	07	G	74	14	320	3,974	100	3,974		
Official	B07810 Rt 6141/20		12227	1	62	071	03 40				5		5	2					07							248	100	248
Official	B07810 Rt 6141/30	1.6				071	03 40				5	2	5	2		3	46	3	07	G	74	14	80	994	100	994		
Official	B07810 Rt 6142/10	6.4				071	03 40				5	2	5	2		4	58	4	07	G	74	14	320	2,981	100	2,981		
Official	B07810 Rt 6142/20		18634	9	32	071	03 40				5		5	2					07							100		
Official	B07810 Rt 6142/30	0.6				071	03 40				5	2	5	2		4	56	4	07	G	74	14	30	279	100	279		
Official	B07810 Rt 6143/10	0.6				071	03 40				5	2	5	2		3	48	3	07	G	74	14	30	373	100	373		
Official	B07810 Rt 6143/20		15022	2	61	071	03 40				5		5	2					07							244	100	244



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07810 Rt 6143/30	0.4				071	03	40			5	2	5	2		3	48	3	07	G	74	14	20	248	100	248
Official	B07810 Rt 6143/40		11876	2	61	071	03	40			5		5	2					07					244	100	244
Official	B07810 Rt 6143/50	5.9				071	03	40			5	2	5	2		3	52	3	07	G	74	14	295	3,664	100	3,664
Official	B07810 Rt 6143/60		08582	2	32	071	03	40			5		5	2					07					128	100	128
Official	B07810 Rt 6143/70	4.0				071	03	40			5	2	5	2		3	42	3	07	G	74	14	200	2,484	100	2,484
Official	B07810 Rt 6143/80		25131	2	32	071	03	40			5		5	2					07					128	100	128
Official	B07810 Rt 6143/90	1.8				071	03	40			5	2	5	2		3	46	3	07	G	74	14	90	1,118	100	1,118
Official	B07810 Rt 6143/100		21174	2	32	071	03	40			5		5	2					07					128	100	128
Official	B07810 Rt 6143/110	2.8				071	03	40			5	2	5	2		3	38	3	07	G	74	14	140	1,739	100	1,739
Official	B07810 Rt 6144/10	0.8				071	03	40			5	2	5	2		4	62	5	07	G	74	14	40	80	100	80
Official	B07810 Rt 6144/20		26548	9	23	071	03	40			5		5	2					07					100		
Official	B07810 Rt 6144/30	0.5				071	03	40			5	2	5	2		4	62	5	07	G	74	14	25	50	100	50
Official	B07810 Rt 6144/40		09360	1	84	071	03	40			5		5	2					07					336	100	336
Official	B07810 Rt 6144/50	0.7				071	03	40			5	2	5	2		4	60	5	07	G	74	14	35	70	100	70
Official	B07810 Rt 6144/60	2.2				071	03	40			5	2	5	2		3	44	3	07	G	74	14	110	1,366	100	1,366
Official	B07810 Rt 6144/70		07980	1	21	071	03	40			5		5	2					07					84	100	84
Official	B07810 Rt 6144/80	1.8				071	03	40			5	2	5	2		3	42	3	07	G	74	14	90	1,118	100	1,118
Official	B07810 Rt 6145/10	0.6				071	03	40			5	2	5	2		4	46	4	07	G	74	14	30	279	100	279
Official	B07810 Rt 6145/20		26462	1	21	071	03	40			5		5	2					07					84	100	84
Official	B07810 Rt 6145/30	2.0				071	03	40			5	2	5	2		4	46	4	07	G	74	14	100	931	100	931
Official	B07810 Rt 6145/60		04315	9	22	071	03	40			5		5	2					07					100		
Official	B07810 Rt 6145/70	0.4				071	03	40			5	2	5	2		4	52	4	07	G	74	14	20	186	100	186
Official	B07810 Rt 6145/80		24462	9	103	071	03	40			5		5	2					07					100		
Official	B07810 Rt 6145/90	0.6				071	03	40			5	2	5	2		4	52	4	07	G	74	14	30	279	100	279
Official	B07810 Rt 6146/10	2.5				071	03	40			5	2	5	2		4	56	4	07	G	74	14	125	1,164	100	1,164
Official	B07810 Rt 6148/10	4.5				071	03	40			5	2	5	2		3	44	4	07	G	74	14	225	2,794	100	2,794
Official	B07810 Rt 6149/10	2.5				071	03	40			5	2	5	2		3	46	4	07	G	74	14	125	1,552	100	1,552
Official	B07810 Rt 6150/10	7.2				071	03	40			5	2	5	2		3	48	4	07	G	74	14	360	4,471	100	4,471
Official	B07810 Rt 6150/20		11137	1	26	071	03	40			5		5	2					07					104	100	104
Official	B07810 Rt 6150/30	3.0				071	03	40			5	2	5	2		3	42	4	07	G	74	14	150	1,863	100	1,863
Official	B07810 Rt 6150/40		07357	1	26	071	03	40			5		5	2					07					104	100	104
Official	B07810 Rt 6150/50	1.8				071	03	40			5	2	5	2		3	46	4	07	G	74	14	90	1,118	100	1,118
Official	B07810 Rt 6151/10	4.0				071	03	40			5	2	5	2		3	46	4	07	G	74	14	200	2,484	100	2,484
Official	B07810 Rt 6152/10	0.5				071	03	40			5	2	5	2		4	42	4	07	G	74	14	25	233	100	233
Official	B07810 Rt 6152/20	2.6				071	03	40			5	2	5	2		3	46	4	07	G	74	14	130	1,615	100	1,615
Official	B07810 Rt 6152/30		08732	1	49	071	03	40			5		5	2					07					196	100	196
Official	B07810 Rt 6152/40	2.4				071	03	40			5	2	5	2		3	42	4	07	G	74	14	120	1,490	100	1,490
Official	B07810 Rt 6153/10	2.5				071	03	40			5	2	5	2		3	58	4	07	G	74	14	125	1,552	100	1,552
Official	B07810 Rt 6154/10	1.7				071	03	40			5	2	5	2		3	54	4	07	G	74	14	85	1,056	100	1,056
Official	B07810 Rt 6154/20		24495	9	75	071	03	40			5		5	2					07					100		
Official	B07810 Rt 6154/30	0.6				071	03	40			5	2	5	2		3	54	4	07	G	74	14	30	373	100	373
Official	B07810 Rt 6154/40		16484	1	121	071	03	40			5		5	2					07					484	100	484
Official	B07810 Rt 6154/50	2.1				071	03	40			5	2	5	2		3	48	4	07	G	74	14	105	1,304	100	1,304
Official	B07810 Rt 6154/60		08209	1	31	071	03	40			5		5	2					07					124	100	124
Official	B07810 Rt 6154/70	1.5				071	03	40			5	2	5	2		3	46	4	07	G	74	14	75	931	100	931
Official	B07810 Rt 6154/80		16302	9	32	071	03	40			5		5	2					07					100		
Official	B07810 Rt 6154/90	2.1				071	03	40			5	2	5	2		3	54	4	07	G	74	14	105	1,304	100	1,304
Official	B07810 Rt 6155/10	5.5				071	03	40			5	2	5	2		3	46	4	07	G	74	14	275	3,415	100	3,415
Official	B07810 Rt 6155/20		00904	1	45	071	03	40			5		5	2					07					180	100	180
Official	B07810 Rt 6155/30	0.5				071	03	40			5	2	5	2		3	42	4	07	G	74	14	25	310	100	310



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B07810 Rt 6156/10	2.2				071	03	40			5	2	5	2		3	48	4	07	G		74	14	110	1,366	100	1,366
Official	B07810 Rt 6156/20		00821	1	34	071	03	40			5		5	2					07						136	100	136
Official	B07810 Rt 6156/30	3.3				071	03	40			5	2	5	2		3	42	4	07	G		74	14	165	2,049	100	2,049
Official	B07810 Rt 6157/1	4.4				071	03	40			5	2	5	2		3	48	4	07	G		74	14	220	2,732	100	2,732
Official	B07810 Rt 6158/1	1.0				071	03	40			5	2	5	2		3	38	4	07	G		74	14	50	621	100	621
Official	B07810 Rt 6159/1	6.0				071	03	40			5	2	5	2		3	42	4	07	G		74	14	300	3,726	100	3,726
Official	B07810 Rt 6160/1	1.5				071	03	40			5	2	5	2		3	38	3	07	G		74	14	75	931	100	931
Official	B07810 Rt 6161/1	1.0				071	03	40			5	2	5	2		3	42	3	07	G		74	14	50	621	100	621
Official	B07810 Rt 6162/1	2.0				071	03	40			5	2	5	2		3	46	3	07	G		74	14	100	1,242	100	1,242
Official	B07810 Rt 6163/1	0.5				071	03	40			5	2	5	2		1	0	2	07	G		74	14	25	294	100	294
Official	B07810 Rt 6164/1	1.0				071	03	40			5	2	5	2		1	0	2	07	G		74	14	50	588	100	588
Official	B07810 Rt 6165/10	6.3				071	03	40			5	2	5	2		3	44	3	07	G		74	14	315	3,912	100	3,912
Official	B07810 Rt 6165/20		16621	9	300	071	03	40			5		5	2					07							100	
Official	B07810 Rt 6165/30	1.9				071	03	40			5	2	5	2		3	44	3	07	G		74	14	95	1,180	100	1,180
Official	B07810 Rt 6165/40		16268	9	20	071	03	40			5		5	2					07							100	
Official	B07810 Rt 6165/50	1.6				071	03	40			5	2	5	2		3	48	3	07	G		74	14	80	994	100	994
Official	B07810 Rt 6166/1	0.8				071	03	40			5	2	5	2		1	0	2	07	G		74	14	40	470	100	470
Official	B07810 Rt 6167/10	2.0				071	03	40			5	2	5	2		4	58	4	07	G		74	14	100	931	100	931
Official	B07810 Rt 6168/10	0.3				071	03	40			5	2	5	2		3	38	3	07	G		74	14	15	186	100	186
Official	B07810 Rt 6169/10	1.0				071	03	40			5	2	5	2		3	26	3	07	G		74	14	50	621	100	621
Official	B07810 Rt 6170/10	1.0				071	03	40			5	2	5	2		3	28	3	07	G		74	14	50	621	100	621
Official	B07810 Rt 6171/10	3.0				071	03	40			5	2	5	2		3	32	4	07	G		74	14	150	1,863	100	1,863
Official	B07810 Rt 6172/10	9.8				071	03	40			5	2	5	2		3	44	4	07	G		74	14	490	6,086	100	6,086
Official	B07810 Rt 6172/20		02366	1	42	071	03	40			5		5	2					07						168	100	168
Official	B07810 Rt 6172/30	1.2				071	03	40			5	2	5	2		3	42	4	07	G		74	14	60	745	100	745
Official	B07810 Rt 6173/10	12.4				071	03	40			5	2	5	2		3	46	4	07	G		74	14	620	7,700	100	7,700
Official	B07810 Rt 6173/20		11889	1	35	071	03	40			5		5	2					07						140	100	140
Official	B07810 Rt 6173/30	6.8				071	03	40			5	2	5	2		3	42	4	07	G		74	14	340	4,223	100	4,223
Official	B07810 Rt 6174/10	1.0				071	03	40			5	2	5	2		3	48	3	07	G		74	14	50	621	100	621
Official	B07810 Rt 6174/20		09395	1	95	071	03	40			5		5	2					07						380	100	380
Official	B07810 Rt 6174/30	1.2				071	03	40			5	2	5	2		3	48	3	07	G		74	14	60	745	100	745
Official	B07810 Rt 6174/40		11880	1	34	071	03	40			5		5	2					07						136	100	136
Official	B07810 Rt 6174/50	4.2				071	03	40			5	2	5	2		3	42	3	07	G		74	14	210	2,608	100	2,608
Official	B07810 Rt 6174/60		08944	1	47	071	03	40			5		5	2					07						188	100	188
Official	B07810 Rt 6174/70	4.8				071	03	40			5	2	5	2		3	46	3	07	G		74	14	240	2,981	100	2,981
Official	B07810 Rt 6174/80		11891	1	28	071	03	40			5		5	2					07						112	100	112
Official	B07810 Rt 6174/90	6.8				071	03	40			5	2	5	2		3	48	3	07	G		74	14	340	4,223	100	4,223
Official	B07810 Rt 6175/10	0.7				071	03	40			5	2	5	2		3	36	3	07	G		74	14	35	435	100	435
Official	B07810 Rt 6175/20		02997	9	52	071	03	40			5		5	2					07						100		
Official	B07810 Rt 6175/30	2.4				071	03	40			5	2	5	2		3	36	3	07	G		74	14	120	1,490	100	1,490
Official	B07810 Rt 6175/40		11882	9	30	071	03	40			5		5	2					07						100		
Official	B07810 Rt 6175/50	7.8				071	03	40			5	2	5	2		3	36	3	07	G		74	14	390	4,844	100	4,844
Official	B07810 Rt 6175/60		08948	1	49	071	03	40			5		5	2					07						196	100	196
Official	B07810 Rt 6175/70	1.0				071	03	40			5	2	5	2		3	34	3	07	G		74	14	50	621	100	621
Official	B07810 Rt 6175/80		07966	1	28	071	03	40			5		5	2					07						112	100	112
Official	B07810 Rt 6175/90	7.8				071	03	40			5	2	5	2		3	36	3	07	G		74	14	390	4,844	100	4,844
Official	B07810 Rt 6176/10	3.7				071	03	40			5	2	5	2		3	34	3	07	G		74	14	185	2,298	100	2,298
Official	B07810 Rt 6176/20		11539	9	21	071	03	40			5		5	2					07						100		
Official	B07810 Rt 6176/30	6.9				071	03	40			5	2	5	2		3	34	3	07	G		74	14	345	4,285	100	4,285
Official	B07810 Rt 6176/40		05867	1	24	071	03	40			5		5	2					07						96	100	96



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07810 Rt 6176/50	0.4				071	03	40			5	2	5	2	3		36	3	07	G	74	14	20	248	100	248
Official	B07810 Rt 6176/60	0.8				071	03	40			5	2	5	2	3		34	3	07	G	74	14	40	497	100	497
Official	B07810 Rt 6176/70	1.6				071	03	40			5	2	5	2	3		34	3	07	G	74	14	80	994	100	994
Official	B07810 Rt 6176/80		26436	9	22	071	03	40			5	2	5	2											100	
Official	B07810 Rt 6176/90	1.4				071	03	40			5	2	5	2	3		34	3	07	G	74	14	70	869	100	869
Official	B07810 Rt 6177/10	2.0				071	03	40			5	2	5	2	3		34	3	07	G	74	14	100	1,242	100	1,242
Official	B07810 Rt 6177/20		08936	1	45	071	03	40			5	2	5	2										180	100	180
Official	B07810 Rt 6177/30	15.5				071	03	40			5	2	5	2	3		34	3	07	G	74	14	775	9,625	100	9,625
Official	B07810 Rt 6178/10	0.9				071	03	40			5	2	5	2	4		32	3	07	G	74	14	45	419	100	419
Official	B07810 Rt 6178/20		11527	1	24	071	03	40			5	2	5	2										96	100	96
Official	B07810 Rt 6178/30	0.6				071	03	40			5	2	5	2	4		32	3	07	G	74	14	30	279	100	279
Official	B07810 Rt 6178/40		11529	1	25	071	03	40			5	2	5	2										100	100	100
Official	B07810 Rt 6178/50	1.4				071	03	40			5	2	5	2	4		32	3	07	G	74	14	70	652	100	652
Official	B07810 Rt 6178/60		11532	9	21	071	03	40			5	2	5	2										100	100	100
Official	B07810 Rt 6178/70	1.1				071	03	40			5	2	5	2	4		34	3	07	G	74	14	55	512	100	512
Official	B07810 Rt 6178/80		14998	1	51	071	03	40			5	2	5	2										204	100	204
Official	B07810 Rt 6178/90	14.7				071	03	40			5	2	5	2	4		34	3	07	G	74	14	735	6,846	100	6,846
Official	B07810 Rt 6178/100		08597	1	38	071	03	40			5	2	5	2										152	100	152
Official	B07810 Rt 6178/110	1.3				071	03	40			5	2	5	2	3		34	3	07	G	74	14	65	807	100	807
Official	B07811 Rt 0616/10	4.0				103	05	40			3	1	5	2	4		80	5	07	E	37	18	100	176	100	176
Official	B07811 Rt 4300/10	0.3				103	05	40			3	1	5	2	0		0	0	07	E	37	18	8	115	100	115
Official	B07811 Rt 4367/10	0.8				103	05	40	1992	124	4	2	5	2	1		0	5	07	G	184	11	99	103	100	103
Official	B07811 Rt 4367/20		B702	1	23	103	05	40			4	1	5	2			5	07						92	100	92
Official	B07811 Rt 4367/30	0.3				103	05	40	1992	124	4	2	5	2	1		0	5	07	G	184	11	37	39	100	39
Official	B07811 Rt 4367/40		B756	1	21	103	05	40			4	1	5	2			5	07						84	100	84
Official	B07811 Rt 4367/50	1.9				103	05	40	1992	124	4	2	5	2	1		0	5	07	G	184	11	236	246	100	246
Official	B07811 Rt 4368/10	0.1				103	05	40	1992	75	4	2	5	2	1		0	5	07	G	111	11	8	13	100	13
Official	B07811 Rt 4368/20		B703	9	179	103	05	40			4	1	5	0			5	07						100	100	100
Official	B07811 Rt 4368/30	0.4				103	05	40	1992	75	4	2	5	2	1		0	5	07	G	111	11	30	52	100	52
Official	B07811 Rt 4368/40		B771	1	29	103	05	40			4	1	5	2			5	07						116	100	116
Official	B07811 Rt 4368/50	0.5				103	05	40	1992	75	4	2	5	2	1		0	5	07	G	111	11	38	65	100	65
Official	B07811 Rt 4373/10	1.1				103	05	40	1990	80	4	2	5	2	1		0	5	07	G	119	11	88	142	100	142
Official	B07811 Rt 4373/20		B767	1	34	103	05	40			4	1	5	2			5	07						136	100	136
Official	B07811 Rt 4373/30	1.2				103	05	40	1990	80	4	2	5	2	1		0	5	07	G	119	11	96	155	100	155
Official	B07811 Rt 4373/40		B711	1	61	103	05	40			4	1	5	2			5	07						244	100	244
Official	B07811 Rt 4373/50	0.2				103	05	40	1990	80	4	2	5	2	1		0	5	07	G	119	11	16	26	100	26
Official	B07811 Rt 4373/60		B736	1	48	103	05	40			4	1	5	2			5	07						192	100	192
Official	B07811 Rt 4373/70	2.5				103	05	40	1990	80	4	2	5	2	1		0	5	07	G	119	11	200	323	100	323
Official	B07811 Rt 4374/10	0.9				103	05	40	1990	90	4	2	5	2	1		0	5	07	G	134	11	81	116	100	116
Official	B07811 Rt 4374/20		B712	1	26	103	05	40			4	1	5	2			5	07						104	100	104
Official	B07811 Rt 4374/30	2.1				103	05	40	1990	90	4	2	5	2	1		0	5	07	G	134	11	189	271	100	271
Official	B07811 Rt 4375/10	2.5				103	05	40	1990	85	4	2	5	2	1		0	5	07	G	126	11	213	323	100	323
Official	B07811 Rt 4375/20		B713	1	30	103	05	40			4	1	5	2			5	07						120	100	120
Official	B07811 Rt 4375/30	0.5				103	05	40	1990	85	4	2	5	2	1		0	5	07	G	126	11	43	65	100	65
Official	B07811 Rt 4376/10	1.4				103	05	40	1990	90	4	2	5	2	1		0	5	07	G	134	11	126	181	100	181
Official	B07811 Rt 4376/20		B714	9	78	103	05	40			4	1	5	2			5	07						100	100	100
Official	B07811 Rt 4376/30	2.6				103	05	40	1990	90	4	2	5	2	1		0	5	07	G	134	11	234	336	100	336
Official	B07811 Rt 4386/10	0.6				103	05	40	1992	100	4	2	5	2	1		0	5	07	G	149	11	60	78	100	78
Official	B07811 Rt 4386/20		B733	1	21	103	05	40			4	1	5	2			5	07						84	100	84
Official	B07811 Rt 4386/30	0.6				103	05	40	1992	100	4	2	5	2	1		0	5	07	G	149	11	60	78	100	78



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07811 Rt 4386/40		B741	1	24	103	05	40			4	1	5	2			5	07						96	100	96
Official	B07811 Rt 4386/50	1.8				103	05	40	1992	100	4	2	5	2	1	1	0	5	07	G	149	11	180	233	100	233
Official	B07811 Rt 4387/10	0.6				103	05	40	1992	75	4	2	5	2	1	1	0	5	07	G	111	11	45	78	100	78
Official	B07811 Rt 4387/20		B734	1	25	103	05	40			4	1	5	2			5	07						100	100	100
Official	B07811 Rt 4387/30	3.9				103	05	40	1992	75	4	2	5	2	1	1	0	5	07	G	111	11	293	504	100	504
Official	B07811 Rt 4387/40		B735	1	30	103	05	40			4	1	5	2			5	07						120	100	120
Official	B07811 Rt 4387/50	0.5				103	05	40	1992	75	4	2	5	2	1	1	0	5	07	G	111	11	38	65	100	65
Official	B07811 Rt 4388/10	1.2				103	05	40	1992	75	4	2	5	2	1	1	0	5	07	G	111	11	90	155	100	155
Official	B07811 Rt 4388/20		B737	1	25	103	05	40			4	1	5	2			5	07						100	100	100
Official	B07811 Rt 4388/30	0.8				103	05	40	1992	75	4	2	5	2	1	1	0	5	07	G	111	11	60	103	100	103
Official	B07811 Rt 4389/10	1.2				103	05	40	1992	80	4	2	5	2	1	1	0	5	07	G	119	11	96	155	100	155
Official	B07811 Rt 4389/20		B738	1	20	103	05	40			4	1	5	2			5	07						80	100	80
Official	B07811 Rt 4389/30	3.7				103	05	40	1992	80	4	2	5	2	1	1	0	5	07	G	119	11	296	478	100	478
Official	B07811 Rt 4389/40		B739	1	21	103	05	40			4	1	5	2			5	07						84	100	84
Official	B07811 Rt 4389/50	1.1				103	05	40	1992	80	4	2	5	2	1	1	0	5	07	G	119	11	88	142	100	142
Official	B07811 Rt 4391/10	0.9				103	05	40	1992	80	4	2	5	2	1	1	0	5	07	G	119	11	72	116	100	116
Official	B07811 Rt 4391/20		B743	1	21	103	05	40			4	1	5	2			5	07						84	100	84
Official	B07811 Rt 4391/30	0.6				103	05	40	1992	80	4	2	5	2	1	1	0	5	07	G	119	11	48	78	100	78
Official	B07811 Rt 4395/10	0.8				103	05	40	1994	130	4	2	5	2	1	1	0	5	07	G	193	11	104	103	100	103
Official	B07811 Rt 4395/20		B782	1	38	103	05	40			4	1	5	2			5	07						152	100	152
Official	B07811 Rt 4395/30	0.2				103	05	40	1994	130	4	2	5	2	1	1	0	5	07	G	193	11	26	26	100	26
Official	B07811 Rt 4523/10	2.0				103	05	40	1979		4	1	5	2	1	1	0	5	07	G	74	10	100	262	100	262
Official	B07811 Rt 4524/10	2.0				103	05	40	1979		4	2	5	2	1	1	0	5	07	G	74	11	100	258	100	258
Official	B07811 Rt 4524/20	1.0				103	05	40	1979		4	2	5	2	1	1	0	5	07	G	74	11	50	129	100	129
Official	B07811 Rt 6012/10	0.1				103	05	40	1992	100	4	2	5	2	1	1	0	5	07	G	149	11	10	13	100	13
Official	B07811 Rt 6012/20		B732	1	28	103	05	40			4	1	5	2			5	07						112	100	112
Official	B07811 Rt 6012/30	4.4				103	05	40	1992	100	4	2	5	2	1	1	0	5	07	G	149	11	440	569	100	569
Official	B07811 Rt 6014/10	4.1				103	05	40	1974		4	2	5	2	1	1	0	5	07	G	74	11	205	530	100	530
Official	B07811 Rt 6014/20		B041	9	164	103	05	40			4	1	3	2			5	07						100	100	100
Official	B07811 Rt 6014/30	1.0				103	05	40	1974		4	2	5	2	1	1	0	5	07	G	74	11	50	129	100	129
Official	B07811 Rt 6022/10	3.7				103	05	40	1979		4	2	5	2	4	80	3	07	G	74	11	185	1,270	100	1,270	
Official	B07811 Rt 6023/10	1.8				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	90	233	100	233
Official	B07811 Rt 6023/20		B753	1	22	103	05	40			4	1	5	2			5	07						88	100	88
Official	B07811 Rt 6023/30	0.7				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	35	90	100	90
Official	B07811 Rt 6023/40		B708	1	121	103	05	40			4	1	5	2			5	07						484	100	484
Official	B07811 Rt 6023/50	0.3				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	15	39	100	39
Official	B07811 Rt 6023/60		B742	1	28	103	05	40			4	1	5	2			5	07						112	100	112
Official	B07811 Rt 6023/70	0.1				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	5	13	100	13
Official	B07811 Rt 6023/80		B783	1	28	103	05	40			4	1	5	2			5	07						112	100	112
Official	B07811 Rt 6023/90	0.1				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	5	13	100	13
Official	B07811 Rt 6024/10	2.0				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	100	258	100	258
Official	B07811 Rt 6025/10	0.2				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	10	26	100	26
Official	B07811 Rt 6025/20		B716	1	26	103	05	40			4	1	5	2			5	07						104	100	104
Official	B07811 Rt 6025/30	0.8				103	05	40	1989		4	2	5	2	1	1	0	5	07	G	74	11	40	103	100	103
Official	B07811 Rt 6043/10	11.5				103	05	40	1997	90	4	2	5	2	1	1	0	5	07	G	134	11	1,035	1,486	100	1,486
Official	B07811 Rt 6044/10	6.0				103	05	40	1997		4	2	5	2	1	1	0	5	07	G	74	11	300	775	100	775
Official	B07811 Rt 6045/10	4.0				103	05	40	1997		4	2	5	2	1	1	0	5	07	G	74	11	200	517	100	517
Official	B07811 Rt 6046/10	14.0				103	05	40	1997	200	4	2	5	2	1	1	0	5	07	P	297	11	2,800	4,549	100	4,549
Official	B07811 Rt 6047/10	3.0				103	05	40	1997	80	4	2	5	2	1	1	0	5	07	G	119	11	240	388	100	388
Official	B07811 Rt 6048/10	1.5				103	05	40	1997	80	4	2	5	2	1	1	0	5	07	G	119	11	120	194	100	194



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07812 Rt 0594/10	1.0				117	02	40			3	1	5	2		5	80	5	07	E	37	18	25	44	100	44
Official	B07812 Rt 0595/10	0.5				117	02	40	1997	100	4	2	2	2		4	22	2	07	G	149	11	50	166	100	166
Official	B07812 Rt 0596/10	0.3				117	02	40	1997	150	4	2	2	2		1	0	5	07	G	223	11	45	39	100	39
Official	B07812 Rt 4369/10	0.9				117	02	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	54	116	100	116
Official	B07812 Rt 4369/20		B704	9	107	117	02	40			4	1	5	0			5								100	
Official	B07812 Rt 4369/30	3.5				117	02	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	210	452	100	452
Official	B07812 Rt 4369/40		B747	1	38	117	02	40			4	1	5	2			5							152	100	152
Official	B07812 Rt 4369/50	0.1				117	02	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B07812 Rt 4369/60		B748	1	23	117	02	40			4	1	5	2			5							92	100	92
Official	B07812 Rt 4369/70	0.2				117	02	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26
Official	B07812 Rt 4369/80		B721	1	36	117	02	40			4	1	5	2			5							144	100	144
Official	B07812 Rt 4369/90	0.3				117	02	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	18	39	100	39
Official	B07812 Rt 4370/10	0.1				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	10	13	100	13
Official	B07812 Rt 4370/20		B705	1	130	117	02	40			4	1	5	2			5							520	100	520
Official	B07812 Rt 4370/30	0.9				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	90	116	100	116
Official	B07812 Rt 4371/10	0.9				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	90	116	100	116
Official	B07812 Rt 4371/20		B746	1	36	117	02	40			4	1	5	2			5							144	100	144
Official	B07812 Rt 4371/30	0.9				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	90	116	100	116
Official	B07812 Rt 4371/40		B706	1	58	117	02	40			4	1	5	2			5							232	100	232
Official	B07812 Rt 4371/50	2.1				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	210	271	100	271
Official	B07812 Rt 4372/10	1.6				117	02	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	120	207	100	207
Official	B07812 Rt 4372/20		B707	1	111	117	02	40			4	1	5	2			5							444	100	444
Official	B07812 Rt 4372/30	0.4				117	02	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	30	52	100	52
Official	B07812 Rt 4377/10	4.9				117	02	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	392	633	100	633
Official	B07812 Rt 4377/20		B717	1	148	117	02	40			4	1	5	2			5							592	100	592
Official	B07812 Rt 4377/30	0.1				117	02	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13
Official	B07812 Rt 4378/10	0.2				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B07812 Rt 4378/20		B720	1	32	117	02	40			4	1	5	2			5							128	100	128
Official	B07812 Rt 4378/30	0.8				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B07812 Rt 4379/10	0.6				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	60	78	100	78
Official	B07812 Rt 4379/20		B722	1	56	117	02	40			4	1	5	2			5							224	100	224
Official	B07812 Rt 4379/30	1.4				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	140	181	100	181
Official	B07812 Rt 4380/10	1.5				117	02	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	135	194	100	194
Official	B07812 Rt 4380/20		B723	1	56	117	02	40			4	1	5	2			5							224	100	224
Official	B07812 Rt 4380/30	0.5				117	02	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	45	65	100	65
Official	B07812 Rt 4381/10	2.9				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	290	375	100	375
Official	B07812 Rt 4381/20		B745	1	39	117	02	40			4	1	5	2			5							156	100	156
Official	B07812 Rt 4381/30	0.2				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B07812 Rt 4381/40		B749	1	31	117	02	40			4	1	5	2			5							124	100	124
Official	B07812 Rt 4381/50	1.0				117	02	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	100	129	100	129
Official	B07812 Rt 4382/10	0.3				117	02	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	27	39	100	39
Official	B07812 Rt 4382/20		B725	1	21	117	02	40			4	1	5	2			5							84	100	84
Official	B07812 Rt 4382/30	0.7				117	02	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	63	90	100	90
Official	B07812 Rt 4383/10	0.4				117	02	40	1990	75	4	2	5	2		1	0	5	07	G	111	11	30	52	100	52
Official	B07812 Rt 4383/20		B726	1	21	117	02	40			4	1	5	2			5							84	100	84
Official	B07812 Rt 4383/30	1.6				117	02	40	1990	75	4	2	5	2		1	0	5	07	G	111	11	120	207	100	207
Official	B07812 Rt 4384/10	0.1				119	03	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	9	13	100	13
Official	B07812 Rt 4384/20		B727	1	30	117	02	40			4	1	5	2			5							120	100	120
Official	B07812 Rt 4384/30	1.7				119	03	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	153	220	100	220
Official	B07812 Rt 4384/40		B728	1	29	117	02	40			4	1	5	2			5							116	100	116



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07812 Rt 4384/50	0.2				119	03	40	1990	90	4	2	5	2		1	0	5	07	G	134	11	18	26	100	26
Official	B07812 Rt 4385/10	0.6				119	03	40	1990	95	4	2	5	2		1	0	5	07	G	141	11	57	78	100	78
Official	B07812 Rt 4385/20		B729AALj MAAF	1	91	117	02	40			4	1	5	2			5	07						364	100	364
Official	B07812 Rt 4385/30	1.4				119	03	40	1990	95	4	2	5	2		1	0	5	07	G	141	11	133	181	100	181
Official	B07812 Rt 4392/10	0.8				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B07812 Rt 4392/20		B744	1	68	117	02	40			4	1	5	2			5	07						272	100	272
Official	B07812 Rt 4392/30	0.2				117	02	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B07812 Rt 4393/10	0.3				119	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	33	39	100	39
Official	B07812 Rt 4393/20		B750	1	136	119	03	40			4	1	5	2			5	07						544	100	544
Official	B07812 Rt 4393/30	3.4				119	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	374	439	100	439
Official	B07812 Rt 4393/40		B751	1	30	119	03	40			4	1	5	2			5	07						120	100	120
Official	B07812 Rt 4393/50	0.3				119	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	33	39	100	39
Official	B07812 Rt 4394/10	0.2				117	02	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	18	26	100	26
Official	B07812 Rt 4394/20		B752	1	38	117	02	40			4	1	5	2			5	07						152	100	152
Official	B07812 Rt 4394/30	0.8				117	02	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	72	103	100	103
Official	B07812 Rt 4396/10	1.3				117	02	40	1999	146	4	2	5	2		1	0	5	07	G	217	11	190	168	100	168
Official	B07812 Rt 4396/20		B757	1	188	117	02	40			4	1	5	2			5	07						752	100	752
Official	B07812 Rt 4396/30	0.7				117	02	40	1993	235	4	2	5	2		1	0	5	07	P	349	11	165	227	100	227
Official	B07812 Rt 4397/10	0.4				117	02	40	1993	70	4	2	5	2		1	0	5	07	G	104	11	28	52	100	52
Official	B07812 Rt 4397/20		B758	1	40	117	02	40			4	1	5	2			5	07						160	100	160
Official	B07812 Rt 4397/30	1.6				117	02	40	1993	70	4	2	5	2		1	0	5	07	G	104	11	112	207	100	207
Official	B07812 Rt 4591/10	0.6				117	02	40	1979		4	1	5	2		1	0	5	07	G	74	10	30	78	100	78
Official	B07812 Rt 4592/10	0.4				117	02	40			4	2	1	4		0	0	0	07	G	74	11	20	170	100	170
Official	B07812 Rt 6026/10	1.0				117	02	40	1999	52	4	2	5	2		1	0	5	07	G	77	11	52	129	100	129
Official	B07812 Rt 6027/10	0.8				117	02	40	1989	202	4	2	5	2		1	0	5	07	P	300	11	162	260	100	260
Official	B07812 Rt 6027/20		B718	1	21	117	02	40			4	1	5	2			5	07						84	100	84
Official	B07812 Rt 6027/30	1.4				117	02	40	1989	202	4	2	5	2		1	0	5	07	P	300	11	283	455	100	455
Official	B07812 Rt 6027/40		B719	1	158	117	02	40			4	1	5	2			5	07						632	100	632
Official	B07812 Rt 6027/50	1.3				117	02	40	1989	202	4	2	5	2		1	0	5	07	P	300	11	263	422	100	422
Official	B07812 Rt 6028/10	2.0				117	02	40	1989	96	4	2	5	2		4	20	3	07	G	143	11	192	687	100	687
Official	B07812 Rt 6029/10	2.0				117	02	40	1989	52	4	2	5	2		1	0	5	07	G	77	11	104	258	100	258
Official	B07812 Rt 6030/10	0.8				117	02	40	1989		4	2	5	2		1	0	5	07	G	74	11	40	103	100	103
Official	B07812 Rt 6030/20		B709	1	98	117	02	40			4	1	5	2			5	07						392	100	392
Official	B07812 Rt 6030/30	0.1				117	02	40	1989		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B07812 Rt 6030/40		B755	1	24	117	02	40			4	1	5	2			5	07						96	100	96
Official	B07812 Rt 6030/50	0.7				117	02	40	1989		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90
Official	B07812 Rt 6030/60		B710	1	45	117	02	40			4	1	5	2			5	07						180	100	180
Official	B07812 Rt 6030/70	2.4				117	02	40	1989		4	2	5	2		1	0	5	07	G	74	11	120	310	100	310
Official	B07812 Rt 6031/10	2.0				117	02	40	1999	86	4	2	5	2		1	0	5	07	G	128	11	172	258	100	258
Official	B07812 Rt 6032/10	1.5				117	02	40	1989	425	4	2	5	2		4	40	3	07	P	631	11	638	950	100	950
Official	B07812 Rt 6033/10	1.0				117	02	40	1989	219	4	2	5	2		4	40	2	07	P	325	11	219	622	100	622
Official	B07812 Rt 6035/10	2.0				117	02	40	1997		4	2	5	2		1	0	5	07	G	74	11	100	258	100	258
Official	B07812 Rt 6051/10	0.5				117	02	40	1997		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65
Official	B07812 Rt 6052/10	0.5				117	02	40	1997	200	4	2	5	2		3	26	2	07	P	297	11	100	311	100	311
Official	B07812 Rt 6053/10	0.5				117	02	40	1997	150	4	2	5	2		3	26	2	07	G	223	11	75	213	100	213
Official	B07812 Rt 6054/10	3.0				117	02	40	1997	100	4	2	5	2		3	26	2	07	G	149	11	300	1,278	100	1,278
Official	B07812 Rt 6055/10	0.8				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	160	497	100	497
Official	B07812 Rt 6056/10	0.1				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	20	62	100	62



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07812 Rt 6057/10	0.1				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	20	62	100	62
Official	B07812 Rt 6058/10	0.5				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	100	311	100	311
Official	B07812 Rt 6059/10	0.1				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	20	62	100	62
Official	B07812 Rt 6060/10	0.2				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	40	124	100	124
Official	B07812 Rt 6061/10	0.2				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	40	124	100	124
Official	B07812 Rt 6062/10	0.5				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	100	311	100	311
Official	B07812 Rt 6063/10	0.2				117	02	40	1998	200	4	2	5	2	2	5	26	2	07	P	297	11	40	124	100	124
Official	B07812 Rt 6100/10	1.5				117	02	40	1998	100	4	2	5	2	4	20	3	07	G	149	11	150	515	100	515	
Official	B07812 Rt 6101/10	4.0				117	02	40	1998	300	4	2	5	2	4	20	3	07	P	446	11	1,200	2,533	100	2,533	
Official	B07812 Rt 6102/10	3.0				117	02	40	1998	100	4	2	5	2	4	20	3	07	G	149	11	300	1,030	100	1,030	
Official	B07812 Rt 6103/10	3.8				117	02	40	1998	400	4	2	5	2	4	20	3	07	P	594	11	1,520	2,407	100	2,407	
Official	B07812 Rt 6104/10	9.0				117	02	40	1998	200	4	2	5	2	4	20	3	07	P	297	11	1,800	5,700	100	5,700	
Official	B07812 Rt 6105/10	2.0				117	02	40	1998	150	4	2	5	2	4	20	3	07	G	223	11	300	687	100	687	
Official	B07812 Rt 6106/10	5.8				117	02	40	1998	240	4	2	5	2	4	20	3	07	P	356	11	1,392	3,673	100	3,673	
Official	B07812 Rt 6129/10	0.5				117	02	40			4	2	2	2	0	0	0	07	G	74	11	25	213	100	213	
Official	B07813 Rt 0612/10	0.5				071	05	40			3	1	5	2	4	80	5	07	E	37	18	13	22	100	22	
Official	B07813 Rt 3601/10	2.0				071	05	40	1974		4	2	5	2	1	0	5	07	G	74	11	100	258	100	258	
Official	B07813 Rt 3603/10	0.3				071	05	40			3	1	5	2	4	80	5	07	E	37	18	8	13	100	13	
Official	B07813 Rt 3605/10	2.0				071	05	40	1999	128	4	2	5	2	4	80	4	07	G	190	11	256	687	100	687	
Official	B07813 Rt 3606/10	0.5				071	05	40	1999	312	4	2	5	0	1	5	80	4	07	P	463	11	156	100	100	
Official	B07813 Rt 3606/20		B761	9	29	071	05	40			4	1	5	0		5	07							100	100	
Official	B07813 Rt 3606/30	1.5				071	05	40	1990	284	4	2	5	0	1	5	80	4	07	P	422	11	426	100	100	
Official	B07813 Rt 3607/10	2.5				071	05	40	1999	758	4	2	5	2	4	80	4	07	P	1,126	11	1,895	1,583	100	1,583	
Official	B07813 Rt 3608/10	3.5				071	05	40	1999	214	4	2	5	2	1	0	5	07	P	318	11	749	1,137	100	1,137	
Official	B07813 Rt 3609/10	2.0				071	05	40	1989	130	4	2	5	2	1	0	5	07	G	193	11	260	258	100	258	
Official	B07813 Rt 3610/10	1.5				071	05	40	1989	130	4	2	5	2	1	0	5	07	G	193	11	195	194	100	194	
Official	B07813 Rt 4362/10	0.5				071	05	40	1992	147	4	2	5	2	1	0	5	07	G	218	11	74	65	100	65	
Official	B07813 Rt 4362/20		B731	1	97	071	05	40			4	1	5	2		5	07						388	100	388	
Official	B07813 Rt 4362/30	0.5				071	05	40	1992	147	4	2	5	2	1	0	5	07	G	218	11	74	65	100	65	
Official	B07813 Rt 4363/10	1.0				071	05	40	1979		4	1	5	2	1	0	5	07	G	74	10	50	131	100	131	
Official	B07813 Rt 4366/10	2.3				103	05	40	1992	100	4	2	5	2	1	0	5	07	G	149	11	230	297	100	297	
Official	B07813 Rt 4366/20		B701	1	23	103	05	40			4	1	5	2		5	07						92	100	92	
Official	B07813 Rt 4366/30	0.7				103	05	40	1992	100	4	2	5	2	1	0	5	07	G	149	11	70	90	100	90	
Official	B07813 Rt 6036/10	0.5				071	05	40	1997	75	4	2	5	2	1	0	5	07	G	111	11	38	65	100	65	
Official	B07813 Rt 6037/10	3.1				071	05	40	1995	150	4	2	5	2	1	0	5	07	G	223	11	465	401	100	401	
Official	B07813 Rt 6037/20		B729AALj SAAK	1	35	071	05	40			4	1	5	2		5	07						140	100	140	
Official	B07813 Rt 6037/30	1.4				071	05	40	1995	150	4	2	5	2	1	0	5	07	G	223	11	210	181	100	181	
Official	B07813 Rt 6038/10	1.0				071	05	40	1997	60	4	2	5	2	1	0	5	07	G	89	11	60	129	100	129	
Official	B07813 Rt 6112/10	1.5				071	05	40	1974	350	4	2	5	2	3	5	80	5	07	P	520	11	525	52	100	52
Official	B07813 Rt 6113/10	3.0				103	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	300	388	100	388	
Official	B07813 Rt 6114/10	0.5				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	50	65	100	65	
Official	B07813 Rt 6115/10	3.0				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	300	388	100	388	
Official	B07813 Rt 6116/10	0.5				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	50	65	100	65	
Official	B07813 Rt 6117/10	0.3				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	30	39	100	39	
Official	B07813 Rt 6118/10	0.2				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	20	26	100	26	
Official	B07813 Rt 6119/10	0.5				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	50	65	100	65	
Official	B07813 Rt 6120/10	0.2				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	20	26	100	26	
Official	B07813 Rt 6121/10	0.2				071	05	40	1997	100	4	2	5	2	1	0	5	07	G	149	11	20	26	100	26	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07813 Rt 6122/10	4.1				103	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	410	530	100	530
Official	B07813 Rt 6123/10	0.1				103	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	10	13	100	13
Official	B07813 Rt 6124/10	0.1				103	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	10	13	100	13
Official	B07813 Rt 6125/10	4.5				071	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	450	581	100	581
Official	B07813 Rt 6126/10	0.3				071	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	30	39	100	39
Official	B07813 Rt 6127/10	0.5				071	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	50	65	100	65
Official	B07813 Rt 6128/10	0.2				071	05	40	1997	100	4	2	5	2	1		0	5	07	G	149	11	20	26	100	26
Official	B07813 Rt 6317/10	1.2				103	03	40			5	2	5	2	3		38	3	07	G	74	14	60	745	100	745
Official	B07813 Rt 6317/20		11554	1	24	103	03	40			5	2	5	2					07					96	100	96
Official	B07813 Rt 6317/30	1.0				103	03	40			5	2	5	2	3		38	3	07	G	74	14	50	621	100	621
Official	B07813 Rt 6317/40		26849	9	28	103	03	40			5	2	5	2					07						100	
Official	B07813 Rt 6317/50	5.3				103	03	40			5	2	5	2	3		32	3	07	G	74	14	265	3,291	100	3,291
Official	B07813 Rt 6318/10	0.5				103	03	40			5	2	5	2	3		34	3	07	G	74	14	25	310	100	310
Official	B07813 Rt 6318/20		26414	1	20	103	03	40			5	2	5	2					07					80	100	80
Official	B07813 Rt 6318/30	4.3				103	03	40			5	2	5	2	3		34	3	07	G	74	14	215	2,670	100	2,670
Official	B07813 Rt 6319/10	2.3				103	03	40			5	2	5	2	3		38	3	07	G	74	14	115	1,428	100	1,428
Official	B07813 Rt 6320/10	3.0				103	03	40			5	2	5	2	4		42	3	07	G	74	14	150	1,397	100	1,397
Official	B07813 Rt 6321/10	2.0				103	03	40			5	2	5	2	1		0	2	07	G	74	14	100	1,175	100	1,175
Official	B07813 Rt 6322/10	3.0				103	03	40			5	2	5	2	3		38	3	07	G	74	14	150	1,863	100	1,863
Approved	B07813 Rt 6323/10	6.0				103	03	40					3													
Official	B07813 Rt 6323/10	6.0				103	03	40			4	2	3	2	3	5	94	5	07	G	74	11	62	209	21	43
Approved	B07813 Rt 6323/20	6.0				103	03	40					3													
Official	B07813 Rt 6323/20	6.0				103	03	40			4	2	3	2	3	5	94	5	07	G	74	11	62	209	21	43
Approved	B07813 Rt 6324/10	10.3				103	03	40					3													
Official	B07813 Rt 6324/10	10.3				103	03	40			5	2	3	2	4		86	5	07	G	74	14	106	1,027	21	211
Approved	B07813 Rt 6324/20	6.5				103	03	40					3													
Official	B07813 Rt 6324/20	6.5				103	03	40			5	2	3	2	4		86	5	07	G	74	14	67	648	21	133
Approved	B07813 Rt 6325/10	6.0				103	03	40					3													
Official	B07813 Rt 6325/10	6.0				103	03	40			4	2	3	2	3	5	94	5	07	G	74	11	62	209	21	43
Official	B07813 Rt 6326/10	3.6				103	03	40			5	2	5	2	3		28	3	07	G	74	14	180	2,236	100	2,236
Official	B07813 Rt 6326/20		27293	9	40	103	03	40			5	2	5	2					07						100	
Official	B07813 Rt 6326/30	0.4				103	03	40			5	2	5	2	3		28	3	07	G	74	14	20	248	100	248
Official	B07813 Rt 6326/40	1.5				103	03	40			5	2	5	2	3		28	3	07	G	74	14	75	931	100	931
Official	B07813 Rt 6327/10	4.7				103	03	40			5	2	5	2	3		36	3	07	G	74	14	235	2,919	100	2,919
Official	B07813 Rt 6328/10	4.0				103	03	40			5	2	5	2	3		38	3	07	G	74	14	200	2,484	100	2,484
Official	B07813 Rt 6329/10	4.0				103	03	40			5	2	5	2	3		38	3	07	G	74	14	200	2,484	100	2,484
Official	B07813 Rt 6330/10	1.5				103	03	40			5	2	5	2	3		28	3	07	G	74	14	75	931	100	931
Official	B07813 Rt 6331/10	0.5				103	03	40			5	2	5	2	3		24	3	07	G	74	14	25	325	100	325
Official	B07813 Rt 6332/10	2.3				071	03	40			5	2	5	2	3		36	3	07	G	74	14	115	1,428	100	1,428
Official	B07813 Rt 6333/10	1.5				071	03	40			5	2	5	2	3		22	3	07	G	74	14	75	931	100	931
Official	B07813 Rt 6334/10	1.0				071	03	40			5	2	5	2	3		26	3	07	G	74	14	50	621	100	621
Official	B07813 Rt 6335/10	2.0				071	03	40			5	2	5	2	3		34	3	07	G	74	14	100	1,242	100	1,242
Official	B07813 Rt 6336/10	1.0				071	03	40			5	2	5	2	3		26	3	07	G	74	14	50	621	100	621
Official	B07813 Rt 6337/10	0.5				071	03	40			5	2	5	2	3		24	3	07	G	74	14	25	310	100	310
Official	B07813 Rt 6338/10	2.0				071	03	40			5	2	5	2	3		28	3	07	G	74	14	100	1,242	100	1,242
Official	B07813 Rt 6339/10	4.0				071	03	40			5	2	5	2	3		36	3	07	G	74	14	200	2,484	100	2,484
Official	B07813 Rt 6340/10	1.0				071	03	40			5	2	5	2	0		0	0	07	G	74	14	50	588	100	588
Official	B07813 Rt 6340/20	4.0				071	03	40			5	2	5	2	3		36	3	07	G	74	14	200	2,484	100	2,484
Official	B07813 Rt 6341/10	2.0				071	03	40			5	2	5	2	3		24	3	07	G	74	14	100	1,242	100	1,242
Official	B07813 Rt 6342/10	2.0				071	03	40			5	2	5	2	3		22	3	07	G	74	14	100	1,242	100	1,242



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07813 Rt 6343/10	0.9				071	03 40				5	2	5	2	3	34	3	07	G		74	14	45	559	100	559
Official	B07813 Rt 6344/10	2.0				103	03 40				5	2	5	2	3	28	3	07	G		74	14	100	1,242	100	1,242
Official	B07813 Rt 6345/10	2.0				103	03 40				5	2	5	2	3	38	3	07	G		74	14	100	1,242	100	1,242
Official	B07813 Rt 6346/10	1.0				071	03 40				5	2	5	2	3	20	3	07	G		74	14	50	621	100	621
Official	B07813 Rt 6347/10	1.0				103	03 40				5	2	5	2	3	32	3	07	G		74	14	50	621	100	621
Official	B07813 Rt 6348/10	2.0				103	03 40				5	2	5	2	3	26	3	07	G		74	14	105	1,304	100	1,304
Official	B07813 Rt 6348/20	0.5				103	03 40				5	2	5	2	1	0	2	07	G		74	14	25	294	100	294
Official	B07813 Rt 6348/30		10609	1	22	103	03 40				5	2	5	2				07						88	100	88
Official	B07813 Rt 6348/40	1.6				103	03 40				5	2	5	2	1	0	2	07	G		74	14	80	940	100	940
Official	B07813 Rt 6349/10	5.5				103	03 40				5	2	5	2	3	34	3	07	G		74	14	275	3,415	100	3,415
Official	B07813 Rt 6350/10	1.0				103	03 40				5	2	5	2	3	24	3	07	G		74	14	50	621	100	621
Official	B07813 Rt 6350/20	0.3				103	03 40				5	2	5	2	1	0	3	07	G		74	14	15	186	100	186
Official	B07813 Rt 6351/10	0.5				103	03 40				5	2	5	2	3	22	3	07	G		74	14	25	310	100	310
Official	B07813 Rt 6351/20	1.0				103	03 40				5	2	5	2	1	0	3	07	G		74	14	50	621	100	621
Official	B07813 Rt 6351/30	8.1				103	03 40				5	2	5	2	3	22	3	07	G		74	14	405	5,030	100	5,030
Official	B07813 Rt 6351/40		00655	1	65	103	03 40				5	2	5	2				07						260	100	260
Official	B07813 Rt 6351/50	0.2				103	03 40				5	2	5	2	3	22	3	07	G		74	14	10	124	100	124
Official	B07813 Rt 6352/10	2.0				071	03 40				5	2	5	2	1	0	3	07	G		74	14	100	1,242	100	1,242
Official	B07813 Rt 6352/20	0.5				071	03 40				5	2	5	2	3	22	3	07	G		74	14	25	310	100	310
Official	B07813 Rt 6352/30	2.0				071	03 40				5	2	5	4				07	G		74	14	100	1,175	100	1,175
Official	B07813 Rt 6352/40	2.0				071	03 40				5	2	5	2	3	22	3	07	G		74	14	100	1,242	100	1,242
Official	B07813 Rt 6352/50	0.5				071	03 40				5	2	5	4				07	G		74	14	25	294	100	294
Official	B07813 Rt 6352/60	2.5				071	03 40				5	2	5	2	3	22	3	07	G		74	14	125	1,552	100	1,552
Official	B07813 Rt 6353/10	1.3				103	03 40				5	2	5	2	3	32	3	07	G		74	14	65	807	100	807
Official	B07813 Rt 6354/10	1.0				103	03 40				5	2	5	2	3	42	3	07	G		74	14	50	621	100	621
Official	B07813 Rt 6355/10	4.0				103	03 40				5	2	5	2	3	45	3	07	G		74	14	200	2,484	100	2,484
Official	B07813 Rt 6356/10	0.8				103	03 40				5	2	5	2	3	50	3	07	G		74	14	40	497	100	497
Official	B07813 Rt 6357/10	0.8				071	03 40				5	2	5	2	3	50	3	07	G		74	14	45	559	100	559
Official	B07813 Rt 6357/20		03219	1	135	071	03 40				5	2	5	2				07						540	100	540
Official	B07813 Rt 6357/30	3.2				071	03 40				5	2	5	2	3	50	3	07	G		74	14	160	1,987	100	1,987
Official	B07813 Rt 6358/10	0.3				103	03 40				5	2	5	2	3	44	3	07	G		74	14	15	186	100	186
Returned-To-R	B07813 Rt 6359/10	0.5				103	03 40				5	2	5	2	3	48	3	07	G		74	14	25	310	100	310
Returned-To-R	B07813 Rt 6359/20	0.5				103	03 40				5	2	5	2	4	78	4	07	G		74	14	25	233	100	233
Returned-To-R	B07813 Rt 6359/30	0.5				103	03 40				5	2	5	2	3	48	3	07	G		74	14	25	310	100	310
Official	B07813 Rt 6360/10	1.0				103	03 40				5	2	5	2	1	0	2	07	G		74	14	50	588	100	588
Official	B07813 Rt 6360/20		11546	5	29	103	03 40				5	2	5	2				07						100	100	100
Official	B07813 Rt 6360/30	1.2				103	03 40				5	2	5	2	3	30	3	07	G		74	14	60	745	100	745
Official	B07813 Rt 6361/10	6.0				103	03 40				5	2	5	2	3	55	3	07	G		74	14	300	3,726	100	3,726
Official	B07813 Rt 6362/10	0.8				071	03 40				4	2	5	2	5	54	5	07	G		74	11	40	28	100	28
Official	B07813 Rt 6362/20		11883	1	34	071	03 40				4	2	5	2				07						136	100	136
Official	B07813 Rt 6362/30	0.2				071	03 40				4	2	5	2	5	54	5	07	G		74	11	10	7	100	7
Official	B07813 Rt 6362/40		12366	9	82	071	03 40				4	2	5	2				07						100	100	100
Official	B07813 Rt 6362/50	3.8				071	03 40				4	2	5	2	5	54	5	07	G		74	11	190	133	100	133
Official	B07813 Rt 6362/60		01654	9	82	071	03 40				4	2	5	2				07						100	100	100
Official	B07813 Rt 6362/70	1.4				071	03 40				4	2	5	2	5	54	5	07	G		74	11	70	49	100	49
Official	B07813 Rt 6362/80		01655	1	22	071	03 40				4	2	5	2				07						88	100	88
Official	B07813 Rt 6362/90	0.8				071	03 40				4	2	5	2	5	54	5	07	G		74	11	40	28	100	28
Official	B07813 Rt 6362/100		12632	1	177	071	03 40				4	2	5	2				07						708	100	708
Official	B07813 Rt 6362/110	0.6				071	03 40				4	2	5	2	5	54	5	07	G		74	11	30	21	100	21
Official	B07813 Rt 6362/120		17547	9	201	071	03 40				4	2	5	2				07						100	100	100



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B07813 Rt 6362/130	2.6				071	03	40			4	2	5	2		5	54	5	07	G	74	11	130	91	100	91	
Official	B07813 Rt 6363/10	0.5				103	03	40			5	2	5	2		3	50	3	07	G	74	14	25	310	100	310	
Official	B07813 Rt 6364/10	1.0				103	03	40			5	2	5	2		3	30	3	07	G	74	14	50	621	100	621	
Official	B07813 Rt 6365/10	2.3				103	03	40			5	2	5	2		3	60	3	07	G	74	14	115	1,428	100	1,428	
Official	B07813 Rt 6366/10	0.8				103	03	40			5	2	5	2		1	0	2	07	G	74	14	40	470	100	470	
Official	B07813 Rt 6367/10	1.3				103	03	40			5	2	5	2		3	34	3	07	G	74	14	65	807	100	807	
Official	B07814 Rt 4364/10	0.3				071	05	40	1989		4	1	5	2	3	5	80	5	07	G	74	10	15	10	100	10	
Official	B07814 Rt 4364/20	0.4				071	05	40	1989		4	2	5	2		1	0	5	07	G	74	11	20	52	100	52	
Official	B07814 Rt 4365/10	0.1				071	05	40	1989		4	1	5	2		4	30	5	07	G	74	10	5	3	100	3	
Official	B07814 Rt 4365/20	0.5				071	05	40	1989		4	1	5	0		4	30	5	07	G	74	10	25		100		
Official	B07814 Rt 4400/10	5.0				071	03	40			5	2	5	2		3	32	3	07	G	74	14	250	3,105	100	3,105	
Official	B07814 Rt 4401/10	2.9				071	03	40			5	2	5	2	3	4	52	4	07	G	74	14	145	1,351	100	1,351	
Official	B07814 Rt 4402/10	5.5				071	03	40			4	2	3	2	3	5	90	5	07	G	74	11	275	192	100	192	
Official	B07814 Rt 4402/20	8.0				071	03	40			4	2	3	2	3	5	90	5	07	G	74	11	400	279	100	279	
Returned-To-R	B07814 Rt 4403/10	5.0				071	03	40			5	2	5	2		3	34	3	07	G	74	14	250	3,105	100	3,105	
Returned-To-R	B07814 Rt 4403/20	1.0				071	03	40			5	1	5	4					07	G	74	13	50	327	100	327	
Returned-To-R	B07814 Rt 4403/30	7.0				071	03	40			5	1	5	2		3	30	3	07	G	74	13	350	2,423	100	2,423	
Official	B07814 Rt 4404/10	4.5				071	03	40			5	1	5	2		3	30	3	07	G	74	13	225	1,558	100	1,558	
Official	B07814 Rt 4404/20	0.5				071	03	40			9		5	4													
Official	B07814 Rt 4404/30	7.0				071	03	40			5	1	5	2		3	32	3	07	G	74	13	350	2,423	100	2,423	
Official	B07814 Rt 4405/10	4.0				071	03	40			5	1	5	2		3	34	3	07	G	74	13	200	1,384	100	1,384	
Official	B07814 Rt 4405/20	2.0				071	03	40			5	2	5	4					07	G	74	14	100	1,175	100	1,175	
Official	B07814 Rt 4405/30	6.0				071	03	40			5	1	5	2		3	38	2	07	G	74	13	300	1,963	100	1,963	
Official	B07814 Rt 4406/10	0.1				071	03	40			5	1	5	2		3	28	3	07	G	74	13	5	35	100	35	
Official	B07814 Rt 4406/20		07381	9	21	071	03	40			5		5	2					07							100	
Official	B07814 Rt 4406/30	4.4				071	03	40			5	1	5	2		3	32	3	07	G	74	13	220	1,523	100	1,523	
Official	B07814 Rt 4406/40		17774	6	40	071	03	40			5		5	2					07							100	
Official	B07814 Rt 4406/50	7.5				071	03	40			5	1	5	2		3	30	3	07	G	74	13	375	2,596	100	2,596	
In-Process	B07814 Rt 4407/10	17.5				071	03	40	2006	2100	4	1	3	2	2	5	90	5	07	P	3,119	10	36,750	563	100	563	
Official	B07814 Rt 4408/10	5.0				071	03	40			5	2	5	2		3	56	3	07	G	74	14	250	3,105	100	3,105	
Official	B07814 Rt 4408/20	1.0				071	03	40			5	2	5	4					07	G	74	14	50	588	100	588	
Official	B07814 Rt 4408/30	0.2				071	03	40			5	2	5	2		3	56	3	07	G	74	14	10	124	100	124	
Official	B07814 Rt 4408/40		25563	1	25	071	03	40			5		5	2					07						100	100	
Official	B07814 Rt 4408/50	4.0				071	03	40			5	1	5	2		3	64	3	07	G	74	13	200	1,384	100	1,384	
Official	B07814 Rt 4408/60		03188	1	140	071	03	40			5		5	2					07						560	100	560
Official	B07814 Rt 4408/70	1.8				071	03	40			5	1	5	2		3	68	3	07	G	74	13	90	623	100	623	
Official	B07814 Rt 4409/10	4.7				071	03	40			5	1	5	2		3	30	3	07	G	74	13	235	1,627	100	1,627	
Official	B07814 Rt 4409/20	0.3				071	03	40			5	2	5	4					07	G	74	14	15	176	100	176	
Official	B07814 Rt 4409/30	1.4				071	03	40			5	1	5	2		3	28	3	07	G	74	13	70	485	100	485	
Official	B07814 Rt 4409/40		05534	9	21	071	03	40			5		5	2					07							100	
Official	B07814 Rt 4409/50	5.6				071	03	40			5	1	5	2		3	32	3	07	G	74	13	280	1,938	100	1,938	
Returned-To-R	B07814 Rt 4411/10	1.0				071	03	40			5	1	2	2		1	0	3	07	G	74	13	50	346	100	346	
Official	B07814 Rt 4412/2	4.2				071	03	40			5	2	5	2		4	40	3	07	G	74	14	210	1,956	100	1,956	
Official	B07814 Rt 4412/3		01879000 0000000	1	62	071	03	40			5		5	2					07						248	100	248
Official	B07814 Rt 4412/10	1.0				071	03	40			5	2	5	2		3	60	3	07	G	74	14	50	621	100	621	
Official	B07814 Rt 4413/10	1.0				071	03	40			6		5	2		4	48	5	07	G	74	16	50	5	100	5	
Official	B07814 Rt 4413/20	1.0				071	03	40			5	1	5	2		3	36	5	07	G	74	13	50	159	100	159	
Official	B07814 Rt 4413/30	1.0				071	03	40			5	1	5	4					07	G	74	13	50	327	100	327	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07814 Rt 4414/1	1.5				071	03	40			5	2	5	2		4	40	3	07	G	74	14	75	699	100	699
Official	B07814 Rt 4415/1	1.7				071	03	40			5	2	5	2		3	60	3	07	G	74	14	85	1,056	100	1,056
Official	B07814 Rt 4415/2	0.2				071	03	40			5	2	5	2		4	20	3	07	G	74	14	10	93	100	93
Official	B07814 Rt 4416/10	0.4				071	03	40			5	1	5	2		3	32	3	07	G	74	13	20	138	100	138
Official	B07814 Rt 4416/20		17775	1	42	071	03	40			5		5	2						07				168	100	168
Official	B07814 Rt 4416/30	1.0				071	03	40			5	1	5	2		3	28	3	07	G	74	13	50	346	100	346
Official	B07814 Rt 4416/40		11167	1	23	071	03	40			5		5	2						07				92	100	92
Official	B07814 Rt 4416/50	1.0				071	03	40			5	1	5	2		3	30	3	07	G	74	13	50	346	100	346
Official	B07814 Rt 4416/60	0.6				071	03	40			5	1	5	4					07	G	74	13	30	196	100	196
Official	B07814 Rt 4416/70	0.4				071	03	40			5	1	5	2		3	32	3	07	G	74	13	20	138	100	138
Official	B07814 Rt 4417/10	3.0				071	03	40			5	1	5	2		3	26	3	07	G	74	13	150	1,038	100	1,038
Official	B07814 Rt 4417/20	0.5				071	03	40			5	1	5	4					07	G	74	13	25	164	100	164
Official	B07814 Rt 4417/30	0.5				071	03	40			5	1	5	2		3	28	3	07	G	74	13	25	173	100	173
Official	B07814 Rt 4418/10	6.0				071	03	40			5	1	5	2		3	26	2	07	G	74	13	300	1,963	100	1,963
Official	B07814 Rt 4419/10	1.0				071	03	40			5	1	5	4					07	G	74	13	50	327	100	327
Official	B07814 Rt 4420/10	2.0				071	03	40			5	1	5	2	3	4	90	4	07	G	74	13	100	488	100	488
Official	B07814 Rt 4421/10	4.0				071	03	40			5	1	5	2		3	24	3	07	G	74	13	200	1,384	100	1,384
Official	B07814 Rt 4421/20	1.0				071	03	40			5	1	5	4					07	G	74	13	50	327	100	327
Official	B07814 Rt 4421/30	5.6				071	03	40			5	1	5	2		3	26	3	07	G	74	13	280	1,938	100	1,938
Official	B07814 Rt 4421/40		21447	6	32	071	03	40			5		5	2					07					100	100	100
Official	B07814 Rt 4421/50	1.4				071	03	40			5	1	5	2		3	22	3	07	G	74	13	70	485	100	485
Official	B07814 Rt 4422/1	1.0				071	03	40			5	2	5	2	3	4	90	5	07	G	74	14	50	100	100	100
Official	B07814 Rt 4423/10	1.5				071	03	40			5	1	5	2		3	18	3	07	G	74	13	75	519	100	519
Official	B07814 Rt 4423/20		02378	7	26	071	03	40			5		5	2					07					100	100	100
Official	B07814 Rt 4423/30	2.3				071	03	40			5	1	5	2		3	20	3	07	G	74	13	115	796	100	796
Official	B07814 Rt 4423/40		19270	9	497	071	03	40			5		5	2					07					100	100	100
Official	B07814 Rt 4423/50	2.0				071	03	40			5	1	5	2		3	16	3	07	G	74	13	100	692	100	692
Official	B07814 Rt 4423/60		17773	1	42	071	03	40			5		5	2					07					168	100	168
Official	B07814 Rt 4423/70	5.0				071	03	40			5	1	5	2		3	18	3	07	G	74	13	250	1,731	100	1,731
Official	B07814 Rt 4423/80		03168	1	126	071	03	40			5		5	2					07					504	100	504
Official	B07814 Rt 4423/90	1.2				071	03	40			5	1	5	2		3	22	3	07	G	74	13	60	415	100	415
Official	B07814 Rt 4424/10	11.4				071	03	40			5	1	5	2		3	18	3	07	G	74	13	570	3,946	100	3,946
Official	B07814 Rt 4424/20		11643	1	30	071	03	40			5		5	2					07					120	100	120
Official	B07814 Rt 4424/30	0.6				071	03	40			5	1	5	2		3	16	3	07	G	74	13	30	208	100	208
In-Process	B07814 Rt 4425/10	15.0				071	03	40	2004	16505	1	2	3	2	3	5	90	5	07	P	24,510	2	247,575	2,011	100	2,011
Official	B07814 Rt 4426/10	3.0				071	03	40			5	2	5	2		1	0	2	07	G	74	14	150	1,763	100	1,763
Official	B07814 Rt 4426/20	2.0				071	03	40			5	2	5	2		3	60	3	07	G	74	14	100	1,242	100	1,242
Official	B07814 Rt 4426/30	0.4				071	03	40			5	2	5	2		1	0	3	07	G	74	14	20	248	100	248
Official	B07814 Rt 4426/40	0.6				071	03	40			5	2	5	4					07	G	74	14	30	353	100	353
Official	B07814 Rt 4426/50	0.3				071	03	40			5	2	5	2		1	0	3	07	G	74	14	15	186	100	186
Official	B07814 Rt 4426/60	0.7				071	03	40			5	2	5	4					07	G	74	14	35	411	100	411
Official	B07814 Rt 4426/70	4.0				071	03	40			5	2	5	2		3	60	3	07	G	74	14	200	2,484	100	2,484
Official	B07814 Rt 4426/80	1.0				071	03	40			5	2	5	2		1	0	2	07	G	74	14	50	588	100	588
Official	B07814 Rt 4427/10	5.6				071	99	40			5	2	5	2		3	18	3	07	G	74	14	280	3,477	100	3,477
Official	B07814 Rt 4427/20		03474	1	26	071	03	40			5		5	2					07					104	100	104
Official	B07814 Rt 4427/30	0.9				071	03	40			5	1	5	2		3	18	3	07	G	74	13	45	312	100	312
Official	B07814 Rt 4427/40		14419	7	172	071	03	40			5		5	2					07					100	100	100
Official	B07814 Rt 4427/50	1.4				071	03	40			5	1	5	2		3	16	2	07	G	74	13	70	458	100	458
Official	B07814 Rt 4427/60		25910	6	25	071	03	40			5		5	2					07					100	100	100
Official	B07814 Rt 4427/70	2.3				071	03	40			5	1	5	2		3	20	2	07	G	74	13	115	753	100	753



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B07814 Rt 4427/80		12385	1	91	071	03	40			5		5	2										364	100	364	
Official	B07814 Rt 4427/90	1.8				071	03	40			5	1	5	2		3	22	2	07	G	74	13	90	589	100	589	
Official	B07814 Rt 4428/10	6.5				071	03	40			5	2	5	2		3	28	0	07	G	74	14	325	3,820	100	3,820	
Official	B07814 Rt 4428/20		14422	9	172	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4428/30	4.0				071	03	40			5	2	5	2		3	32	3	07	G	74	14	200	2,484	100	2,484	
Official	B07814 Rt 4428/40		14686	9	21	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4428/50	1.5				071	03	40			5	2	5	2		3	28	3	07	G	74	14	75	931	100	931	
Official	B07814 Rt 4429/10	0.6				071	03	40			5	2	5	2		3	36	3	07	G	74	14	30	373	100	373	
Official	B07814 Rt 4429/20		21573	1	60	071	03	40			5		5	2										240	100	240	
Official	B07814 Rt 4429/30	4.8				071	03	40			5	2	5	2		3	36	3	07	G	74	14	240	2,981	100	2,981	
Official	B07814 Rt 4429/40		02551	1	24	071	03	40			5		5	2										96	100	96	
Official	B07814 Rt 4429/50	1.1				071	03	40			5	2	5	2		3	36	3	07	G	74	14	55	683	100	683	
Official	B07814 Rt 4429/60		14451	9	172	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4429/70	2.0				071	03	40			5	2	5	2		3	38	3	07	G	74	14	100	1,242	100	1,242	
Official	B07814 Rt 4430/10	1.0				071	03	40			5	2	5	2		3	34	3	07	G	74	14	50	621	100	621	
Official	B07814 Rt 4430/20	1.0				071	03	40			5	2	5	4										50	588	100	588
Official	B07814 Rt 4430/30	3.5				071	03	40			5	2	5	2		3	32	3	07	G	74	14	175	2,173	100	2,173	
Official	B07814 Rt 4430/40		21518	9	42	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4430/50	1.0				071	03	40			5	2	5	2		3	32	3	07	G	74	14	50	621	100	621	
Official	B07814 Rt 4430/60		14452	9	172	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4430/70	5.5				071	03	40			5	2	5	2		3	34	3	07	G	74	14	275	3,415	100	3,415	
Official	B07814 Rt 4431/10	3.0				071	03	40			5	2	5	2		3	38	3	07	G	74	14	150	1,863	100	1,863	
Official	B07814 Rt 4431/20	1.0				071	03	40			5	2	5	4										55	647	100	647
Official	B07814 Rt 4431/30	1.0				071	03	40			5	2	5	2		3	32	3	07	G	74	14	50	621	100	621	
Official	B07814 Rt 4431/40	2.0				071	03	40			5	2	5	4										100	1,175	100	1,175
Official	B07814 Rt 4431/50	0.5				071	03	40			5	2	5	2		3	38	3	07	G	74	14	25	310	100	310	
Official	B07814 Rt 4431/60	0.5				071	03	40			5	2	5	4										25	294	100	294
Official	B07814 Rt 4431/70	0.5				071	03	40			5	2	5	2		3	36	3	07	G	74	14	25	310	100	310	
Official	B07814 Rt 4431/80	0.5				071	03	40			5	2	5	4										25	294	100	294
Official	B07814 Rt 4432/10	4.0				071	03	40			5	2	5	2		3	34	3	07	G	74	14	200	2,484	100	2,484	
Official	B07814 Rt 4432/20	1.0				071	03	40			5	2	5	4										50	588	100	588
Official	B07814 Rt 4432/30	0.8				071	03	40			5	2	5	2		3	36	3	07	G	74	14	40	497	100	497	
Official	B07814 Rt 4432/40		18724	1	130	071	03	40			5		5	2										520	100	520	
Official	B07814 Rt 4432/50	0.7				071	03	40			5	2	5	2		3	36	3	07	G	74	14	35	435	100	435	
Official	B07814 Rt 4432/60		14429	9	172	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4432/70	1.1				071	03	40			5	2	5	2		3	34	3	07	G	74	14	55	683	100	683	
Official	B07814 Rt 4432/80		04550	1	109	071	03	40			5		5	2										436	100	436	
Official	B07814 Rt 4432/90	0.9				071	03	40			5	2	5	2		4	52	3	07	G	74	14	45	419	100	419	
In-Process	B07814 Rt 4433/10	6.5				071	03	40	2004	2000	4	2	3	2		5	60	4	07	P	2,970	11	13,000	3,504	100	3,504	
Official	B07814 Rt 4434/10	3.3				071	03	40			5	2	5	2		3	36	3	07	G	74	14	165	2,049	100	2,049	
Official	B07814 Rt 4434/20		05844	9	21	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4434/30	1.1				071	03	40			5	2	5	2		3	38	3	07	G	74	14	55	683	100	683	
Official	B07814 Rt 4434/40		06541	1	130	071	03	40			5		5	2										520	100	520	
Official	B07814 Rt 4434/50	2.1				071	03	40			5	2	5	2		3	38	3	07	G	74	14	105	1,304	100	1,304	
Official	B07814 Rt 4434/60		14435	9	172	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4434/70	4.2				071	03	40			5	2	5	2		3	34	3	07	G	74	14	210	2,608	100	2,608	
Official	B07814 Rt 4434/80		18963	1	40	071	03	40			5		5	2										160	100	160	
Official	B07814 Rt 4434/90	0.7				071	03	40			5	2	5	2		3	34	3	07	G	74	14	35	435	100	435	
Official	B07814 Rt 4434/100		20268	9	100	071	03	40			5		5	2										100		100	
Official	B07814 Rt 4434/110	0.6				071	03	40			5	2	5	2		3	38	3	07	G	74	14	30	373	100	373	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B07814 Rt 4435/10	1.0				071	03	40			5	2	5	4					07	G	74	14	50	588	100	588
Official	B07814 Rt 4435/20	9.1				071	03	40			5	2	5	2		3	38	3	07	G	74	14	455	5,651	100	5,651
Official	B07814 Rt 4435/30		09241	1	63	071	03	40			5		5	2					07					252	100	252
Official	B07814 Rt 4435/40	1.9				071	03	40			5	2	5	2		3	36	3	07	G	74	14	95	1,180	100	1,180
Official	B07814 Rt 4436/10	2.0				071	03	40			5	2	5	2		3	36	3	07	G	74	14	100	1,242	100	1,242
Official	B07814 Rt 4436/20	2.7				071	03	40			5	2	5	4					07	G	74	14	135	1,587	100	1,587
Official	B07814 Rt 4436/30	1.3				071	03	40			5	2	5	2		3	34	3	07	G	74	14	65	807	100	807
Official	B07814 Rt 4436/40	1.0				071	03	40			5	2	5	4					07	G	74	14	50	588	100	588
Official	B07814 Rt 4436/50	0.7				071	03	40			5	2	5	2		3	38	3	07	G	74	14	35	435	100	435
Official	B07814 Rt 4436/60		07929	9	22	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4436/70	4.3				071	03	40			5	2	5	2		3	38	3	07	G	74	14	215	2,670	100	2,670
Official	B07814 Rt 4437/10	1.0				071	03	40			5	2	5	4					07	G	74	14	50	588	100	588
Official	B07814 Rt 4437/20	0.2				071	03	40			5	2	5	2		3	36	3	07	G	74	14	10	124	100	124
Official	B07814 Rt 4437/30		08551	1	34	071	03	40			5		5	2					07					136	100	136
Official	B07814 Rt 4437/40	1.6				071	03	40			5	2	5	2		3	36	3	07	G	74	14	80	994	100	994
Official	B07814 Rt 4437/50		08556	1	34	071	03	40			5		5	2					07					136	100	136
Official	B07814 Rt 4437/60	1.4				071	03	40			5	2	5	2		3	32	3	07	G	74	14	70	869	100	869
Official	B07814 Rt 4437/70		08559	1	34	071	03	40			5		5	2					07					136	100	136
Official	B07814 Rt 4437/80	1.8				071	03	40			5	2	5	2		3	32	3	07	G	74	14	90	1,118	100	1,118
Official	B07814 Rt 4437/90	0.5				071	03	40			5	2	5	2		4	32	3	07	G	74	14	25	233	100	233
Official	B07814 Rt 4437/100		15157	9	172	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4437/110	1.2				071	03	40			5	2	5	2		4	48	4	07	G	74	14	60	559	100	559
Official	B07814 Rt 4437/120		16424	9	73	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4437/130	0.8				071	03	40			5	2	5	2		4	48	4	07	G	74	14	40	373	100	373
Official	B07814 Rt 4437/140		15925	9	33	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4437/150	2.8				071	03	40			5	2	5	2		4	52	4	07	G	74	14	140	1,304	100	1,304
Official	B07814 Rt 4437/160		11878	9	30	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4437/170	0.7				071	03	40			5	2	5	2		4	52	4	07	G	74	14	35	326	100	326
Official	B07814 Rt 4438/10	4.2				071	03	40			5	2	5	2		3	36	3	07	G	74	14	210	2,608	100	2,608
Official	B07814 Rt 4438/20		11868	1	31	071	03	40			5		5	2					07					124	100	124
Official	B07814 Rt 4438/30	2.3				071	03	40			5	2	5	2		3	36	3	07	G	74	14	115	1,428	100	1,428
Official	B07814 Rt 4438/40		15145	9	172	071	03	40			5		5	2					07						100	100
Official	B07814 Rt 4438/50	0.7				071	03	40			5	2	5	2		3	36	3	07	G	74	14	35	435	100	435
Official	B07814 Rt 4438/60		11871	1	30	071	03	40			5		5	2					07					120	100	120
Official	B07814 Rt 4438/70	4.8				071	03	40			5	2	5	2		3	38	3	07	G	74	14	240	2,981	100	2,981
Official	B07814 Rt 4439/10	1.8				071	03	40			5	2	5	2		3	18	3	07	G	74	14	90	1,118	100	1,118
Official	B07814 Rt 4440/10	1.0				071	03	40			5	2	5	2		3	38	4	07	G	74	14	50	621	100	621
Official	B07814 Rt 4441/10	0.3				071	03	40			5	1	2	2		1	0	2	07	G	74	13	15	98	100	98
Official	B07814 Rt 4442/10	1.0				071	03	40			5	2	5	2		3	22	3	07	G	74	14	50	621	100	621
Official	B07814 Rt 4443/10	0.3				071	03	40			5	1	2	4					07	G	74	13	15	98	100	98
Official	B07814 Rt 6034/10	2.0				071	05	40	1997	180	4	2	5	2		1	0	5	07	P	267	11	360	650	100	650
Official	B07814 Rt 6042/10	0.5				071	05	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65
Official	B07814 Rt 6049/10	1.0				071	05	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	150	129	100	129
Official	B08820 Rt 0116/10	0.6				125	03	40	1990	267	4	2	5	2		5	28	5	07	P	396	11	160	195	100	195
Official	B08820 Rt 0116/20	0.4				125	03	40	1990	267	4	2	5	2		1	0	5	07	P	396	11	107	130	100	130
Official	B08820 Rt 0474/10	4.0				125	03	40	1997	180	4	2	5	2		1	0	5	07	P	267	11	720	1,300	100	1,300
Official	B08820 Rt 4141/10	1.0				027	04	40	1999		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
Official	B08820 Rt 8703/10	3.0				125	03	40	1997	120	4	2	5	2		1	0	5	07	G	178	11	360	388	100	388
Official	B08820 Rt 8821/10	4.3				125	03	40	1990	120	4	2	5	2		4	40	3	07	G	178	11	516	1,476	100	1,476
Official	B08820 Rt 8824/10	6.0				027	04	40	1999	1926	4	2	5	2	1	4	6	5	07	P	2,860	11	11,556	1,949	100	1,949



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B08820 Rt 8850/10	0.7				125	03	40	1990	120	4	2	5	2		1	0	5	07	G	178	11	84	90	100	90	
Official	B08820 Rt 8850/20		B837	1	73	125	03	40			4	1	5	2				5	07						292	100	292
Official	B08820 Rt 8850/30	1.0				125	03	40	1990	120	4	2	5	2		1	0	5	07	G	178	11	120	129	100	129	
Official	B08820 Rt 8850/40		B834	1	20	125	03	40			4	1	5	2				5	07						80	100	80
Official	B08820 Rt 8850/50	1.5				125	03	40	1990	120	4	2	5	2		1	0	5	07	G	178	11	180	194	100	194	
Official	B08820 Rt 8850/60		B855	1	50	125	03	40			4	1	5	2				5	07						200	100	200
Official	B08820 Rt 8850/70	0.8				125	03	40	1990	120	4	2	5	2		1	0	5	07	G	178	11	96	103	100	103	
Official	B08820 Rt 8862/10	3.8				027	04	40	1997	150	4	2	5	2		1	0	5	07	G	223	11	570	491	100	491	
Official	B08820 Rt 8863/10	0.9				027	04	40	1992	250	4	2	5	2		1	0	5	07	P	371	11	225	292	100	292	
Official	B08820 Rt 8863/20		B833	1	42	027	04	40			4	1	5	2				5	07						168	100	168
Official	B08820 Rt 8863/30	0.1				027	04	40	1992	250	4	2	5	2		1	0	5	07	P	371	11	25	32	100	32	
Official	B08820 Rt 8864/10	0.3				027	04	40	1992	262	4	2	5	2		1	0	5	07	P	389	11	79	97	100	97	
Official	B08820 Rt 8864/20		B856	1	32	027	04	40			4	1	5	2				5	07						128	100	128
Official	B08820 Rt 8864/30	1.7				027	04	40	1992	262	4	2	5	2		1	0	5	07	P	389	11	445	552	100	552	
Official	B08820 Rt 8885/10	2.0				027	04	40	1992	200	4	2	5	2		1	0	5	07	P	297	11	400	650	100	650	
Official	B08820 Rt 8886/10	1.0				125	03	40	1992	266	4	2	5	2		1	0	5	07	P	395	11	266	325	100	325	
Official	B08820 Rt 8887/10	1.0				125	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	60	129	100	129	
Official	B08820 Rt 8888/10	1.0				125	03	40	1992	900	4	2	5	2		3	5	80	3	07	P	1,337	11	900	633	100	633
Official	B08820 Rt 8889/10	0.5				027	04	40	1993		4	2	5	2		1	0	5	07	G	74	11	25	65	100	65	
Official	B08820 Rt 8890/10	1.0				125	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	60	129	100	129	
Official	B08820 Rt 8894/10	3.0				027	04	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	600	975	100	975	
Official	B08820 Rt 8895/10	5.0				027	04	40	1997	200	4	2	5	2		1	0	5	07	P	297	11	1,000	1,625	100	1,625	
Official	B08820 Rt 8896/10	7.0				027	04	40	1999	1684	4	2	5	2		1	0	5	07	P	2,501	11	11,788	2,274	100	2,274	
Official	B08820 Rt 8897/10	4.0				125	03	40	1997	100	4	2	5	2		1	0	5	07	G	149	11	400	517	100	517	
Official	B08820 Rt 8898/10	0.5				027	04	40	2000	400	4	2	2	2		1	0	2	07	P	594	11	200	311	100	311	
Official	B08820 Rt 8899/10	1.0				027	04	40	2001	75	4	2	5	2		4	40	3	07	G	111	11	75	343	100	343	
Official	B08820 Rt 8899/20	1.0				027	04	40	2001	800	4	2	5	2		5	40	3	07	P	1,188	11	800	633	100	633	
Official	B08820 Rt 8899/30	1.0				027	04	40	2001	600	4	2	5	2		4	40	3	07	P	891	11	600	633	100	633	
Official	B08820 Rt 8899/40	1.0				027	04	40	2001	150	4	2	5	2		4	40	3	07	G	223	11	150	343	100	343	
Official	B08820 Rt 8899/50	1.0				027	04	40	2001	100	4	2	5	2		4	40	3	07	G	149	11	100	343	100	343	
Official	B08821 Rt 0474/10	0.5				125	03	40	2001	131	4	2	5	2		1	0	5	07	G	195	11	66	65	100	65	
Official	B08821 Rt 0474/20		B808	1	136	125	03	40			4	1	5	2				5	07						544	100	544
Official	B08821 Rt 0474/30	0.5				125	03	40	2001	131	4	2	5	2		1	0	5	07	G	195	11	66	65	100	65	
Official	B08821 Rt 8702/10		B170	1	67	125	03	40			4	1	5	2				5	07						268	100	268
Official	B08821 Rt 8702/20	0.3				125	03	40	1998	150	4	2	5	2		4	20	3	07	G	223	11	45	103	100	103	
Official	B08821 Rt 8702/30	0.6				125	03	40			4	2	2	2		0	0	0	07	G	74	11	30	256	100	256	
In-Process	B08821 Rt 8702/40	0.4				125	05	40			4	2	2	2		0	0	0	07	G	74	11	20	170	100	170	
In-Process	B08821 Rt 8702/50	0.1				125	05	40			4	2	2	2		0	0	0	07	G	74	11	20	170	100	170	
Official	B08821 Rt 8804/10	1.3				125	03	40	1998	500	4	2	5	2		4	20	3	07	P	743	11	650	823	100	823	
Official	B08821 Rt 8806/10	1.0				125	03	40	1998	100	4	2	5	2		3	20	3	07	G	149	11	100	438	100	438	
Official	B08821 Rt 8823/10	4.0				125	03	40	1989	156	4	2	5	2		1	0	5	07	G	232	11	624	517	100	517	
Official	B08821 Rt 8827/10	0.8				125	03	40	2001	63	4	2	5	2		1	0	5	07	G	94	11	50	103	100	103	
Official	B08821 Rt 8827/20		B845	1	42	125	03	40			4	1	5	2				5	07						168	100	168
Official	B08821 Rt 8827/30	0.5				125	03	40	2001	63	4	2	5	2		1	0	5	07	G	94	11	32	65	100	65	
Official	B08821 Rt 8827/40		B846	1	24	125	03	40			4	1	5	2				5	07						96	100	96
Official	B08821 Rt 8827/50	0.7				125	03	40	1990	52	4	2	5	2		1	0	5	07	G	77	11	36	90	100	90	
Official	B08821 Rt 8836/10	0.1				125	03	40	2001	450	4	2	5	2		1	0	5	07	P	668	11	45	32	100	32	
Official	B08821 Rt 8836/20		B801	1	22	125	03	40			4	1	5	2				5	07						88	100	88
Official	B08821 Rt 8836/30	1.9				125	03	40	1992	200	4	2	5	2		1	0	5	07	P	297	11	380	617	100	617	
Official	B08821 Rt 8849/10	0.1				125	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	10	13	100	13	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08821 Rt 8849/20		B836	1	115	125	03	40			4	1	5	2				5	07					460	100	460
Official	B08821 Rt 8849/30	1.2				125	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	120	155	100	155
Official	B08821 Rt 8849/40		B849	1	20	125	03	40			4	1	5	2				5	07					80	100	80
Official	B08821 Rt 8849/50	0.7				125	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	70	90	100	90
Official	B08821 Rt 8851/10	0.4				125	03	40	2001	321	4	2	5	2		1	0	5	07	P	477	11	128	130	100	130
Official	B08821 Rt 8851/20		B838	1	162	125	03	40			4	1	5	2				5	07					648	100	648
Official	B08821 Rt 8851/30	0.6				125	03	40	2001	321	4	2	5	2		1	0	5	07	P	477	11	193	195	100	195
Official	B08821 Rt 8852/10	0.6				125	03	40	2001	112	4	2	5	2		1	0	5	07	G	166	11	67	78	100	78
Official	B08821 Rt 8852/20		B839	1	24	125	03	40			4	1	5	2				5	07					96	100	96
Official	B08821 Rt 8852/30	0.6				125	03	40	2001	112	4	2	5	2		1	0	5	07	G	166	11	67	78	100	78
Official	B08821 Rt 8852/40		B854	1	65	125	03	40			4	1	5	2				5	07					260	100	260
Official	B08821 Rt 8852/50	0.6				125	03	40	2001	112	4	2	5	2		1	0	5	07	G	166	11	67	78	100	78
Official	B08821 Rt 8852/60		B857	1	29	125	03	40			4	1	5	2				5	07					116	100	116
Official	B08821 Rt 8852/70	0.2				125	03	40	2001	112	4	2	5	2		1	0	5	07	G	166	11	22	26	100	26
Official	B08821 Rt 8853/10	0.1				125	03	40	2001	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13
Official	B08821 Rt 8853/20		B848	9	60	125	03	40			4	1	5	2				5	07					100		100
Official	B08821 Rt 8853/30	0.1				125	03	40	2001	80	4	2	5	2		1	0	5	07	G	119	11	8	13	100	13
Official	B08821 Rt 8853/40		B840	1	154	125	03	40			4	1	5	2				5	07					616	100	616
Official	B08821 Rt 8853/50	0.9				125	03	40	2001	80	4	2	5	2		1	0	5	07	G	119	11	72	116	100	116
Official	B08821 Rt 8854/10	0.3				125	03	40	2001	372	4	2	5	2		1	0	5	07	P	552	11	112	97	100	97
Official	B08821 Rt 8854/20		B841	1	21	125	03	40			4	1	5	2				5	07					84	100	84
Official	B08821 Rt 8854/30	2.2				125	03	40	2001	372	4	2	5	2		1	0	5	07	P	552	11	818	715	100	715
Official	B08821 Rt 8854/40		B842	1	36	125	03	40			4	1	5	2				5	07					144	100	144
Official	B08821 Rt 8854/50	3.1				125	03	40	2001	372	4	2	5	2		1	0	5	07	P	552	11	1,153	1,007	100	1,007
Official	B08821 Rt 8854/60		B843	1	48	125	03	40			4	1	5	2				5	07					192	100	192
Official	B08821 Rt 8854/70	0.4				125	03	40	2001	372	4	2	5	2		1	0	5	07	P	552	11	149	130	100	130
Official	B08821 Rt 8855/10	0.2				125	03	40	2001	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26
Official	B08821 Rt 8855/20		B807	1	24	125	03	40			4	1	5	2				5	07					96	100	96
Official	B08821 Rt 8855/30	0.8				125	03	40	2001	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103
Official	B08821 Rt 8855/40		B885	1	78	125	03	40			4	1	5	2				5	07					312	100	312
Official	B08821 Rt 8855/50	1.2				125	03	40	2001	60	4	2	5	2		1	0	5	07	G	89	11	72	155	100	155
Official	B08821 Rt 8856/10	1.2				125	03	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	96	155	100	155
Official	B08821 Rt 8856/20		B844	1	48	125	03	40			4	1	5	2				5	07					192	100	192
Official	B08821 Rt 8856/30	0.7				125	03	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	56	90	100	90
Official	B08821 Rt 8856/40		B831	1	20	125	03	40			4	1	5	2				5	07					80	100	80
Official	B08821 Rt 8856/50	0.3				125	03	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	24	39	100	39
Official	B08821 Rt 8856/60		B832	1	40	125	03	40			4	1	5	2				5	07					160	100	160
Official	B08821 Rt 8856/70	0.6				125	03	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	48	78	100	78
Official	B08821 Rt 8856/80		B877	1	32	125	03	40			4	1	5	2				5	07					128	100	128
Official	B08821 Rt 8856/90	2.2				125	03	40	1990	80	4	2	5	2		1	0	5	07	G	119	11	176	284	100	284
Official	B08821 Rt 8857/10	0.6				125	03	40	2001	262		2	5	3		1	0	5	07					100		100
Official	B08821 Rt 8857/20		B847	1	40	125	03	40			4	1	5	2				5	07					160	100	160
Official	B08821 Rt 8857/30	2.4				125	03	40	2001	262		2	5	3		1	0	5	07					100		100
Official	B08821 Rt 8857/40		B072	1	50	125	03	40			4	1	5	2				5	07					200	100	200
Official	B08821 Rt 8857/50	1.0				125	03	40	2001	262		2	5	3		1	0	5	07					100		100
Official	B08821 Rt 8858/10	1.5				125	03	40	2001	128		2	5	3		1	0	5	07					100		100
Official	B08821 Rt 8858/20		B850	1	38	125	03	40			4	1	5	2				5	07					152	100	152
Official	B08821 Rt 8858/30	1.5				125	03	40	2001	128		2	5	3		1	0	5	07					100		100
In-Process	B08821 Rt 8879/10	0.9				125	03	40	2001	77	4	2	5	2		1	0	5	07	G	114	11	69	116	100	116
Official	B08821 Rt 8879/10	0.9				125	03	40	2001	77	4	2	5	2		1	0	5	07	G	114	11	69	116	100	116



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08821 Rt 8879/20		B876	1	115	125	03	40			4	1	5	2				5	07					460	100	460
Official	B08821 Rt 8879/30	2.1				125	03	40	2001	77	4	2	5	2		1	0	5	07	G	114	11	162	271	100	271
Official	B08821 Rt 8880/10	0.9				125	03	40	2001	74	4	2	5	2		1	0	5	07	G	110	11	67	116	100	116
Official	B08821 Rt 8880/20		B879	1	27	125	03	40			4	1	5	2				5	07					108	100	108
Official	B08821 Rt 8880/30	0.4				125	03	40	2001	74	4	2	5	2		1	0	5	07	G	110	11	30	52	100	52
Official	B08821 Rt 8880/40		B886	1	20	125	03	40			4	1	5	2				5	07					80	100	80
Official	B08821 Rt 8880/50	1.2				125	03	40	2001	74	4	2	5	2		1	0	5	07	G	110	11	89	155	100	155
Official	B08821 Rt 8893/10	2.5				125	03	40	2001	1869	4	1	5	2		5	20	3	07	P	2,775	10	4,673	1,254	100	1,254
Official	B08821 Rt 8893/20		B887	9	50	125	03	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8893/30	1.5				125	03	40	2001	1869	4	1	5	2		5	20	3	07	P	2,775	10	2,804	752	100	752
Official	B08821 Rt 8910/10	0.2				125	03	40	1999	100		1	2	3	4	6	20	3	07		149				100	
Official	B08821 Rt 8910/20	0.3				125	03	40			4	1	2	2		0	0	0	07	G	74	10	15	87	100	87
Official	B08821 Rt 8912/10	0.7				125	03	40	2001	300	4	2	2	2		4	20	3	07	P	446	11	210	443	100	443
Official	B08821 Rt 8913/10	0.3				125	03	40	1998	100		2	2	3	4	6	20	3	07		149				100	
Official	B08821 Rt 8913/20	0.3				125	03	40			4	2	2	2		0	0	0	07	G	74	11	15	128	100	128
Official	B08821 Rt 8914/10	0.3				125	03	40			4	2	2	2		0	0	0	07	G	74	11	15	128	100	128
Official	B08821 Rt 8916/1	1.8				125	03	40	2003	94	4	2	5	2		4	80	5	07	G	140	11	169	63	100	63
Official	B08821 Rt 8916/2		12465000 0000000	9	183	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8916/3	1.2				125	05	40	2003	103	4	2	5	2		4	80	5	07	G	153	11	124	42	100	42
Official	B08821 Rt 8917/1	2.0				125	05	40	2003	125	4	2	5	2		4	80	5	07	G	186	11	250	70	100	70
Official	B08821 Rt 8918/1	2.0				125	05	40	2003	132	4	2	5	2		4	80	5	07	G	196	11	264	70	100	70
Official	B08821 Rt 8919/1	1.8				125	05	40	2003	198	4	2	5	2		5	60	3	07	P	294	11	356	970	100	970
Official	B08821 Rt 8919/2		20771000 0000000	9	75	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8919/3	1.7				125	05	40	2003	193	4	1	5	2	1	5	80	3	07	P	287	10	328	345	100	345
Official	B08821 Rt 8919/4		23760000 0000000	9	37	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8919/5	0.1				125	05	40	2003	188	4	1	5	2	1	5	80	5	07	P	279	10	19	3	100	3
Official	B08821 Rt 8919/6		23761000 0000000	9	20	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8919/7	0.2				125	05	40	2003	188	4	1	5	2	1	5	80	5	07	P	279	10	38	6	100	6
Official	B08821 Rt 8920/1	2.7				125	05	40	2003	136	4	2	5	2		4	60	5	07	G	202	11	367	94	100	94
Official	B08821 Rt 8920/2		11251000 0000000	9	20	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8920/3	0.2				125	05	40	2003	132	4	1	5	2		4	60	4	07	G	196	10	26	41	100	41
Official	B08821 Rt 8920/4		12306000 0000000	9	73	125	05	40			4	1	5	2				5	07						100	
Official	B08821 Rt 8920/5	0.1				125	05	40	2003	133	4	1	5	2		4	60	5	07	G	198	10	13	3	100	3
In-Process	B08821 Rt 8929/810	0.5				125	05	40			5	1	5	2		3	60	3	07	G	74	13	25	177	100	177
In-Process	B08821 Rt 8930/810	0.2				125	05	40	2006		5	1	5	2		3	60	3	07	G	74	13	10	71	100	71
In-Process	B08821 Rt 8930/820		21977	9	104	125	05	40	2006		5		5	2					07						100	
In-Process	B08821 Rt 8930/830	0.8				125	05	40	2006		5	1	5	2		3	60	3	07	G	74	13	40	283	100	283
In-Process	B08821 Rt 8931/810	0.2				125	05	40	2006		2	1	5	2		5	80	5							100	
In-Process	B08821 Rt 8931/820		22370	9		125	05	40	2006		2		5						07						100	
In-Process	B08821 Rt 8931/830	0.7						40	2006		2	1	5	2		5	80	5	07	P	149	7	70	246	100	246
In-Process	B08821 Rt 8932/10	1.0				125	05	40	2006		2	1	2	4		0	0	0							100	
Returned-To-R	B08821 Rt 9002/810	2.4				125	05	40			5	2	5	2		5	62	5	07	G	74	14	120	271	100	271
Returned-To-R	B08821 Rt 9002/820		22064	9	225	125	05	40			5		5	2					07						100	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Returned-To-R	B08821 Rt 9002/830	1.1				125	05	40			5	2	5	2		5	62	5	07	G	74	14	55	124	100	124	
Returned-To-R	B08821 Rt 9002/840		05641	9	32	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9002/850	2.3				125	05	40			5	2	5	2		5	62	5	07	G	74	14	115	260	100	260	
Returned-To-R	B08821 Rt 9002/860		21025	9	83	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9002/870	1.3				125	05	40			5	2	5	2		5	62	5	07	G	74	14	65	147	100	147	
Returned-To-R	B08821 Rt 9002/880		08326	7	30	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9002/890	4.8				125	05	40	2007	462	5	2	5	3		5	48	5	07	P	686	14			100		
Returned-To-R	B08821 Rt 9002/891	0.6				125	05	40			5	2	5	3		3	56	5	07	G	74	14			100		
Returned-To-R	B08821 Rt 9002/892	0.1				125	05	40			5	2	5	3		4	62	5	07	G	74	14			100		
Returned-To-R	B08821 Rt 9002/893	0.9				125	05	40			5	2	5	2		3	58	3	07	G	74	14	45	571	100	571	
Returned-To-R	B08821 Rt 9002/894	0.7				125	05	40			5	2	5	2		3	62	3	07	G	74	14	35	444	100	444	
Returned-To-R	B08821 Rt 9002/895		21733	9	21	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9002/896	1.8				125	05	40			5	2	5	2		3	62	3	07	G	74	14	90	1,142	100	1,142	
Returned-To-R	B08821 Rt 9002/897	0.9				125	05	40			5	2	5	2		3	62	3	07	G	74	14	45	571	100	571	
Official	B08821 Rt 9006/810	2.5				125	05	40			5	2	5	2		3	66	3	07	G	74	14	125	1,586	100	1,586	
Official	B08821 Rt 9006/820		20227	9	86	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9006/830	1.4				125	05	40			5	2	5	2		3	66	3	07	G	74	14	70	888	100	888	
Official	B08821 Rt 9009/810	0.4				125	05	40			5	2	5	2		4	64	3	07	G	74	14	20	202	100	202	
Official	B08821 Rt 9009/820	0.6				125	05	40			5	2	5	2		3	62	3	07	G	74	14	30	381	100	381	
Official	B08821 Rt 9009/830		15030	9	149	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9009/840	0.5				125	05	40			5	2	5	2		3	66	3	07	G	74	14	25	317	100	317	
Official	B08821 Rt 9010/810	0.3				125	05	40			5	2	5	2		3	66	3	07	G	74	14	15	190	100	190	
Official	B08821 Rt 9010/820		26349	9	24	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9010/830	0.2				125	05	40			5	2	5	2		3	66	3	07	G	74	14	10	127	100	127	
Official	B08821 Rt 9018/810	2.7				125	05	40			5	2	5	2		3	62	3	07	G	74	14	135	1,713	100	1,713	
Official	B08821 Rt 9018/820	1.5				125	05	40			5	2	5	2		4	62	3	07	G	74	14	75	719	100	719	
Official	B08821 Rt 9018/830		21590	9	83	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9018/840	0.3				125	05	40			5	2	5	2		4	62	3	07	G	74	14	15	144	100	144	
Official	B08821 Rt 9018/850		21851	1	44	125	05	40			5		5	2					07						176	100	176
Official	B08821 Rt 9018/860	0.1				125	05	40			5	2	5	2		4	62	3	07	G	74	14	5	48	100	48	
Official	B08821 Rt 9031/810	0.9				125	05	40			5	1	5	2		3	48	3	07	G	74	13	45	318	100	318	
Official	B08821 Rt 9031/820	1.0				125	05	40			5	2	5	2		3	66	5	07	G	74	14	50	268	100	268	
Official	B08821 Rt 9031/830	1.0				125	05	40			5	2	5	2		4	66	5	07	G	74	14	50	113	100	113	
Official	B08821 Rt 9031/840	1.0				125	05	40			5	2	5	2		4	46	3	07	G	74	14	50	479	100	479	
Official	B08821 Rt 9033/810	0.5				125	05	40			5	2	5	2		4	58	5	07	G	74	14	25	56	100	56	
Official	B08821 Rt 9033/820		07052	9	32	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9033/830	4.3				125	05	40			5	2	5	2		5	62	5	07	G	74	14	215	486	100	486	
Official	B08821 Rt 9033/840	1.9				125	05	40			5	2	5	2		4	42	3	07	G	74	14	95	910	100	910	
Official	B08821 Rt 9033/850	2.0				125	05	40			5	2	5	2		3	62	3	07	G	74	14	100	1,269	100	1,269	
Returned-To-R	B08821 Rt 9034/810	1.0				125	05	40			5	2	5	2		3	56	3	07	G	74	14	50	634	100	634	
Returned-To-R	B08821 Rt 9034/820	0.4				125	05	40			5	2	5	2		3	56	3	07	G	74	14	20	254	100	254	
Returned-To-R	B08821 Rt 9034/830		26369	9	32	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9034/840	0.3				125	05	40			5	2	5	2		3	56	3	07	G	74	14	15	190	100	190	
Returned-To-R	B08821 Rt 9034/850	1.2				125	05	40			5	2	5	2		4	62	3	07	G	74	14	60	575	100	575	
Returned-To-R	B08821 Rt 9034/860	0.6				125	05	40			5	2	5	2		4	62	3	07	G	74	14	30	287	100	287	
Returned-To-R	B08821 Rt 9034/870	2.1				125	05	40			5	2	5	2		4	44	3	07	G	74	14	105	1,006	100	1,006	
Returned-To-R	B08821 Rt 9034/880	0.2				125	05	40			5	2	5	2		3	62	3	07	G	74	14	10	127	100	127	
Returned-To-R	B08821 Rt 9034/890		19182	7	54	125	05	40			5		5	2					07						100		
Returned-To-R	B08821 Rt 9034/891	0.5				125	05	40			5	2	5	2		3	56	3	07	G	74	14	25	317	100	317	
Official	B08821 Rt 9035/810	2.0				125	05	40			5	1	5	2		3	64	5	07	G	74	13	100	333	100	333	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08821 Rt 9035/820	1.3				125	05	40			5	2	5	2		4	64	5	07	G	74	14	65	147	100	147
Official	B08821 Rt 9035/830		22145	9	28	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/840	0.5				125	05	40			5	2	5	2		4	64	5	07	G	74	14	25	56	100	56
Official	B08821 Rt 9035/850		21173	9	21	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/860	1.1				125	05	40			5	2	5	2		4	62	5	07	G	74	14	55	124	100	124
Official	B08821 Rt 9035/870		20087	9	33	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/880	2.8				125	05	40			5	2	5	2		4	58	4	07	G	74	14	140	1,341	100	1,341
Official	B08821 Rt 9035/890		09619	9	20	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/891	1.5				125	05	40			5	2	5	2		4	66	5	07	G	74	14	75	169	100	169
Official	B08821 Rt 9035/892		09250	7	62	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/893	0.9				125	05	40			5	2	5	2		4	66	4	07	G	74	14	45	431	100	431
Official	B08821 Rt 9035/894		09251	7	54	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9035/895	1.1				125	05	40			5	2	5	2		4	66	5	07	G	74	14	55	124	100	124
Official	B08821 Rt 9036/810	0.1				125	05	40			5	2	5	2		5	68	5	07	G	74	14	5	11	100	11
Official	B08821 Rt 9036/820		24498	9	133	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9036/830	5.6				125	05	40			5	2	5	2		5	64	5	07	G	74	14	280	633	100	633
Official	B08821 Rt 9036/840		27070	1	45	125	05	40			5		5	2					07						180	180
Official	B08821 Rt 9036/850	1.0				125	05	40			5	2	5	2		5	68	5	07	G	74	14	50	113	100	113
Official	B08821 Rt 9036/860		27458	1	61	125	05	40			5		5	2					07						244	244
Official	B08821 Rt 9036/870	1.3				125	05	40			5	2	5	2		5	66	5	07	G	74	14	65	147	100	147
Official	B08821 Rt 9036/880	0.7				125	05	40			5	2	5	2		3	24	3	07	G	74	14	35	444	100	444
Official	B08821 Rt 9038/810	0.5				125	05	40			5	2	5	2		3	56	3	07	G	74	14	25	317	100	317
Official	B08821 Rt 9038/820	0.5				125	05	40			5	2	5	2		6	64	5	07	G	74	14	25	86	100	86
Official	B08821 Rt 9038/830	0.1				125	05	40			5	2	5	2		6	66	7	07	G	74	14	5	11	100	11
Official	B08821 Rt 9038/840	0.4				125	05	40			5	2	5	2		4	48	5	07	G	74	14	20	45	100	45
Returned-To-R	B08821 Rt 9039/810	1.0				125	05	40			5	1	5	2		4	44	4	07	G	74	13	50	251	100	251
Returned-To-R	B08821 Rt 9039/820		11796	7	46	125	05	40			5		5	2					07						100	
Returned-To-R	B08821 Rt 9039/830	0.3				125	05	40			5	2	5	2		4	42	4	07	G	74	14	15	144	100	144
Returned-To-R	B08821 Rt 9039/840	0.8				125	05	40			5	2	5	2		5	62	5	07	G	74	14	40	90	100	90
Returned-To-R	B08821 Rt 9039/850		07973	7	22	125	05	40			5		5	2					07						100	
Returned-To-R	B08821 Rt 9039/860	4.1				125	05	40			5	2	5	2		5	64	5	07	G	74	14	205	463	100	463
Returned-To-R	B08821 Rt 9039/870		06802	7	22	125	05	40			5		5	2					07						100	
Returned-To-R	B08821 Rt 9039/880	0.7				125	05	40	2007	576	5	2	5	2		5	58	5	07	P	855	14	403	203	100	203
Official	B08821 Rt 9040/810	0.3				125	05	40			5	2	5	2		4	56	4	07	G	74	14	15	144	100	144
Official	B08821 Rt 9040/820	4.3				125	05	40			5	2	5	2		6	44	5	07	G	74	14	215	486	100	486
Official	B08821 Rt 9042/810	2.4				125	05	40			5	2	5	2		4	84	5	07	G	74	14	120	271	100	271
Official	B08821 Rt 9042/820		10610	7	21	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9042/830	0.7				125	05	40			5	2	5	2		5	72	5	07	G	74	14	35	79	100	79
Official	B08821 Rt 9042/840		01712	7	102	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9042/850	2.8				125	05	40			5	2	5	2		5	66	5	07	G	74	14	140	316	100	316
Official	B08821 Rt 9044/810	0.5				125	05	40			5	2	5	2		5	56	5	07	G	74	14	25	56	100	56
Official	B08821 Rt 9044/820	3.5				125	05	40			5	2	5	2		5	64	5	07	G	74	14	175	395	100	395
Official	B08821 Rt 9044/830		11970	9	141	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9044/840	0.9				125	05	40			5	2	5	2		5	66	5	07	G	74	14	45	99	100	99
Official	B08821 Rt 9048/810	2.9				125	05	40			5	2	5	2		5	58	5	07	G	74	14	145	328	100	328
Official	B08821 Rt 9048/820	1.1				125	05	40			5	2	5	2		3	64	3	07	G	74	14	55	698	100	698
Official	B08821 Rt 9049/810	4.0				125	05	40			5	2	5	2		3	64	3	07	G	74	14	200	2,537	100	2,537
Official	B08821 Rt 9049/820	0.8				125	05	40			5	2	5	2		4	62	3	07	G	74	14	40	383	100	383
Official	B08821 Rt 9049/830		22172	9	45	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9049/840	1.6				125	05	40			5	2	5	2		5	60	5	07	G	74	14	80	181	100	181



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)		
Official	B08821 Rt 9049/850		08964	9	33	125	05	40			5		5	2												100		
Official	B08821 Rt 9049/860	3.1				125	05	40			5	2	5	2		5	60	5	07	G		74	14	155	350	100	350	
Official	B08821 Rt 9050/810	3.0				125	05	40			5	2	5	2		5	82	5	07	G		74	14	150	339	100	339	
Official	B08821 Rt 9050/820	1.0				125	05	40			5	2	5	2		3	44	3	07	G		74	14	50	634	100	634	
Official	B08821 Rt 9052/810	0.7				125	05	40			5	2	5	2		5	82	5	07	G		74	14	35	79	100	79	
Official	B08821 Rt 9052/820	0.2				125	05	40			5	2	5	2		4	64	5	07	G		74	14	10	23	100	23	
Official	B08821 Rt 9052/830	0.4				125	05	40			5	2	5	2		3	0	2	07	G		74	14	20	240	100	240	
Official	B08821 Rt 9053/810	0.1				125	05	40			5	2	5	2		4	72	5	07	G		74	14	5	11	100	11	
Official	B08821 Rt 9053/820		06104	7	32	125	05	20			5		5	2												100		
Official	B08821 Rt 9053/830	3.8				125	05	40			5	2	5	2		4	66	5	07	G		74	14	190	429	100	429	
Official	B08821 Rt 9053/840		21141	5	24	125	05	40			5		5	2												100		
Official	B08821 Rt 9053/850	1.2				125	05	40			5	2	5	2		4	62	3	07	G		74	14	60	575	100	575	
Official	B08821 Rt 9053/860		08307	6	25	125	05	40			5		5	2												100		
Official	B08821 Rt 9053/870	1.4				125	05	40			5	2	5	2		4	62	3	07	G		74	14	70	671	100	671	
Official	B08821 Rt 9054/810	2.0				125	05	40			5	2	5	2		5	78	5	07	G		74	14	100	226	100	226	
Official	B08821 Rt 9059/810	1.0				125	05	40			5	2	5	2		3	46	3	07	G		74	14	50	634	100	634	
Official	B08821 Rt 9062/810	1.0				125	05	40			5	2	5	2		3	62	3	07	G		74	14	50	634	100	634	
Official	B08821 Rt 9062/820		09078	1	57	125	05	40			5		5	2												228	100	228
Official	B08821 Rt 9062/830	1.1				125	05	40			5	2	5	2		3	66	3	07	G		74	14	55	698	100	698	
Official	B08821 Rt 9062/840		12099	0	50	125	05	40			5		5	2												100		
Official	B08821 Rt 9062/850	2.2				125	05	40			5	2	5	2		3	58	3	07	G		74	14	110	1,395	100	1,395	
Official	B08821 Rt 9062/860		25478	0	30	125	05	40			5		5	2												100		
Official	B08821 Rt 9062/870	0.7				125	05	40			5	2	5	2		3	56	3	07	G		74	14	35	444	100	444	
Official	B08821 Rt 9062/880	1.0				125	05	40			5	2	5	2		4	64	5	07	G		74	14	50	113	100	113	
Official	B08821 Rt 9066/810	4.4				125	05	40			5	2	5	2		3	84	3	07	G		74	14	220	2,791	100	2,791	
Official	B08821 Rt 9067/810	3.0				125	05	40			5	2	5	2		5	62	5	07	G		74	14	150	339	100	339	
Official	B08821 Rt 9068/810	2.1				125	05	40			5	2	5	2		3	78	3	07	G		74	14	105	1,332	100	1,332	
Official	B08821 Rt 9069/810	0.2				125	05	40			5	2	5	2		4	24	4	07	G		74	14	10	96	100	96	
Official	B08821 Rt 9069/820	3.3				125	05	40			5	2	5	2		5	56	5	07	G		74	14	165	373	100	373	
Official	B08821 Rt 9073/810	0.1				125	05	40			5	2	5	2		3	56	3	07	G		74	14	5	63	100	63	
Official	B08821 Rt 9073/820		24377	6	46	125	05	40			5		5	2												100		
Official	B08821 Rt 9073/830	2.1				125	05	40			5	1	5	2		3	62	3	07	G		74	13	105	743	100	743	
Official	B08821 Rt 9073/840		07574	1	24	125	05	40			5		5	2												96	100	96
Official	B08821 Rt 9073/850	0.3				125	05	40			5	2	5	2		3	58	3	07	G		74	14	15	190	100	190	
Official	B08821 Rt 9076/810	1.4				125	05	40			5	2	5	2		3	64	3	07	G		74	14	70	888	100	888	
Official	B08821 Rt 9076/820		08631	6	48	125	05	40			5		5	2												100		
Official	B08821 Rt 9076/830	0.6				125	05	40			5	2	5	2		3	56	3	07	G		74	14	30	381	100	381	
Official	B08821 Rt 9077/810	1.5				125	05	40			5	2	5	2		3	56	3	07	G		74	14	75	951	100	951	
Official	B08821 Rt 9077/820	0.4				125	05	40			5	2	5	2		3	42	3	07	G		74	14	20	254	100	254	
Official	B08821 Rt 9079/810	0.4				125	05	40			5	2	5	2		3	42	3	07	G		74	14	20	254	100	254	
Official	B08821 Rt 9079/820	1.0				125	05	40			5	2	5	2		3	62	3	07	G		74	14	50	634	100	634	
Official	B08821 Rt 9079/830	0.2				125	05	40			5	2	5	2		3	64	3	07	G		74	14	10	127	100	127	
Official	B08821 Rt 9087/810	0.1				125	05	40			5	2	5	2		3	62	3	07	G		74	14	5	63	100	63	
Official	B08821 Rt 9087/820		09068	9	56	125	05	40			5		5	2												100		
Official	B08821 Rt 9087/830	3.9				125	05	40			5	2	5	2		3	64	3	07	G		74	14	195	2,474	100	2,474	
Official	B08821 Rt 9090/810	1.7				125	05	40			5	2	5	2		3	62	3	07	G		74	14	85	1,078	100	1,078	
Returned-To-R	B08821 Rt 9095/810	4.0				125	05	40			5	2	3	2	3	5	72	5	07	G		74	14	41	452	21	93	
Official	B08821 Rt 9096/810	0.9				125	05	40			5	2	5	2		5	82	5	07	G		74	14	45	102	100	102	
Official	B08821 Rt 9096/820	1.5				125	05	40			5	2	5	2		3	64	3	07	G		74	14	75	951	100	951	
Official	B08821 Rt 9096/830		24378	0	40	125	05	40			5		5	2												100		



Indian Reservation Roads Program Official Indian Reservation Road inventory

09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B08821 Rt 9096/840	1.6				125	05 40				5	2	5	2		3	62	3	07	G	74	14	80	1,015	100	1,015	
Official	B08821 Rt 9107/810	1.6				125	05 40				5	2	5	2		4	66	5	07	G	74	14	80	181	100	181	
Official	B08821 Rt 9108/810	0.5				125	05 40				5	2	5	2		3	58	3	07	G	74	14	25	317	100	317	
Official	B08821 Rt 9108/820	1.5				125	05 40				5	2	5	2		5	62	5	07	G	74	14	75	169	100	169	
Official	B08821 Rt 9108/830	0.5				125	05 40				5	2	5	2		3	56	3	07	G	74	14	25	317	100	317	
Official	B08821 Rt 9112/810	9.0				125	05 40				5	2	5	2		3	58	3	07	G	74	14	450	5,708	100	5,708	
Official	B08821 Rt 9116/810	0.4				125	05 40				5	2	5	2		3	64	3	07	G	74	14	20	254	100	254	
Official	B08821 Rt 9116/820	0.5				125	05 40				5	1	5	2		4	58	5	07	G	74	13	25	32	100	32	
Official	B08821 Rt 9116/830		01593	7	71	125	05 40				5		5	2												100	
Official	B08821 Rt 9116/840	0.1				125	05 40				5	1	5	2		3	62	3	07	G	74	13	5	35	100	35	
Official	B08821 Rt 9116/850		14847	6	37	125	05 40				5		5	2												100	
Official	B08821 Rt 9116/860	1.2				125	05 40				5	2	5	2		4	42	3	07	G	74	14	60	575	100	575	
Official	B08821 Rt 9119/810	3.7				125	05 40				5	2	5	2		3	58	3	07	G	74	14	185	2,347	100	2,347	
Official	B08821 Rt 9119/820		09152	7	59	125	05 40				5		5	2												100	
Official	B08821 Rt 9119/830	1.6				125	05 40				5	2	5	2		3	56	3	07	G	74	14	80	1,015	100	1,015	
Official	B08821 Rt 9119/840	0.3				125	05 40				5	2	5	2		3	42	3	07	G	74	14	15	190	100	190	
Official	B08821 Rt 9120/810	0.1				125	05 40				5	1	5	2		5	58	5	07	G	74	13	5	6	100	6	
Official	B08821 Rt 9120/820		20035	7	23	125	05 40				5		5	2												100	
Official	B08821 Rt 9120/830	3.9				125	05 40				5	1	5	2		4	58	5	07	G	74	13	195	251	100	251	
Official	B08821 Rt 9121/10	9.2				125	05 40				5	2	5	2		3	62	3	07	G	74	14	460	5,835	100	5,835	
Official	B08821 Rt 9121/20		25926	9	31	125	05 40				5		5	2												100	
Official	B08821 Rt 9121/30	0.8				125	05 40				5	2	5	2		3	64	3	07	G	74	14	40	507	100	507	
Official	B08821 Rt 9124/810	0.8				125	05 40				5	2	5	2		4	64	5	07	G	74	14	40	90	100	90	
Official	B08821 Rt 9124/820	0.8				125	05 40				5	2	5	2		4	58	5	07	G	74	14	40	90	100	90	
Official	B08821 Rt 9124/830	2.4				125	05 40				5	2	5	2		4	64	5	07	G	74	14	120	271	100	271	
Official	B08821 Rt 9127/810	2.3				125	05 40				5	2	5	2		3	64	3	07	G	74	14	115	1,459	100	1,459	
Official	B08821 Rt 9127/820		09852	6	30	125	05 40				5		5	2												100	
Official	B08821 Rt 9127/830	2.1				125	05 40				5	2	5	2		3	66	3	07	G	74	14	105	1,332	100	1,332	
Official	B08821 Rt 9127/840	1.2				125	05 40				5	2	5	2		3	64	3	07	G	74	14	60	761	100	761	
Returned-To-R	B08821 Rt 9131/810	1.1				125	05 40				5	2	5	2		5	66	5	07	G	74	14	55	124	100	124	
Returned-To-R	B08821 Rt 9131/820	0.1				125	05 40				5	2	5	2		5	62	7	07	G	74	14	5	11	100	11	
Official	B08821 Rt 9149/810	2.8				125	05 40				5	2	5	2		3	52	3	07	G	74	14	140	1,776	100	1,776	
Official	B08821 Rt 9149/820		07984	9	36	125	05 40				5		5	2												100	
Official	B08821 Rt 9149/830	0.1				125	05 40				5	2	5	2		3	56	3	07	G	74	14	5	63	100	63	
Official	B08821 Rt 9149/840	1.4				125	05 40				5	2	5	2		4	56	3	07	G	74	14	70	671	100	671	
At-The-Bia/Dot	B08821 Rt 9150/10	6.3				125	05 40	2006	40839	1	2	3	2	3	5	82	5	07	P	60,646	2	52,949	1,464	21	301		
At-The-Bia/Dot	B08821 Rt 9150/20	6.3				125	05 40	2007	45765	1	2	3	2	3	5	82	5	07	P	67,961	2	59,336	1,464	21	301		
At-The-Bia/Dot	B08821 Rt 9151/10	3.0				125	05 40	2007	1356	2	2	3	2		5	70	5	07	P	2,014	5	837	792	21	163		
At-The-Bia/Dot	B08821 Rt 9151/20	2.0				125	05 40	2007	1356	2	2	3	2		5	74	5	07	P	2,014	5	558	528	21	109		
At-The-Bia/Dot	B08821 Rt 9151/30	2.0				125	05 40	2007	3579	2	2	3	2		5	72	5	07	P	5,315	5	1,473	528	21	109		
At-The-Bia/Dot	B08821 Rt 9151/40	1.7				125	05 40	2007	3442	2	2	3	2		5	78	5	07	P	5,111	5	1,204	449	21	92		
At-The-Bia/Dot	B08821 Rt 9152/10	6.7				125	05 40	2005	1700	2	2	3	2		5	72	5	07	P	2,525	5	2,344	1,156	21	238		
At-The-Bia/Dot	B08821 Rt 9152/20	0.8				125	05 40	2007	1819	2	2	3	2	3	5	82	5	07	P	2,701	5	299	138	21	28		
At-The-Bia/Dot	B08821 Rt 9152/30	2.6				125	05 40	2007	1819	2	2	3	2	3	5	82	5	07	P	2,701	5	4,729	449	100	449		
At-The-Bia/Dot	B08821 Rt 9153/10	0.7				125	05 40	2007	742	2	2	3	2	3	5	82	5	07	P	1,102	5	107	121	21	25		
At-The-Bia/Dot	B08821 Rt 9153/20	10.5				125	05 40	2007	1644	2	2	3	2		5	82	5	07	P	2,441	5	3,553	1,812	21	373		
At-The-Bia/Dot	B08821 Rt 9154/810	11.8				125	05 40	2007	710	2	2	3	2	3	5	82	5	07	P	1,054	5	1,724	2,036	21	419		
At-The-Bia/Dot	B08821 Rt 9155/10	1.9				125	05 40				2	2	3	2	3	5	72	5	07	P	149	8	190	1	100	1	
At-The-Bia/Dot	B08821 Rt 9155/20	3.0				125	05 40	2007	5261	2	2	3	2	3	5	76	5	07	P	7,813	5	15,783	518	100	518		
At-The-Bia/Dot	B08821 Rt 9155/30	4.0				125	05 40	2007	5487	2	2	3	2	3	5	74	5	07	P	8,148	5	21,948	690	100	690		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
At-The-Bia/Dot	B08821 Rt 9155/40	4.0				125	05	40	2007	5487	2	2	3	2	3	5	70	5	07	P	8,148	5	21,948	690	100	690
At-The-Bia/Dot	B08821 Rt 9155/50	5.0				125	05	40	2007	5487	2	2	3	2	3	5	76	5	07	P	8,148	5	27,435	863	100	863
At-The-Bia/Dot	B08821 Rt 9155/60	2.6				125	05	40	2007	7268	2	2	3	2	3	5	80	5	07	P	10,793	5	18,897	449	100	449
At-The-Bia/Dot	B08821 Rt 9156/810	3.6				125	05	40	2007	3843	2	2	3	2		5	82	5	07	P	5,707	5	13,835	621	100	621
At-The-Bia/Dot	B08821 Rt 9156/820	0.6				125	05	40	2007	3843	2	2	3	2		5	80	5	07	P	5,707	5	2,306	104	100	104
At-The-Bia/Dot	B08821 Rt 9156/830	0.2				125	05	40			2	1	2	4					07	P	149	7	20	126	100	126
At-The-Bia/Dot	B08821 Rt 9157/10	6.0				125	05	40	2007	912	2	2	3	2		5	82	5	07	P	1,354	5	5,472	1,035	100	1,035
At-The-Bia/Dot	B08821 Rt 9157/20	5.6				125	05	40	2007	590	2	2	3	2		5	76	5	07	P	876	5	3,304	966	100	966
At-The-Bia/Dot	B08821 Rt 9157/30	6.0				125	05	40	2007	649	2	2	3	2		5	80	5	07	P	964	5	3,894	1,035	100	1,035
At-The-Bia/Dot	B08821 Rt 9157/40	2.0				125	05	40	2007	1553	2	2	3	2		5	78	5	07	P	2,306	5	3,106	345	100	345
At-The-Bia/Dot	B08821 Rt 9157/50	5.0				125	05	40	2007	2994	2	2	3	2		5	82	5	07	P	4,446	5	14,970	863	100	863
At-The-Bia/Dot	B08821 Rt 9157/60	3.0				125	05	40	2007	4965	2	2	3	2		5	78	5	07	P	7,373	5	14,895	518	100	518
At-The-Bia/Dot	B08821 Rt 9158/10	3.7				125	05	40	2007	9913	2	1	3	2	3	5	76	5	07	P	14,721	4	7,548	303	21	62
At-The-Bia/Dot	B08821 Rt 9159/10	6.2				125	05	40	2007	3606	2	2	3	2		5	74	5	07	P	5,355	5	4,601	1,070	21	220
At-The-Bia/Dot	B08821 Rt 9160/10	7.7				027	05	40	2006	7549	4	2	3	2	3	5	84	5	07	P	11,210	11	11,963	305	21	63
At-The-Bia/Dot	B08821 Rt 9160/20	1.1				027	05	40	2005	4400	4	2	3	2		5	84	5	07	P	6,534	11	996	54	21	11
At-The-Bia/Dot	B08821 Rt 9160/30	3.0				125	05	40	2007	5059	4	2	3	2	3	5	82	5	07	P	7,513	11	15,177	147	100	147
At-The-Bia/Dot	B08821 Rt 9160/40	6.0				125	05	40	2007	4750	4	2	3	2	3	5	76	5	07	P	7,054	11	28,500	237	100	237
At-The-Bia/Dot	B08821 Rt 9160/50	3.0				125	05	40	2007	6124	4	2	3	2		5	76	5	07	P	9,094	11	18,372	147	100	147
At-The-Bia/Dot	B08821 Rt 9160/60	2.5				125	05	40	2007	6597	4	2	3	2	3	5	72	5	07	P	9,797	11	16,493	99	100	99
At-The-Bia/Dot	B08821 Rt 9160/70	2.5				125	05	40	2007	5543	4	2	3	2		5	74	5	07	P	8,231	11	2,852	122	21	25
At-The-Bia/Dot	B08821 Rt 9160/80	1.8				125	05	40	2007	4538	4	2	3	2		5	82	5	07	P	6,739	11	8,168	71	100	71
At-The-Bia/Dot	B08821 Rt 9160/90	2.0				125	05	20	2007	4161	4	2	3	2		5	82	5	05	P	6,179	11	1,669	107	20	21
Official	B08821 Rt 9161/810	1.0				125	05	40			5	1	5	2		1	0	2	07	G	74	13	50	335	100	335
Official	B08821 Rt 9161/820	1.5				125	05	40			5	2	5	2		4	58	5	07	G	74	14	75	169	100	169
Official	B08821 Rt 9161/830		27071	7	40	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9161/840	1.5				125	05	40			5	2	5	2		4	38	5	07	G	74	14	75	169	100	169
Official	B08821 Rt 9161/850	0.7				125	05	40			5	2	5	2		3	54	3	07	G	74	14	35	444	100	444
Official	B08821 Rt 9161/860		27459	7	60	125	05	40			5		5	2					07					100		
Official	B08821 Rt 9161/870	1.0				125	05	40			5	2	5	2		3	46	3	07	G	74	14	50	634	100	634
Official	B08821 Rt 9178/810	1.0				125	05	40			5	1	5	2		4	42	4	07	G	74	13	50	251	100	251
Official	B08821 Rt 9178/820	1.4				125	05	40			5	1	5	2		3	58	3	07	G	74	13	70	495	100	495
Official	B08821 Rt 9178/830	0.6				125	05	40			5	1	5	2		3	62	3	07	G	74	13	30	212	100	212
Returned-To-R	B08821 Rt 9179/810	0.6				125	05	40			5	2	5	2		3	58	3	07	G	74	14	30	381	100	381
Returned-To-R	B08821 Rt 9179/820	5.0				125	05	40			5	2	5	2		3	62	3	07	G	74	14	250	3,171	100	3,171
Official	B08821 Rt 9180/810	3.0				125	05	40			5	1	5	2		3	48	3	07	G	74	13	150	1,061	100	1,061
Official	B08821 Rt 9180/820	0.2				125	05	40			5	1	5	2		9	0	1	07	G	74	13	10	67	100	67
Official	B08821 Rt 9194/810	2.0				125	05	40			5	2	5	2		3	62	3	07	G	74	14	100	1,269	100	1,269
Returned-To-R	B08821 Rt 9199/10	0.1				125	05	40			5	2	5	2		5	98	5	07	G	74	14	5	11	100	11
Returned-To-R	B08821 Rt 9199/20	1.7				125	05	40			5	2	5	2		3	62	3	07	G	74	14	85	1,078	100	1,078
Returned-To-Fi	B08821 Rt 9202/810	0.8				125	05	40			5	2	5	2		3	64	3	07	G	74	14	40	507	100	507
Returned-To-Fi	B08821 Rt 9202/820		26397	9	49	125	05	40			5		5	2					07					100		
Returned-To-Fi	B08821 Rt 9202/830	0.2				125	05	40			5	2	5	2		3	62	3	07	G	74	14	10	127	100	127
Official	B08821 Rt 9203/810	0.4				125	05	40			5	1	5	2		3	56	3	07	G	74	13	20	141	100	141
Official	B08821 Rt 9203/820		22633	9	120	125	05	40			5		5	2					07					100		
Official	B08821 Rt 9203/830	0.8				125	05	40			5	1	5	2		3	64	3	07	G	74	13	40	283	100	283
Official	B08821 Rt 9203/840		26400	9	42	125	05	40			5		5	2					07					100		
Official	B08821 Rt 9203/850	0.5				125	05	40			5	1	5	2		3	64	3	07	G	74	13	25	177	100	177
Official	B08821 Rt 9205/810	0.7				125	05	40			5	1	5	2		3	64	3	07	G	74	13	35	248	100	248
Official	B08821 Rt 9205/820		07408	9	37	125	05	40			5		5	2					07					100		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08821 Rt 9205/830	2.1				125	05	40			5	1	5	2		3	62	3	07	G	74	13	105	743	100	743
Official	B08821 Rt 9205/840		11547	1	23	125	05	40			5		5	2					07					92	100	92
Official	B08821 Rt 9205/850	1.4				125	05	40			5	1	5	2		3	56	3	07	G	74	13	70	495	100	495
Official	B08821 Rt 9205/860	1.4				125	05	40			5	1	5	2		3	64	3	07	G	74	13	70	495	100	495
Official	B08821 Rt 9205/870		20448	7	21	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9205/880	0.8				125	05	40			5	1	5	2		3	56	3	07	G	74	13	40	283	100	283
Official	B08821 Rt 9209/810	0.8				125	05	40			5	1	5	2		1	0	2	07	G	74	13	40	268	100	268
Official	B08821 Rt 9230/810	2.0				125	05	40			5	1	5	2		3	66	3	07	G	74	13	100	707	100	707
Official	B08821 Rt 9230/820		24233	9	106	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9230/830	1.6				125	05	40			5	1	5	2		3	56	3	07	G	74	13	80	566	100	566
Official	B08821 Rt 9230/840		8972	1	48	125	05	40			5		5	2					07					192	100	192
Official	B08821 Rt 9230/850	0.4				125	05	40			5	1	5	2		3	66	3	07	G	74	13	20	141	100	141
Official	B08821 Rt 9230/860		26604	9	102	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9230/870	0.1				125	05	40			5	1	5	2		3	62	3	07	G	74	13	5	35	100	35
Official	B08821 Rt 9230/880		6219	7	48	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9230/890	0.5				125	05	40			5	1	5	2		3	64	3	07	G	74	13	25	177	100	177
Official	B08821 Rt 9230/891		24379	7	40	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9230/892	0.2				125	05	40			5	1	5	2		3	60	3	07	G	74	13	10	71	100	71
Official	B08821 Rt 9231/810	0.7				125	05	40			5	1	5	2		3	64	3	07	G	74	13	35	248	100	248
Official	B08821 Rt 9232/810	1.4				125	05	40			5	1	5	2		3	58	3	07	G	74	13	70	495	100	495
Official	B08821 Rt 9235/810	3.0				125	05	40			5	1	5	2		3	62	3	07	G	74	13	150	1,061	100	1,061
Official	B08821 Rt 9237/810	4.7				125	05	40			5	2	5	2		3	58	3	07	G	74	14	235	2,981	100	2,981
Official	B08821 Rt 9237/820		00201	1	21	125	05	40			5		5	2					07					84	100	84
Official	B08821 Rt 9237/830	0.2				125	05	40			5	2	5	2		3	62	3	07	G	74	14	10	127	100	127
Official	B08821 Rt 9237/840		27766	9	50	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9237/850	0.1				125	05	40			5	2	5	2		3	58	3	07	G	74	14	5	63	100	63
Official	B08821 Rt 9237/860		27765	9	72	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9237/870	2.7				125	05	40			5	2	5	2		3	68	3	07	G	74	14	135	1,713	100	1,713
Official	B08821 Rt 9237/880		06685	1	22	125	05	40			5		5	2					07					88	100	88
Official	B08821 Rt 9237/890	0.1				125	05	40			5	2	5	2		3	56	3	07	G	74	14	5	63	100	63
Official	B08821 Rt 9237/891		07316	7	150	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9237/892	0.2				125	05	40			5	2	5	2		3	64	3	07	G	74	14	10	127	100	127
Official	B08821 Rt 9237/893		07223	7	59	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9237/894	2.0				125	05	40			5	1	5	2		3	58	3	07	G	74	13	100	707	100	707
Official	B08821 Rt 9237/895		06681	7	25	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9237/896	0.7				125	05	40			5	1	5	2		3	60	3	07	G	74	13	35	248	100	248
Official	B08821 Rt 9238/810	0.2				125	05	40			5	1	5	2		3	42	3	07	G	74	13	10	71	100	71
Official	B08821 Rt 9238/820	2.3				125	05	40			5	1	5	2		3	58	3	07	G	74	13	115	813	100	813
Official	B08821 Rt 9238/830	0.1				125	05	40			5	1	5	2		4	56	5	07	G	74	13	5	6	100	6
Official	B08821 Rt 9239/810	0.6				125	05	40			5	1	5	2		3	56	3	07	G	74	13	30	212	100	212
Official	B08821 Rt 9239/820		08800	1	40	125	05	40			5		5	2					07					160	100	160
Official	B08821 Rt 9239/830	0.3				125	05	40			5	1	5	2		3	62	3	07	G	74	13	15	106	100	106
Official	B08821 Rt 9239/840		07596	1	21	125	05	40			5		5	2					07					84	100	84
Official	B08821 Rt 9239/850	4.5				125	05	40			5	1	5	2		3	58	3	07	G	74	13	225	1,592	100	1,592
Official	B08821 Rt 9239/860		08797	9	42	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9239/870	2.3				125	05	40			5	1	5	2		3	64	3	07	G	74	13	115	813	100	813
Official	B08821 Rt 9239/880	0.2				125	05	40			5	1	5	2		4	44	4	07	G	74	13	10	50	100	50
Official	B08821 Rt 9239/890	0.4				125	05	40			5	1	5	2		4	42	4	07	G	74	13	20	101	100	101
Official	B08821 Rt 9239/891		26395	7	61	125	05	40			5		5	2					07						100	
Official	B08821 Rt 9239/892	0.7				125	05	40			5	1	5	2		5	98	5	07	G	74	13	35	45	100	45



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
Official	B08821 Rt 9241/810	2.7				125	05	40			5	1	5	2		3	58	3	07	G	74	13	135	955	100	955	
Official	B08821 Rt 9241/820	2.6				125	05	40			5	1	5	2		3	62	3	07	G	74	13	130	920	100	920	
Official	B08821 Rt 9241/830		06810	7	22	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9241/840	4.6				125	05	40			5	1	5	2		3	62	3	07	G	74	13	230	1,627	100	1,627	
Official	B08821 Rt 9241/850		24375	9	56	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9241/860	0.2				125	05	40			5	1	5	2		3	56	3	07	G	74	13	10	71	100	71	
Official	B08821 Rt 9247/810	2.0				125	05	40			5	1	5	2		3	62	3	07	G	74	13	100	707	100	707	
Official	B08821 Rt 9247/820	0.5				125	05	40			5	1	5	2		3	58	3	07	G	74	13	25	177	100	177	
Official	B08821 Rt 9280/810	0.5				125	05	40			5	1	5	2		4	64	3	07	G	74	13	25	126	100	126	
In-Process	B08821 Rt 9284/10	0.2				125	05	40			9		2	4													
In-Process	B08821 Rt 9285/10	0.2				125	05	40			9		2	4													
In-Process	B08821 Rt 9286/10	0.4				125	05	40			9		2	4													
In-Process	B08821 Rt 9287/10	0.3				125	05	40			9		2	4													
In-Process	B08821 Rt 9288/10	0.4				125	05	40			9		2	4													
In-Process	B08821 Rt 9289/10	1.0				125	05	40			5	1	2	4					07	G	74	13	50	327	100	327	
In-Process	B08821 Rt 9290/10	0.3				125	05	40			9		2	4													
In-Process	B08821 Rt 9291/10	0.2				125	05	40			9		2	4													
In-Process	B08821 Rt 9292/10	0.2				125	05	40			9		2	4													
In-Process	B08821 Rt 9293/10	0.3				125	05	40			9		2	2		0											
In-Process	B08821 Rt 9294/10	0.2				125	05	40			9		2	4													
In-Process	B08821 Rt 9295/10	0.2				125	05	40			9		2	4													
Official	B08821 Rt 9298/10	1.3				125	05	40			5	1	5	2		3	56	3	07	G	74	13	65	460	100	460	
Official	B08821 Rt 9298/20		06520	9	110	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9298/30	0.8				125	05	40			5	1	5	2		3	64	3	07	G	74	13	40	283	100	283	
Official	B08821 Rt 9298/40	0.2				125	05	40			5	1	5	2		4	62	4	07	G	74	13	10	50	100	50	
Official	B08821 Rt 9298/50		08972	9	40	125	05	40			5		5	2					07						100		
Official	B08821 Rt 9298/60	1.6				125	05	40			5	1	5	2		4	60	4	07	G	74	13	80	402	100	402	
Official	B08821 Rt 9299/10	5.0				125	05	40			5	2	5	2		4	72	5	07	G	74	14	250	565	100	565	
Returned-To-R	B08821 Rt 9304/810	4.0				125	05	40			5	2	5	2		3	64	3	07	G	74	14	200	2,537	100	2,537	
Returned-To-R	B08821 Rt 9312/810	4.8				125	63	40			1	2	3	2	3	5	84	5	07	P		2		1,116	100	1,116	
Official	B08822 Rt 0482/10	0.2				119	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26	
Official	B08822 Rt 0482/20		B010	1	20	119	03	40			4	1	5	2					07						80	100	80
Official	B08822 Rt 0482/30	1.5				119	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194	
Official	B08822 Rt 0482/40	0.6				119	03	40			4	2	5	2		0	0	0	07	G	74	11	30	256	100	256	
Official	B08822 Rt 0482/50	0.2				119	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26	
Official	B08822 Rt 0482/60		B032	1	80	119	03	40			4	1	5	2					07						320	100	320
Official	B08822 Rt 0482/70	0.2				119	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26	
Official	B08822 Rt 0482/80	0.5				119	03	40	1974		4	2	5	2	3	4	80	5	07	G	74	11	25	17	100	17	
Official	B08822 Rt 0483/10	1.0				119	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129	
Official	B08822 Rt 8772/1	0.6				081	03	40			5	2	5	2		3	40	3	07	G	74	14	30	373	100	373	
Official	B08822 Rt 8773/1	1.1				081	03	40			5	2	5	2		3	40	3	07	G	74	14	55	683	100	683	
Official	B08822 Rt 8773/2		00027	1	114	081	03	40			5		5	2					07						456	100	456
Official	B08822 Rt 8773/3	0.1				081	03	40			5	2	5	2		3	40	3	07	G	74	14	5	62	100	62	
Official	B08822 Rt 8773/4		08587	1	34	081	03	40			5		5	2					07						136	100	136
Official	B08822 Rt 8773/5	0.1				081	03	40			5	2	5	2		3	40	3	07	G	74	14	5	62	100	62	
Official	B08822 Rt 8774/1	1.5				119	03	40			2	2	3	2	3	5	100	5	07	P	149	8	31	353	21	73	
Official	B08822 Rt 8774/2		17520	9	172	119	03	40			2		3	2					07						100		
Official	B08822 Rt 8774/3	0.5				119	03	40			2	2	3	2	3	5	100	5	07	P	149	8	10	118	21	24	
Official	B08822 Rt 8775/1	0.2				081	03	40			5	2	5	2		3	60	3	07	G	74	14	10	124	100	124	
Official	B08822 Rt 8776/1	2.4				081	03	40	2004	2800	2	2	3	2		5	60	5	07	P	4,158	5	1,383	923	21	190	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08822 Rt 8776/2		12845	1	50	081	03	40			2		3	2										200	100	200
Official	B08822 Rt 8776/3	0.7				081	03	40	2004	2800	2	2	3	2		5	60	5	07	P	4,158	5	403	269	21	55
Official	B08822 Rt 8776/4		12562	9	33	081	03	40			2		3	2										100		
Official	B08822 Rt 8776/5	2.4				081	03	40	2004	3400	2	2	3	2		5	60	5	07	P	5,049	5	1,679	923	21	190
Official	B08822 Rt 8777/1	4.0				081	03	40			5	2	5	2		3	40	3	07	G	74	14	200	2,484	100	2,484
Official	B08822 Rt 8778/1	1.5				119	03	40			3		4	2		4	40	3	07	E	37	18	38	595	100	595
Official	B08822 Rt 8779/1	0.7				119	03	40			5	2	5	2		3	40	3	07	G	74	14	35	435	100	435
Official	B08822 Rt 8779/2		02803	1	36	119	03	40			5		5	2										144	100	144
Official	B08822 Rt 8779/3	0.9				119	03	40			5	2	5	2		3	40	3	07	G	74	14	45	559	100	559
Official	B08822 Rt 8779/4		25585	1	22	119	03	40			5		5	2										88	100	88
Official	B08822 Rt 8779/5	0.3				119	03	40			5	2	5	2		3	40	3	07	G	74	14	15	186	100	186
Official	B08822 Rt 8779/6	1.4				119	03	40			5	2	5	2		3	40	3	07	G	74	14	70	869	100	869
Official	B08822 Rt 8779/7		10494	9	40	119	03	40			5		5	2										100		
Official	B08822 Rt 8779/8	0.2				119	03	40			5	2	5	2		3	40	3	07	G	74	14	10	124	100	124
Official	B08822 Rt 8779/9		10805	9	21	119	03	40			5		5	2										100		
Official	B08822 Rt 8779/10	0.1				119	03	40			5	2	5	2		3	40	3	07	G	74	14	5	62	100	62
Official	B08822 Rt 8780/1	0.7				081	03	40			5	2	5	2		3	40	3	07	G	74	14	35	435	100	435
Official	B08822 Rt 8780/2		18938	1	44	081	03	40			5		5	2										176	100	176
Official	B08822 Rt 8780/3	0.3				081	03	40			5	2	5	2		3	40	3	07	G	74	14	15	186	100	186
Official	B08822 Rt 8780/4	0.9				081	03	40			5	2	5	2		3	40	3	07	G	74	14	45	559	100	559
Official	B08822 Rt 8780/5		00969	1	59	119	03	40			5		5	2										236	100	236
Official	B08822 Rt 8780/6	0.1				081	03	40			5	2	5	2		3	40	3	07	G	74	14	5	62	100	62
Official	B08822 Rt 8781/1	6.5				081	03	40			5	2	5	2		3	40	3	07	G	74	14	325	4,036	100	4,036
Official	B08822 Rt 8781/2		12210	1	56	081	03	40			5		5	2										224	100	224
Official	B08822 Rt 8781/3	0.5				081	03	40			5	2	5	2		3	40	3	07	G	74	14	25	310	100	310
Official	B08822 Rt 8782/1	5.9				081	03	40	2004	1300	2	2	3	2	3	5	80	5	07	P	1,931	5	1,578	2,270	21	467
Official	B08822 Rt 8782/2	1.7				081	03	40	2004	1300	2	2	3	2	3	5	80	5	07	P	1,931	5	455	654	21	135
Official	B08822 Rt 8782/3		18853	9	23	081	03	40			2		3	2										100		
Official	B08822 Rt 8782/4	1.9				081	03	40	2004	1300	2	2	3	2	3	5	80	5	07	P	1,931	5	508	731	21	150
Official	B08822 Rt 8782/5		18929	9	33	081	03	40			2		3	2										100		
Official	B08822 Rt 8782/6	0.8				081	03	40	2004	1300	2	2	3	2	3	5	80	5	07	P	1,931	5	214	308	21	63
Official	B08822 Rt 8782/7		18855	9	23	081	03	40			2		3	2										100		
Official	B08822 Rt 8782/8	1.8				081	03	40	2004	1300	2	2	3	2	3	5	80	5	07	P	1,931	5	482	692	21	143
Official	B08822 Rt 8782/9		18856	9	26	081	03	40			2		3	2										100		
Official	B08822 Rt 8782/10	1.9				081	03	40	2004	1200	2	2	3	2	3	5	80	5	07	P	1,782	5	469	731	21	150
Official	B08822 Rt 8782/11		13816	1	101	081	03	40			2		3	2										404	100	404
Official	B08822 Rt 8782/12	1.8				081	03	40	2004	1200	2	2	3	2	3	5	80	5	07	P	1,782	5	445	692	21	143
Official	B08822 Rt 8782/13	2.0				081	03	40			5	2	5	2		4	80	5	07	G	74	14	100	199	100	199
Official	B08822 Rt 8782/14	3.0				081	03	40			5	2	5	2		4	80	5	07	G	74	14	150	299	100	299
Official	B08822 Rt 8783/1	7.7				083	03	40			5	2	5	2		3	40	3	07	G	74	14	385	4,781	100	4,781
Official	B08822 Rt 8783/2		25639	9	158	083	03	40			5		5	2										100		
Official	B08822 Rt 8783/3	4.4				083	03	40			5	2	5	2		3	40	3	07	G	74	14	220	2,732	100	2,732
Official	B08822 Rt 8783/4		13339	1	30	083	03	40			5		5	2										120	100	120
Official	B08822 Rt 8783/5	2.4				083	03	40			5	2	5	2		3	40	3	07	G	74	14	120	1,490	100	1,490
Official	B08822 Rt 8783/6		26532	9	20	083	03	40			5		5	2										100		
Official	B08822 Rt 8783/7	2.4				083	03	40			5	2	5	2		4	40	3	07	G	74	14	120	1,118	100	1,118
Official	B08822 Rt 8822/10	1.0				119	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	100	129	100	129
Official	B08822 Rt 8833/10	1.1				081	03	40	1992	92	4	2	5	2		1	0	5	07	G	137	11	101	142	100	142
Official	B08822 Rt 8833/20		B811	1	22	081	03	40			4	1	5	2										88	100	88
Official	B08822 Rt 8833/30	2.9				081	03	40	1992	92	4	2	5	2		1	0	5	07	G	137	11	267	375	100	375



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08822 Rt 8839/10	0.2				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B08822 Rt 8839/20		B810	1	87	081	03	40			4	1	5	2			5	07						348	100	348
Official	B08822 Rt 8839/30	1.8				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	180	233	100	233
Official	B08822 Rt 8840/10	1.9				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	190	246	100	246
Official	B08822 Rt 8840/20		B812	1	83	081	03	40			4	1	5	2			5	07						332	100	332
Official	B08822 Rt 8840/30	1.8				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	180	233	100	233
Official	B08822 Rt 8840/40		B813	1	60	081	03	40			4	1	5	2			5	07						240	100	240
Official	B08822 Rt 8840/50	0.1				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	10	13	100	13
Official	B08822 Rt 8840/60		B814	4	45	081	03	40			4	1	5	2			5	07							100	
Official	B08822 Rt 8840/70	2.7				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	270	349	100	349
Official	B08822 Rt 8840/80		B815	4	31	081	03	40			4	1	5	2			5	07							100	
Official	B08822 Rt 8840/90	1.5				081	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	150	194	100	194
Official	B08822 Rt 8843/10	0.8				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103
Official	B08822 Rt 8843/20		B823	1	34	081	03	40			4	1	5	2			5	07						136	100	136
Official	B08822 Rt 8843/30	0.1				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	6	13	100	13
Official	B08822 Rt 8843/40		B824	1	22	081	03	40			4	1	5	2			5	07						88	100	88
Official	B08822 Rt 8843/50	1.8				081	03	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	162	233	100	233
Official	B08822 Rt 8843/60		B825	1	31	081	03	40			4	1	5	2			5	07						124	100	124
Official	B08822 Rt 8843/70	0.3				081	03	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	27	39	100	39
Official	B08822 Rt 8869/10	1.2				081	03	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	84	155	100	155
Official	B08822 Rt 8869/20		B862	1	50	081	03	40			4	1	5	2			5	07						200	100	200
Official	B08822 Rt 8869/30	0.8				081	03	40	1992	70	4	2	5	2		1	0	5	07	G	104	11	56	103	100	103
Official	B08822 Rt 8909/1	0.8				119	03	40			5	2	5	2		4	40	3	07	G	74	14	40	373	100	373
Official	B08822 Rt 8909/2		21645000	9	130	119	03	40			4		5	2				07							100	
Official	B08822 Rt 8909/3	3.7				119	03	40			5	2	5	2		4	80	5	07	G	74	14	185	369	100	369
Official	B08822 Rt 8909/4		22998	1	50	119	03	40			5		5	2				07						200	100	200
Official	B08822 Rt 8909/5	0.3				119	03	40			5	2	5	2		4	40	3	07	G	74	14	15	140	100	140
Official	B08822 Rt 8909/6		20997	1	59	119	03	40			5		5	2				07						236	100	236
Official	B08822 Rt 8909/7	1.1				119	03	40			5	2	5	2		4	40	3	07	G	74	14	55	512	100	512
Official	B08822 Rt 8909/8	0.8				119	03	40			5	2	5	2		3	60	3	07	G	74	14	40	497	100	497
Official	B08822 Rt 8909/9		05190	9	21	119	03	40			5		5	2				07							100	
Official	B08822 Rt 8909/10	0.1				119	03	40			5	2	5	2		3	60	3	07	G	74	14	5	62	100	62
Official	B08823 Rt 4450/10	0.7				125	03	40	1999	200	4	2	5	2		1	0	2	07	P	297	11	140	435	100	435
Official	B08823 Rt 4451/10	0.5				125	03	40	1999	120	4	2	5	2		1	0	2	07	G	178	11	60	213	100	213
Official	B08823 Rt 4452/10	1.0				081	03	40	1999	300	4	2	5	2		1	0	2	07	P	446	11	300	622	100	622
Official	B08823 Rt 4453/10	1.5				109	03	40	1999	150	4	2	5	2		1	0	2	07	G	223	11	225	639	100	639
Official	B08823 Rt 4454/10	0.8				125	03	40	1999	150	4	2	5	2		1	0	2	07	G	223	11	120	341	100	341
Official	B08823 Rt 4455/10	1.0				125	03	40	1999	300	4	2	2	2		1	0	2	07	P	446	11	300	622	100	622
Official	B08823 Rt 4456/10	0.7				125	03	40	1999	100	4	2	5	2		1	0	2	07	G	149	11	70	298	100	298
Official	B08823 Rt 4458/10	0.7				109	03	40	1999	300	4	2	5	2		4	40	3	07	P	446	11	210	443	100	443
Official	B08823 Rt 4458/20		B200	1	70	109	03	40			4	1	5	2			5	07						280	100	280
Official	B08823 Rt 4458/30	0.3				109	03	40	1999	300	4	2	5	2		4	40	3	07	P	446	11	90	190	100	190
Official	B08823 Rt 4459/10	1.0				125	03	40	1999	200	4	2	5	2		1	0	2	07	P	297	11	200	622	100	622
Official	B08823 Rt 4460/10	1.0				125	03	40	1999	100	4	2	5	2		1	0	2	07	G	149	11	100	426	100	426
Official	B08823 Rt 4461/10	1.0				125	03	40	1999	100	4	2	5	2		1	0	2	07	G	149	11	100	426	100	426
Official	B08823 Rt 4462/10	1.0				109	03	40	1999	110	4	2	5	2		1	0	2	07	G	163	11	110	426	100	426
In-Process	B08823 Rt 8614/10	1.8				125	05	40			5	2	5	2		3	32	3	07	G	74	14	90	1,118	100	1,118
In-Process	B08823 Rt 8614/20	0.7				125	05	40			5	2	5	4				07	G	74	14	35	411	100	411	



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
In-Process	B08823 Rt 8614/30	0.3				125	05	40			5	2	5	2		1	0	2	07	G	74	14	15	176	100	176
In-Process	B08823 Rt 8614/40	2.0				125	05	40			5	2	5	2		3	32	3	07	G	74	14	100	1,242	100	1,242
In-Process	B08823 Rt 8616/10	1.0				125	05	40			5	2	5	2		3	38	3	07	G	74	14	50	621	100	621
Official	B08823 Rt 8700/10	1.0				125	03	40	1997		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
Official	B08823 Rt 8804/10	0.3				125	03	40	1989		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B08823 Rt 8804/20		B005	1	150	125	03	40			4	1	5	2			5	07						600	100	600
Official	B08823 Rt 8804/30	0.9				125	03	40	1989		4	2	5	2		1	0	5	07	G	74	11	45	116	100	116
Official	B08823 Rt 8804/40		B802	9	34	125	03	40			4	1	5	0			5	07							100	
Official	B08823 Rt 8804/50	1.5				125	03	40	1989		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194
Official	B08823 Rt 8804/60	1.4				125	03	40	1989		4	2	5	2		1	0	5	07	G	74	11	70	181	100	181
Official	B08823 Rt 8804/70		B007	9	34	125	03	40			4	1	5	0			5	07							100	
Official	B08823 Rt 8804/80	1.0				125	03	40	1989	90	4	2	5	2		1	0	5	07	G	134	11	90	129	100	129
Official	B08823 Rt 8804/90		B008	9	40	125	03	40			4	1	5	0			5	07							100	
Official	B08823 Rt 8804/100	1.1				125	03	40	1989	125	4	2	5	2		1	0	5	07	G	186	11	138	142	100	142
Official	B08823 Rt 8804/110		B009	1	25	125	03	40			4	1	5	2			5	07						100	100	100
Official	B08823 Rt 8804/120	0.6				125	03	40	1989	150	4	2	5	2		1	0	5	07	G	223	11	90	78	100	78
Official	B08823 Rt 8825/10	0.3				125	03	40	1989	276	4	2	5	2		1	0	5	07	P	410	11	83	97	100	97
Official	B08823 Rt 8826/10	5.0				125	03	40	1989	536	4	2	5	2	1	4	6	5	07	P	796	11	2,680	1,625	100	1,625
Official	B08823 Rt 8868/10	0.1				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B08823 Rt 8868/20		B861	1	20	081	03	40			4	1	5	2			5	07						80	100	80
Official	B08823 Rt 8868/30	0.9				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	45	116	100	116
Official	B08823 Rt 8872/10	0.7				081	03	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	63	90	100	90
Official	B08823 Rt 8872/20		B865	1	28	081	03	40			4	1	5	2			5	07						112	100	112
Official	B08823 Rt 8872/30	2.3				081	03	40	1992	90	4	2	5	2		1	0	5	07	G	134	11	207	297	100	297
Official	B08823 Rt 8873/10	1.0				081	03	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	80	129	100	129
Official	B08823 Rt 8873/20		B866	1	30	081	03	40			4	1	5	2			5	07						120	100	120
Official	B08823 Rt 8873/30	1.3				081	03	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	104	168	100	168
Official	B08823 Rt 8873/40		B867	1	60	081	03	40			4	1	5	2			5	07						240	100	240
Official	B08823 Rt 8873/50	0.7				081	03	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	56	90	100	90
Official	B08823 Rt 8874/10	1.5				081	03	40	1992	90	4	2	5	2		4	24	3	07	G	134	11	135	515	100	515
Official	B08823 Rt 8874/20		B868	1	20	081	03	40			4	1	5	2			5	07						80	100	80
Official	B08823 Rt 8874/30	0.5				081	03	40	1992	90	4	2	5	2		4	24	3	07	G	134	11	45	172	100	172
Official	B08823 Rt 8875/10	0.5				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65
Official	B08823 Rt 8875/20		B869	1	746	081	03	40			4	1	5	2			5	07						2,985	100	2,985
Official	B08823 Rt 8875/30	0.5				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	50	65	100	65
Official	B08823 Rt 8876/10	0.4				081	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	44	52	100	52
Official	B08823 Rt 8876/20		B870	1	24	081	03	40			4	1	5	2			5	07						96	100	96
Official	B08823 Rt 8876/30	0.7				081	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	77	90	100	90
Official	B08823 Rt 8876/40		B871	1	25	081	03	40			4	1	5	2			5	07						100	100	100
Official	B08823 Rt 8876/50	0.9				081	03	40	1992	110	4	2	5	2		1	0	5	07	G	163	11	99	116	100	116
Official	B08823 Rt 8877/10	1.0				125	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
Official	B08823 Rt 8877/20		B875	1	30	125	03	40			4	1	5	2			5	07						120	100	120
Official	B08823 Rt 8877/30	1.0				125	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
Official	B08823 Rt 8890/10	0.8				125	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	48	103	100	103
Official	B08823 Rt 8890/20		B884	1	20	125	03	40			4	1	5	2			5	07						80	100	80
Official	B08823 Rt 8890/30	0.2				125	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	12	26	100	26
Official	B08823 Rt 8899/10	1.5				125	03	40	1997		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194
Official	B08824 Rt 0477/10	0.2				125	03	40	1999	1189	4	2	5	0	1	4	20	3	07	P	1,766	11	238	100		
Official	B08824 Rt 0477/20		B872	1	37	125	03	40			4	1	5	0			5	07						100		
Official	B08824 Rt 0477/30	0.1				125	03	40	1992	325	4	2	5	0	1	4	20	3	07	P	483	11	33	100		



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08824 Rt 0477/40		B873	1	21	125	03	40			4	1	5	0			5	07								100
Official	B08824 Rt 0477/50	2.0				125	03	40	1992	325	4	2	5	0	1	4	20	3	07	P	483	11	650		100	
Official	B08824 Rt 0477/60		B874	1	42	125	03	40			4	1	5	0			5	07							100	
Official	B08824 Rt 0477/70	1.6				125	03	40	1992	325	4	2	5	0	1	4	20	3	07	P	483	11	520		100	
Official	B08824 Rt 0478/10	1.5				081	03	40			3	1	2	2		4	64	4	07	E	37	18	38	595	100	595
Official	B08824 Rt 0490/10	0.2				081	03	40	2001		4	1	5	2		1	0	5	07	G	74	10	10	26	100	26
Official	B08824 Rt 0490/20		B402	1	24	081	03	40			4	1	5	2			5	07						96	100	96
Official	B08824 Rt 0490/30	0.8				081	03	40	2001		4	1	5	2		1	0	5	07	G	74	10	40	105	100	105
Official	B08824 Rt 2010/10	1.1				125	03	40	2000	200	4	2	5	2		1	0	2	07	P	297	11	220	684	100	684
Official	B08824 Rt 2010/20		B358	1	60	125	03	40			4	1	5	2			5	07						240	100	240
Official	B08824 Rt 2010/30	6.9				125	03	40	2000	200	4	2	5	2		1	0	2	07	P	297	11	1,380	4,290	100	4,290
Official	B08824 Rt 2020/10	1.3				125	03	40	2000	100	4	2	5	2		1	0	2	07	G	149	11	130	554	100	554
Official	B08824 Rt 2020/20		B805	1	21	125	03	40			4	1	5	2			5	07						84	100	84
Official	B08824 Rt 2020/30	0.7				125	03	40	2000	100	4	2	5	2		1	0	2	07	G	149	11	70	298	100	298
Official	B08824 Rt 4716/2	2.0				125	03	40	2000	400	4	1	5	2		1	0	2	07	P	594	10	800	982	100	982
Official	B08824 Rt 4716/4	1.0				125	03	40	2000	150	4	1	5	2		1	0	2	07	G	223	10	150	291	100	291
Official	B08824 Rt 4716/10	2.0				125	03	40	2000	75	4	1	5	2		1	0	2	07	G	111	10	150	582	100	582
Official	B08824 Rt 4911/10	0.2				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	10	26	100	26
Official	B08824 Rt 4911/20		B002	1	25	081	03	40			4	1	5	2			5	07						100	100	100
Official	B08824 Rt 4911/30	1.5				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194
Official	B08824 Rt 4911/40		B017	1	20	081	03	40			4	1	5	2			5	07						80	100	80
Official	B08824 Rt 4911/50	0.3				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B08824 Rt 4912/10	0.1				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	5	13	100	13
Official	B08824 Rt 4912/20		B001	1	20	081	03	40			4	1	5	2			5	07						80	100	80
Official	B08824 Rt 4912/30	0.9				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	45	116	100	116
Official	B08824 Rt 4912/40		B803	1	20	081	03	40			4	1	5	2			5	07						80	100	80
Official	B08824 Rt 4912/50	1.0				081	03	40	1974		4	2	5	2		1	0	5	07	G	74	11	50	129	100	129
In-Process	B08824 Rt 8154/10	1.7				119	03	40			5	2	5	2		3	18	3								
In-Process	B08824 Rt 8154/20	1.1				119	03	40			5	2	5	2		4	32	4								
In-Process	B08824 Rt 8154/30			1	40	119	03	40			5	1	5	2												
In-Process	B08824 Rt 8154/40	1.2				119	03	40			5	2	5	2		4	34	5								
In-Process	B08824 Rt 8154/60																									
In-Process	B08824 Rt 8158/10	2.3				081	03	40			7	1	5	2		4	54	4								
In-Process	B08824 Rt 8158/20		00310	1	61	081	03	40			7	1	5	2												
In-Process	B08824 Rt 8158/30	0.3				081	03	40			7	1	5	2	3	4	50	4								
In-Process	B08824 Rt 8158/40				170	081	03	40			7	1	5	2												
In-Process	B08824 Rt 8158/50	1.1				081	03	40			5	1	5	2		4	50	4								
In-Process	B08824 Rt 8158/60			1	21	081	03	40			4	2	3	2												
In-Process	B08824 Rt 8158/70	0.3				081	03	40			5	2	5	2		4	50	4								
In-Process	B08824 Rt 8158/80	2.7				081	03	40			5	2	5	2		3	26	3								
In-Process	B08824 Rt 8158/90		20976	9	50	081	03	40			5	1	5	2												
In-Process	B08824 Rt 8158/100	1.6				081	03	40			5	2	5	2		3	28	3								
In-Process	B08824 Rt 8159/10	1.0				081	03	40			5	1	5	2		3	18	3								
In-Process	B08824 Rt 8164/10	3.0				081	03	40			2	1	5	2		3	14	3								
In-Process	B08824 Rt 8164/20	4.0				119	03	40			2	1	5	2		3	16	3								
In-Process	B08824 Rt 8164/30		00913	1	41	119	03	40			2		5	2												
In-Process	B08824 Rt 8164/40	1.5				119	03	40			2	1	5	2		3	20	3								
In-Process	B08824 Rt 8164/50			8	60	119	03	40			3		5	2												
In-Process	B08824 Rt 8164/60	3.6				119	03	40			2	2	5	2	2	3	18	3								
In-Process	B08824 Rt 8179/10	0.6				081	03	40			5	1	5	1		3		3								



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)	
In-Process	B08824 Rt 8179/20		25832	1	40	081	03	40			5	1	5	2													
In-Process	B08824 Rt 8179/30	9.1				081	03	40			5	1	5	2		3	22	3									
In-Process	B08824 Rt 8179/40		21962	9	100	081	03	40			5	1	5														
In-Process	B08824 Rt 8179/50	0.4				119	03	40			5	1	5	2		3	18	3									
In-Process	B08824 Rt 8179/60	0.9				081	03	40			5	1	5	2	2	4	50	5									
In-Process	B08824 Rt 8179/70	1.7						40			5	1	5	2	3	4	52	5									
In-Process	B08824 Rt 8224/10	0.9				081	03	40			3	2	5	2		4	42	4	07	E		37	18	23	357	100	357
In-Process	B08824 Rt 8224/20	1.7				081	03	40			3	2	5	2		3	42	4	07	E		37	18	43	675	100	675
In-Process	B08824 Rt 8224/30		02568	2	25	081	03	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8224/40	3.3				081	03	40			3	2	5	2		3	40	4	07	E		37	18	83	1,310	100	1,310
In-Process	B08824 Rt 8224/50		02572	2	25	081	03	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8224/60	3.1				081	03	40			3	2	5	2		3	40	4	07	E		37	18	78	1,230	100	1,230
In-Process	B08824 Rt 8225/10	2.0				081	03	40			5	2	5	2		3	44	4	07	G		74	14	100	1,242	100	1,242
In-Process	B08824 Rt 8225/20	0.7				081	03	40			5	2	5	2		4	38	4	07	G		74	14	35	326	100	326
In-Process	B08824 Rt 8225/30		10329	7	101	081	03	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8225/40	1.7				081	03	40			5	2	5	2		4	38	4	07	G		74	14	85	792	100	792
In-Process	B08824 Rt 8225/50		24354	9	101	081	03	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8225/60	1.6				081	03	40			5	2	5	2		4	38	4	07	G		74	14	80	745	100	745
In-Process	B08824 Rt 8225/70	1.1				081	03	40			5	2	5	2		3	40	4	07	G		74	14	55	683	100	683
In-Process	B08824 Rt 8225/80		12102	9	40	081	03	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8225/90	6.9				081	03	40			5	2	5	2		3	36	4	07	G		74	14	345	4,285	100	4,285
In-Process	B08824 Rt 8250/10	0.5				081	03	40			5	2	5	2		0	0	0	07	G		74	14	25	294	100	294
In-Process	B08824 Rt 8250/20	1.5				081	05	40			5	2	5	2		3	38	3	07	G		74	14	75	931	100	931
In-Process	B08824 Rt 8250/30	1.0				125	05	40			5	2	5	2		4	38	4	07	G		74	14	50	466	100	466
In-Process	B08824 Rt 8250/40	1.0				125	05	40			5	2	5	2		3	40	4	07	G		74	14	50	621	100	621
In-Process	B08824 Rt 8251/10	5.0				125	05	40			5	2	5	2		4	38	4	07	G		74	14	250	2,329	100	2,329
In-Process	B08824 Rt 8253/10	1.0				125	05	40			5	2	5	2		4	40	5	07	G		74	14	50	100	100	100
In-Process	B08824 Rt 8253/20	1.0				125	05	40			5	2	5	2		4	60	3	07	G		74	14	50	466	100	466
In-Process	B08824 Rt 8253/30	0.1				125	05	40			5	2	5	2		3	34	3	07	G		74	14	5	62	100	62
In-Process	B08824 Rt 8253/40		25208	9	39	125	05	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8253/50	0.9				125	05	40			5	2	5	2		3	34	3	07	G		74	14	45	559	100	559
In-Process	B08824 Rt 8254/10	0.5				125	05	40			5	2	5	2		1	0	1	07	G		74	14	25	294	100	294
In-Process	B08824 Rt 8254/20	0.7				125	05	40			5	2	5	2		3	30	3	07	G		74	14	35	435	100	435
In-Process	B08824 Rt 8254/30		21924	1	65	125	05	40			5		5	2							07				260	100	260
In-Process	B08824 Rt 8254/40	2.3				125	05	40			5	2	5	2		3	30	3	07	G		74	14	115	1,428	100	1,428
In-Process	B08824 Rt 8255/10	2.5				125	05	40			5	2	5	2		5	60	5	07	G		74	14	125	249	100	249
In-Process	B08824 Rt 8255/20		20184	9	54	125	05	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8255/30	0.1				125	05	40			5	2	5	2		5	60	5	07	G		74	14	5	10	100	10
In-Process	B08824 Rt 8255/40		21118	9	303	125	05	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8256/10	0.7				125	05	40			5	2	5	2		4	34	4	07	G		74	14	35	326	100	326
In-Process	B08824 Rt 8256/20		23884	9	23	125	05	40			5		5	2							07				100	100	100
In-Process	B08824 Rt 8256/30	0.7				125	05	40			5	2	5	2		4	34	4	07	G		74	14	35	326	100	326
In-Process	B08824 Rt 8256/40	1.1				125	05	40			5	2	5	2		3	38	4	07	G		74	14	55	683	100	683
In-Process	B08824 Rt 8257/10	2.0				125	05	40			5	2	5	2		4	48	4	07	G		74	14	100	931	100	931
In-Process	B08824 Rt 8257/20	2.0				125	05	40			5	2	5	2		3	38	4	07	G		74	14	100	1,242	100	1,242
In-Process	B08824 Rt 8258/10	2.0				125	05	40			5	2	5	2		5	70	5	07	G		74	14	100	199	100	199
In-Process	B08824 Rt 8258/20	3.3				125	05	40			5	2	5	2		4	38	3	07	G		74	14	165	1,537	100	1,537
In-Process	B08824 Rt 8259/10	1.5				125	05	40			5	2	5	2		4	70	7	07	G		74	14	75	150	100	150
In-Process	B08824 Rt 8259/20	1.5				125	05	40			5	2	5	2		5	70	7	07	G		74	14	75	150	100	150
Official	B08824 Rt 8701/10	2.0				081	03	40	1997	200	4	2	5	2		1	0	5	07	P		297	11	400	650	100	650



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08824 Rt 8828/10	5.8				081	03	40	1999	1282	4	2	5	2		1	0	5	07	P	1,904	11	7,436	1,884	100	1,884
Official	B08824 Rt 8829/10	1.0				081	03	40	1989	80	4	2	5	2		1	0	5	07	G	119	11	80	129	100	129
Official	B08824 Rt 8830/10	3.6				081	03	40	1999	1247	4	2	5	2	1	4	40	4	07	P	1,852	11	4,489	2,280	100	2,280
Official	B08824 Rt 8831/10	10.0				125	03	40	1999	432	4	2	5	2	1	5	80	5	07	P	642	11	4,320	3,249	100	3,249
Official	B08824 Rt 8834/10	3.5				081	03	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	455	452	100	452
Official	B08824 Rt 8834/20		B804	1	64	081	03	40			4	1	5	2				5	07					256	100	256
Official	B08824 Rt 8834/30	4.5				081	03	40	1992	130	4	2	5	2		1	0	5	07	G	193	11	585	581	100	581
Official	B08824 Rt 8835/10	1.5				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	75	194	100	194
Official	B08824 Rt 8835/20		B800	1	60	081	03	40			4	1	5	2				5	07					240	100	240
Official	B08824 Rt 8835/30	3.5				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	175	452	100	452
Official	B08824 Rt 8838/10	0.7				081	03	40	1990	130	4	2	5	2		1	0	5	07	G	193	11	91	90	100	90
Official	B08824 Rt 8838/20		B809	1	109	081	03	40			4	1	5	2				5	07					436	100	436
Official	B08824 Rt 8838/30	1.2				081	03	40	1990	130	4	2	5	2		1	0	5	07	G	193	11	156	155	100	155
Official	B08824 Rt 8841/10	0.6				081	03	40	1990	130	4	2	5	2		1	0	5	07	G	193	11	78	78	100	78
Official	B08824 Rt 8841/20		B816	1	74	081	03	40			4	1	5	2				5	07					296	100	296
Official	B08824 Rt 8841/30	3.4				081	03	40	1990	130	4	2	5	2		1	0	5	07	G	193	11	442	439	100	439
Official	B08824 Rt 8842/10	0.1				081	03	40	1990	190	4	2	5	2		1	0	5	07	P	282	11	19	32	100	32
Official	B08824 Rt 8842/20		B817	1	43	081	03	40			4	1	5	2				5	07					172	100	172
Official	B08824 Rt 8842/30	0.9				081	03	40	1990	190	4	2	5	2		1	0	5	07	P	282	11	171	292	100	292
Official	B08824 Rt 8844/10	0.4				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	40	52	100	52
Official	B08824 Rt 8844/20		B073	1	60	081	03	40			4	1	5	2				5	07					240	100	240
Official	B08824 Rt 8844/30	1.0				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	100	129	100	129
Official	B08824 Rt 8844/40		B806	1	78	081	03	40			4	1	5	2				5	07					312	100	312
Official	B08824 Rt 8844/50	0.3				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	30	39	100	39
Official	B08824 Rt 8844/60		B826	1	76	081	03	40			4	1	5	2				5	07					304	100	304
Official	B08824 Rt 8844/70	1.2				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	120	155	100	155
Official	B08824 Rt 8844/80		B827	1	24	081	03	40			4	1	5	2				5	07					96	100	96
Official	B08824 Rt 8844/90	0.4				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	40	52	100	52
Official	B08824 Rt 8845/10	0.9				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	90	116	100	116
Official	B08824 Rt 8845/20		B880	1	61	081	03	40			4	1	5	2				5	07					244	100	244
Official	B08824 Rt 8845/30	1.1				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	110	142	100	142
Official	B08824 Rt 8846/10	0.8				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B08824 Rt 8846/20		B828	1	79	081	03	40			4	1	5	2				5	07					316	100	316
Official	B08824 Rt 8846/30	0.2				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B08824 Rt 8847/10	0.3				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	18	39	100	39
Official	B08824 Rt 8847/20		B829	1	21	081	03	40			4	1	5	2				5	07					84	100	84
Official	B08824 Rt 8847/30	2.7				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	162	349	100	349
Official	B08824 Rt 8848/10	1.9				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	190	246	100	246
Official	B08824 Rt 8848/20		B830	1	40	081	03	40			4	1	5	2				5	07					160	100	160
Official	B08824 Rt 8848/30	1.1				081	03	40	1992	100	4	2	5	2		1	0	5	07	G	149	11	110	142	100	142
Official	B08824 Rt 8859/10	0.6				081	03	40	1990	150	4	2	5	2		1	0	5	07	G	223	11	90	78	100	78
Official	B08824 Rt 8859/20		B851	1	71	081	03	40			4	1	5	2				5	07					284	100	284
Official	B08824 Rt 8859/30	0.4				081	03	40	1990	150	4	2	5	2		1	0	5	07	G	223	11	60	52	100	52
Official	B08824 Rt 8860/10	0.7				081	03	40	1999	137	4	2	5	2		4	28	3	07	G	203	11	96	240	100	240
Official	B08824 Rt 8860/20		B852	1	29	081	03	40			4	1	5	2				5	07					116	100	116
Official	B08824 Rt 8860/30	2.4				081	03	40	1990	300	4	2	5	2		4	28	3	07	P	446	11	720	1,520	100	1,520
Official	B08824 Rt 8860/40		B859	1	27	081	03	40			4	1	5	2				5	07					108	100	108
Official	B08824 Rt 8860/50	0.9				081	03	40	1990	300	4	2	5	2		4	28	3	07	P	446	11	270	570	100	570
Official	B08824 Rt 8861/10	0.2				125	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	20	26	100	26
Official	B08824 Rt 8861/20		B853	1	81	125	03	40			4	1	5	2				5	07					324	100	324



Indian Reservation Roads Program Official Indian Reservation Road inventory 09/06/2007



Status Code	Location	Sec Len	Bridge No	Bdg Cnd	Bdg Len Ft	Cty Cd	Cngr Dist	St	ADT Year	ADT	Cls	Ter Typ	Own Cd	CN	Sh Typ	Sur Typ	PCI	RD Cnd	GPR No	Fur Sur	Future ADT	ADS No	VMT	Raw CTC \$ (1000)	BIA %	IRR CTC \$ (1000)
Official	B08824 Rt 8861/30	0.8				125	03	40	1990	100	4	2	5	2		1	0	5	07	G	149	11	80	103	100	103
Official	B08824 Rt 8865/10	0.3				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B08824 Rt 8865/20		B878	1	59	081	03	40			4	1	5	2				5	07				236	100	236	
Official	B08824 Rt 8865/30	0.7				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90
Official	B08824 Rt 8866/10	0.9				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	54	116	100	116
Official	B08824 Rt 8866/20		B858	1	29	081	03	40			4	1	5	2				5	07				116	100	116	
Official	B08824 Rt 8866/30	1.1				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	66	142	100	142
Official	B08824 Rt 8867/10	1.4				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	84	181	100	181
Official	B08824 Rt 8867/20		B860	1	38	081	03	40			4	1	5	2				5	07				152	100	152	
Official	B08824 Rt 8867/30	0.6				081	03	40	1992	60	4	2	5	2		1	0	5	07	G	89	11	36	78	100	78
Official	B08824 Rt 8870/10	1.4				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	70	181	100	181
Official	B08824 Rt 8870/20		B863	1	29	081	03	40			4	1	5	2				5	07				116	100	116	
Official	B08824 Rt 8870/30	1.6				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	80	207	100	207
Official	B08824 Rt 8871/10	0.3				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	15	39	100	39
Official	B08824 Rt 8871/20		B864	1	20	081	03	40			4	1	5	2				5	07				80	100	80	
Official	B08824 Rt 8871/30	0.7				081	03	40	1992		4	2	5	2		1	0	5	07	G	74	11	35	90	100	90
Official	B08824 Rt 8881/10	0.1				081	03	40	1992	75	4	2	5	2		1	0	5	07	G	111	11	8	13	100	13
Official	B08824 Rt 8882/10	0.4				081	03	40	1992	200	4	2	5	2		4	80	3	07	P	297	11	80	253	100	253
Official	B08824 Rt 8883/10	1.0				081	03	40	1992	150	4	2	5	2		1	0	5	07	G	223	11	150	129	100	129
Official	B08824 Rt 8884/10	0.5				081	03	40	1992	80	4	2	5	2		1	0	5	07	G	119	11	40	65	100	65
Official	B08824 Rt 8892/10	2.0				081	03	40	1989	60	4	1	1	1		1	0	5	07	G	89	10	120	262	100	262
Official	B08824 Rt 8894/10	2.0				081	03	40	1989	60	4	1	1	2		1	0	5	07	G	89	10	120	262	100	262
Official	B08824 Rt 8898/10	2.1				125	03	40	1999	214	4	2	5	2		1	0	5	07	P	318	11	449	682	100	682
Official	B08824 Rt 8898/20		B401	1	65	125	03	40			4	1	5	2				5	07				260	100	260	
Official	B08824 Rt 8898/30	0.9				125	03	40	1999	214	4	2	5	2		1	0	5	07	P	318	11	193	292	100	292
Official	B08824 Rt 8910/10	12.5				125	03	40	1999	150	4	2	5	2		3	26	3	07	G	223	11	1,875	5,471	100	5,471
Official	B08824 Rt 8911/810	6.0				125		40				1	3	2		5		5	07					21		
Official	B08824 Rt 8912/10	1.1				081	03	40	1999	4000	2	2	3	2		5	100	5	07	P	5,940	5	906	167	21	34
Official	B08824 Rt 8912/20		B881	5	103	081	03	40			2	1	3	2				5	07					100		
Official	B08824 Rt 8912/810	42.0				125		40				1	3	2		5		5	07					21		
Official	B08824 Rt 8913/10	1.0				081	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	150	129	100	129
Official	B08824 Rt 8913/20	0.9				119	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	135	116	100	116
Official	B08824 Rt 8913/30		B023	1	142	119	03	40			4	1	5	2				5	07				568	100	568	
Official	B08824 Rt 8913/40	1.9				119	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	285	246	100	246
Official	B08824 Rt 8913/50		B024	1	24	119	03	40			4	1	5	2				5	07				96	100	96	
Official	B08824 Rt 8913/60	2.5				119	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	375	323	100	323
Official	B08824 Rt 8913/70		B025	1	29	119	03	40			4	1	5	2				5	07				116	100	116	
Official	B08824 Rt 8913/80	0.7				119	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	105	90	100	90
Official	B08824 Rt 8913/90		B026	1	29	119	03	40			4	1	5	2				5	07				116	100	116	
Official	B08824 Rt 8913/100	1.0				119	03	40	2001	150	4	2	5	2		1	0	5	07	G	223	11	150	129	100	129