

**Index of Section 1 Tables: Illicit Drug Use**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Illicit Drugs <sup>1</sup>			Any Illicit Drug Use			Marijuana Use			Cocaine Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
<b>All Persons Aged 12 or Older</b>	1	1	1	19, 26, 61, 71	19, 26, 61, 71	19, 26, 61, 71	20, 31, 66, 76	20, 31, 66, 76	20, 31, 66, 76	21, 36, 81	21, 36, 81	21, 36, 81
<b>All Persons Aged 18 or Older</b>	18	18	18	30, 65, 75	30, 65, 75	30, 65, 75	35, 70, 80	35, 70, 80	35, 70, 80	40, 85	40, 85	40, 85
<b>Standard Age Groups (in Years)</b>	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	36, (37-39), (82-84)	36, (37-39), (82-84)	36, (37-39), (82-84)
<b>7 Detailed Age Categories</b>	(5-11)	(5-11)	(5-11)									
<b>23 Detailed Age Categories</b>				19	19	19	20	20	20	21	21	21
<b>Gender</b>	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
<b>Hispanic Origin and Race</b>				26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
<b>Gender/Race/Hispanic Origin</b>				27	27	27	32	32	32	37	37	37
<b>Racial/Ethnic Subgroups</b>				61-65	61-65	61-65	66-70	66-70	66-70			
<b>Adult Education</b>				28-30	28-30	28-30	33-35	33-35	33-35	38-40	38-40	38-40
<b>Current Employment</b>				28-30	28-30	28-30	33-35	33-35	33-35	38-40	38-40	38-40
<b>Geographic Characteristics</b>				71-75	71-75	71-75	76-80	76-80	76-80	81-85	81-85	81-85

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 1.1 for a complete listing of the specific drugs and classes of drugs.

**Index of Section 1 Tables: Illicit Drug Use (continued)**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Hallucinogen Use			Inhalant Use			Nonmedical Use of Any Prescription-Type Psychotherapeutic			Use of Any Illicit Drug Other Than Marijuana		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
<b>All Persons Aged 12 or Older</b>	22, 41, 86, 106	22, 41, 86	22, 41, 86	23, 46, 91, 106	23, 46, 91	23, 46, 91	24, 51, 96	24, 51, 96	24, 51, 96	25, 56, 101	25, 56, 101	25, 56, 101
<b>All Persons Aged 18 or Older</b>	45, 90	45, 90	45, 90	50, 95	50, 95	50, 95	55, 100	55, 100	55, 100	60, 105	60, 105	60, 105
<b>Standard Age Groups (in Years)</b>	41, (42-44), (87-89), 106	41, (42-44), (87-89)	41, (42-44), (87-89)	46, (47-49), (92-94), 106	46, (47-49), (92-94)	46, (47-49), (92-94)	51, (52-54), (97-99)	51, (52-54), (97-99)	51, (52-54), (97-99)	56, (57-59), (102-104)	56, (57-59), (102-104)	56, (57-59), (102-104)
<b>7 Detailed Age Categories</b>												
<b>23 Detailed Age Categories</b>	22	22	22	23	23	23	24	24	24	25	25	25
<b>Gender</b>	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
<b>Hispanic Origin and Race</b>	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
<b>Gender/Race/Hispanic Origin</b>	42	42	42	47	47	47	52	52	52	57	57	57
<b>Racial/Ethnic Subgroups</b>												
<b>Adult Education</b>	43-45	43-45	43-45	48-50	48-50	48-50	53-55	53-55	53-55	58-60	58-60	58-60
<b>Current Employment</b>	43-45	43-45	43-45	48-50	48-50	48-50	53-55	53-55	53-55	58-60	58-60	58-60
<b>Geographic Characteristics</b>	86-90	86-90	86-90	91-95	91-95	91-95	96-100	96-100	96-100	101-105	101-105	101-105

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 1 Tables: Illicit Drug Use (continued)**

Cell entries in this index refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Hallucinogens and Inhalants	Use of Specific Pain Relievers	Use of Specific Tranquilizers	Use of Specific Stimulants	Use of Specific Sedatives	Methods of Administration <sup>2</sup>
	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	
All Persons Aged 12 or Older	106	107	108	109	110	106
All Persons Aged 18 or Older						
Standard Age Groups (in Years)	106	107	108	109	110	106
7 Detailed Age Categories						
23 Detailed Age Categories						
Gender						
Hispanic Origin and Race						
Gender/Race/Hispanic Origin						
Racial/Ethnic Subgroups						
Adult Education						
Current Employment						
Geographic Characteristics						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>2</sup>The methods of administration include needle use, and smoking or sniffing heroin.

**Index of Section 2 Tables: Tobacco and Alcohol Use**

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Use of Specific Tobacco and Alcohol <sup>1</sup>			Use of Any Tobacco Product			Cigarette Use			Smokeless Tobacco Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 25, 70	19, 25, 70	19, 25, 70	20, 30, 55, 75	20, 30, 55, 75	20, 30, 55, 75	21, 35, 80	21, 35, 80	21, 35, 80
All Persons Aged 18 or Older	18	18	18	29, 74	29, 74	29, 74	34, 59, 79	34, 59, 79	34, 59, 79	39, 84	39, 84	39, 84
All Persons Aged 12 to 20												
All Persons Aged 21 or Older												
Standard Age Groups (in Years)	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	25, (26-28), (71-73)	25, (26-28), (71-73)	25, (26-28), (71-73)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	35, (36-38), (81-83)	35, (36-38), (81-83)	35, (36-38), (81-83)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Hispanic Origin and Race				25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Gender/Race/Hispanic Origin				26	26	26	31	31	31	36	36	36
Racial/Ethnic Subgroups							55-59	55-59	55-59			
Adult Education				27-29	27-29	27-29	32-34	32-34	32-34	37-39	37-39	37-39
Current Employment				27-29	27-29	27-29	32-34	32-34	32-34	37-39	37-39	37-39
Geographic Characteristics				70-74	70-74	70-74	75-79	75-79	75-79	80-84	80-84	80-84

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See Table 2.1 for a complete listing of all the tobacco and alcohol types.

**Index of Section 2 Tables: Tobacco and Alcohol Use (continued)**

Cell entries in this index refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Cigar Use			Any Alcohol Use			"Binge" Alcohol Use	Heavy Alcohol Use
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Past Month Only	
<b>All Persons Aged 12 or Older</b>	22, 40, 85	22, 40, 85	22, 40, 85	23, 45, 60, 90	23, 45, 60, 90	23, 24, 45, 50, 60, 65, 90, 95	24, 50, 65, 95	24, 50, 65, 95
<b>All Persons Aged 18 or Older</b>	44, 89	44, 89	44, 89	49, 64, 94	49, 64, 94	49, 54, 64, 69, 94, 99	54, 69, 99	54, 69, 99
<b>All Persons Aged 12 to 20</b>				100,104, 108	100, 104, 108	100, 102, 104, 106,108,110	102, 106,110	102, 106,110
<b>All Persons Aged 21 or Older</b>				101, 105,109	101, 105,109	101, 103, 105, 107,109,111	103, 107,111	103, 107,111
<b>Standard Age Groups (in Years)</b>	40, (41-43), (86-88)	40, (41-43), (86-88)	40, (41-43), (86-88)	45, (46-48), (61-63), (91-93)	45, (46-48), (61-63), (91-93)	45, (46-48), 50, (51-53), (61-63), (66-68), (91-93), (96-98)	50, (51-53), (66-68), (96-98)	50, (51-53), (66-68), (96-98)
<b>7 Detailed Age Categories</b>								
<b>23 Detailed Age Categories</b>	22	22	22	23	23	23, 24	24	24
<b>Gender</b>	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
<b>Hispanic Origin and Race</b>	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
<b>Gender/Race/Hispanic Origin</b>	41	41	41	46, 100-101	46, 100-101	46, 51, 100-101, 102-103	51, 102-103	51, 102-103
<b>Racial/Ethnic Subgroups</b>				60-64, 104-105	60-64, 104-105	60-64, 65-69, 104-105, 106-107	65-69, 106-107	65-69, 106-107
<b>Adult Education</b>	42-44	42-44	42-44	47-49	47-49	47-49, 52-54	52-54	52-54
<b>Current Employment</b>	42-44	42-44	42-44	47-49	47-49	47-49, 52-54	52-54	52-54
<b>Geographic Characteristics</b>	85-89	85-89	85-89	90-94, 108-109	90-94, 108-109	90-94, 95-99, 108-109, 110-111	95-99, 110-111	95-99, 110-111

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

### Index of Section 3 Tables: Risk and Protective Factors

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.48.

Risk and Protective Factors	Persons Aged 12 or Older and Standard Age Groups	Demographic Characteristics and Drug Use for Persons Aged 12 to 17 <sup>1</sup>
<b>Perceptions of Risk</b>		
Smoking One or More Packs of Cigarettes Per Day	1	2
Smoking Marijuana Once a Month	1	3
Smoking Marijuana Once or Twice a Week	1	4
Using Cocaine Once a Month	1	5
Using Cocaine Once or Twice a Week	1	6
Trying Heroin Once or Twice	1	7
Using Heroin Once or Twice a Week	1	8
Trying LSD Once or Twice	1	9
Using LSD Once or Twice a Week	1	10
Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day	1	11
Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week	1	12
<b>Ease of Obtaining...</b>		
Marijuana	1	13
Cocaine	1	14
Crack	1	15
Heroin	1	16
LSD	1	17
<b>Approached in Past Month by Someone Selling Drugs</b>	1	18

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

**Index of Section 3 Tables: Risk and Protective Factors (continued)**

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.48.

<b>Risk and Protective Factors</b>	<b>Demographic Characteristics and Drug Use for Persons Aged 12 to 17<sup>1</sup></b>
<b>Percentages of Persons Aged 12 to 17 Reporting...</b>	
The Number of Times They Have Moved in the Past 5 Years	19
<b>Percentages of Persons Aged 12 to 17 Reporting Whether They Agree or Disagree That...</b>	
There is a Lot of Crime in Their Neighborhood	20
A Lot of Drug Selling Goes On in Their Neighborhood	21
People in Their Neighborhood Often Help Each Other	22
There Are a Lot of Street Fights in Their Neighborhood	23
There Are Many Empty or Abandoned Buildings in Their Neighborhood	24
People in Their Neighborhood Often Visit in Each Other's Homes	25
There Is a Lot of Graffiti in Their Neighborhood	26
People Move In and Out of Their Neighborhood Often	27
<b>Percentages of Persons Aged 12 to 17 Reporting How They Think Their Parents Would Feel About...</b>	
Their Smoking One or More Packs of Cigarettes per Day	28
Their Trying Marijuana or Hashish Once or Twice	29
Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	30
<b>Percentages of Persons Aged 12 to 17 Reporting How Many Times in the Past Year...</b>	
They Had Gotten into a Serious Fight at School or at Work	31
They Had Taken Part in a Group-Against-Group Fight	32
They Had Carried a Handgun	33
They Had Sold Illegal Drugs	34
They Had Stolen or Tried to Steal Something Worth More Than \$50	35
They Had Attacked Others with the Intent to Seriously Hurt Them	36

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

**Index of Section 3 Tables: Risk and Protective Factors (continued)**

Cell entries in this index refer to the tables in Section 3 numbered 3.1 to 3.48.

<b>Risk and Protective Factors</b>	<b>Demographic Characteristics and Drug Use for Persons Aged 12 to 17<sup>1</sup></b>
<b>Percentages of Persons Aged 12 to 17 Reporting How They Would Feel About Someone Their Own Age...</b>	
Smoking One Or More Packs of Cigarettes per Day	37
Trying Marijuana or Hashish Once or Twice	38
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	39
<b>Percentages of Persons Aged 12 to 17 Reporting...</b>	
Participation in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year	41
Participation in a Violence Protection Program in the Past Year	42
Participation in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year	43
Participation in a Program in the Past Year for Dealing with Alcohol or Drug Use	44
Participation in a Pregnancy or Sexually Transmitted Disease Prevention Program in the Past Year	45
Talking with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use	46
Seeing or Hearing Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year	48
<b>Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting...</b>	
Participation in Youth Activities in the Past Year	40
Seeing or Hearing Drug or Alcohol Prevention Messages at School in the Past Year	47

<sup>1</sup> Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and "binge" alcohol.

### Index for Section 4 Tables: Incidence

Cell entries in this index refer to the tables in Section 4 numbered 4.1 to 4.18.

<b>Drug</b>	<b>Incidence Table</b>
Marijuana	1
Cocaine	2
Crack	3
Heroin	4
Hallucinogens	5
LSD	6
PCP	7
Inhalants	8
Pain Relievers	9
Tranquilizers	10
Stimulants	11
Methamphetamines	12
Sedatives	13
Alcohol	14
Any Cigarette Use	15
Daily Cigarette Use	16
Smokeless Tobacco	17
Cigars	18

NOTE: Incidence tables include estimates for each year from 1965 through 1999 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use.

## Index of Section 5 Tables: Dependence, Abuse, and Treatment

Cell entries in this index refer to the tables in Section 5 numbered 5.1 to 5.66.

Characteristic	Past Year Dependence		Past Year Abuse	
	Specific Substances <sup>1</sup>	Any Illicit Drug or Alcohol	Specific Substances <sup>1</sup>	Any Illicit Drug or Alcohol
All Persons Aged 12 or Older	1, 25	2, 3, 8, 26, 27, 32, 66	13, 25	14, 15, 20, 26, 27, 32, 66
All Persons Aged 18 or Older		7, 12, 31, 36		19, 24, 31, 36
Standard Age Groups (in Years)	1, 25	3, (4-6), (9-11), 27, (28-30), (33-35)	13, 25	15, (16-18), (21-23), 27, (28-30), (33-35)
23 Detailed Age Categories		2, 26		14, 26
Gender		3-7, 27-31		15-19, 27-31
Hispanic Origin and Race		3-7, 27-31		15-19, 27-31
Gender/Race/Hispanic Origin		4, 28		16, 28
Adult Education		5-7, 29-31		17-19, 29-31
Current Employment		5-7, 29-31		17-19, 29-31
Geographic Characteristics		8-12, 32-36		20-24, 32-36

Characteristic	Past Year Treatment			
	Received (Alcohol and/or Illicit Drug) <sup>2</sup>	Needed and Received (Illicit Drug) <sup>3</sup>	Source of Payment	Specific Locations
All Persons Aged 12 or Older	37, 38, 43, 59	48, 49, 54	60-62	63-65
All Persons Aged 18 or Older	42, 47	53, 58		
Standard Age Groups (in Years)	38, (39-41), (44-46), 59	49, (50-52), (55-57)	60-62	63-65
23 Detailed Age Categories	37	48		
Gender	38-42	49-53		
Hispanic Origin and Race	38-42	49-53		
Gender/Race/Hispanic Origin	39	50		
Adult Education	40-42	51-53		
Current Employment	40-42	51-53		
Geographic Characteristics	43-47	54-58		

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup> Tables indexed in this column present estimates of specific NHSDA drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

<sup>2</sup> Tables indexed in this column present estimates for receiving treatment for any illicit drug use, alcohol use, both any illicit drug and alcohol use, as well as receiving treatment for any illicit drug or alcohol use.

<sup>3</sup> Tables indexed in this column present estimates for needing treatment for an illicit drug problem, receiving treatment at a specialty facility, and treatment gap.

**Index of Section 6 Tables: Miscellaneous**

**Cell entries in this index refer to the tables in Section 6 numbered 6.1 - 6.85.**

Characteristic	Use of Specific Illicit Drugs <sup>1</sup>	Use of Specific Tobacco and Alcohol <sup>2</sup>	Any Illicit Drug Use					Any Illicit Drug Other Than Marijuana Use
	Past Month	Past Month	Past Year	Past Month	Dependence	Abuse	Drove Under the Influence	Past Year
All Persons Aged 12 or Older	7, 11	15, 19	76, 78, 80, 82, 84				66, 67	76, 78, 80, 82, 84
All Persons Aged 18 or Older	70, 73			60, 72, 75	43, 47	45, 47	68, 69	
Standard Age Groups (in Years)	(8-10), (12-14)	(16-18), (20-22)	76, 78, 80, 82, 84	(60), (72), (75)	(43), (47)	(45), (47)	67	76, 78, 80, 82, 84
23 Detailed Age Categories							66	
Gender	(23), (32-33)	(26), (37-38)		(24), 34, 60, 72, 75	43, 47	45, 47	67-68	
Hispanic Origin and Race				24, 34, (60)	(43), (47)	(45), (47)	67-68	
Adult Education & Current Employment				60	(43), (47)	(45), (47)	68	
Geographic Characteristics				(60)			69	
Level of Cigarette Use	7-10	15-18						
Level of Alcohol Use	11-14	19-22						
Age First Used Marijuana					43, 47	45, 47		
Age First Used Alcohol								
Pregnancy	23	26		24				
College Enrollment	31-33	36-38		34				
Probation	70-71			72				
Parole/Supervised Release	73-74			75				
Mental Health Treatment/Counseling				60				
Government Assistance Programs			76					76
Supplemental Security Income (SSI)			78					78
Food Stamps			80					80
Cash Assistance			82					82
Noncash Assistance			84					84

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

<sup>1</sup>Tables indexed in this column present estimates for all NHSDA drugs and drug categories. See Table 6.7 for a complete listing of the specific drugs and classes of drugs.

<sup>2</sup>Tables indexed in this column present estimates for all NHSDA tobacco and alcohol categories. See table 6.15 for a complete listing of all the tobacco and alcohol types.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 - 6.85.

Characteristic	Marijuana Use			Cocaine Use	Hallucinogen Use	Inhalant Use	Nonmedical Use of Prescription-Type Psychotherapeutics Use
	Past Year	Past Month	Frequency of Use	Frequency of Use	Frequency of Use	Frequency of Use	Past Month
All Persons Aged 12 or Older	76, 78, 80, 82, 84						
All Persons Aged 18 or Older	61						62
Standard Age Groups (in Years)	76, 78, 80, 82, 84	(61)	1	2	3	4	(62)
23 Detailed Age Categories							
Gender	(25), 35, 61						62
Hispanic Origin and Race	25, 35, (61)						(62)
Adult Education & Current Employment	61						62
Geographic Characteristics	(61)						(62)
Level of Cigarette Use							
Level of Alcohol Use							
Age First Used Marijuana							
Age First Used Alcohol							
Pregnancy	25						
College Enrollment	35						
Probation							
Parole/Supervised Release							
Mental Health/Treatment Counseling	61						62
Government Assistance Program	76						
Supplemental Security Income (SSI)	78						
Food Stamps	80						
Cash Assistance	82						
Noncash Assistance	84						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 - 6.85.

Characteristic	Alcohol Use					"Binge" Alcohol Use	Heavy Alcohol Use
	Past Month	Frequency of Use	Dependence	Abuse	Drove Under the Influence	Past Month Only	
All Persons Aged 12 or Older	11, 19, 77, 79, 81, 83, 85				66, 67	11, 19, 77, 79, 81, 83, 85	11, 19
All Persons Aged 18 or Older	64		44, 48	46, 48	68, 69		
Standard Age Groups (in Years)	(12-14), (20-22), (64), 77, 79, 81, 83, 85	6	(44), (48)	(46), (48)	67	(12-14), (20-22), 77, 79, 81, 83, 85	(12-14), (20-22)
23 Detailed Age Categories					66		
Gender	(28), 40, 64		44, 48	46, 48	67-68	(29), 41	(30), 42
Hispanic Origin and Race	28, 40, (64)		(44), (48)	(46), (48)	67-68	29, 41	30, 42
Adult Education & Current Employment	64		(44), (48)	(46), (48)	68		
Geographic Characteristics	(64)				69		
Level of Cigarette Use							
Level of Alcohol Use	11-14, 19-22					11-14, 19-22	11-14, 19-22
Age First Used Marijuana							
Age First Used Alcohol			44, 48	46, 48			
Pregnancy	28					29	30
College Enrollment	40					41	42
Probation							
Parole/Supervised Release							
Mental Health/Treatment Counseling	64						
Government Assistance Program	77					77	
Supplemental Security Income (SSI)	79					79	
Food Stamps	81					81	
Cash Assistance	83					83	
Noncash Assistance	85					85	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

**Index of Section 6 Tables: Miscellaneous (continued)**

Cell entries in this index refer to the tables in Section 6 numbered 6.1 - 6.85.

Characteristic	Cigarette Use		Cigarette Brand Used Most Often	Cigar Brand Used Most Often	Smokeless Tobacco Brand Used Most Often	Source of Cigarettes	Received Mental Health Treatment or Counseling
	Past Month	Frequency of Use	Past Month	Past Month	Past Month	Past Month	Past Year
All Persons Aged 12 or Older	7, 15, 77, 79, 81, 83, 85	5					
All Persons Aged 18 or Older	63						65
Standard Age Groups (in Years)	(8-10), (16-18), (63), 77, 79, 81, 83, 85	5	49-54	55-57	58	(59)	(65)
23 Detailed Age Categories							
Gender	(27), 39, 63		50, 52-54	56			65
Hispanic Origin and Race	27, 39, (63)		(51-54)	(57)			(65)
Adult Education & Current Employment	63						65
Geographic Characteristics	(63)						(65)
Level of Cigarette Use	7-10, 15-18						
Level of Alcohol Use							
Age First Used Marijuana							
Age First Used Alcohol							
Pregnancy	27						
College Enrollment	39						
Probation							
Parole/Supervised Release							
Mental Health Treatment/Counseling	63						65
Government Assistance Program	77						
Supplemental Security Income (SSI)	79						
Food Stamps	81						
Cash Assistance	83						
Noncash Assistance	85						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

### Index of Section 7 Tables: Sample Sizes and Population Estimates

Cell entries in the index refer to tables in Section 7 numbered 7.1 to 7.16.

Characteristic	1999 and 2000 Separately	1999 and 2000 Combined
All Persons Aged 12 or Older	1-4, 8-10, 16	5-7
All Persons Aged 18 or Older	13, 14, 15	
Youth and Adult Age Groups (12 to 17, 18 or Older)	3, 9	6
Underage and Legal Drinking Age Groups (12 to 20, 21 or Older)	4, 10	7
Standard Age Groups (in Years)	2, 8, (13), 16	5
23 Detailed Age Groups	1	
Gender	1-4, 12-13	(11)
Gender/Age	14, 15	
Hispanic Origin and Race	2-4, 12, (13)	11
Gender/Race/Hispanic Origin	2-4	
Racial/Ethnic Subgroups		5-7
Adult Education	2, 3, 13	
Current Employment	2, 3, 13	
Geographic Characteristics	8-10, (13)	
Pregnancy		11
College Enrollment	12	
Mental Health Treatment or Counseling	13	
Probation	14	
Parole/Supervised Release	15	
Participation in Selected Government Assistance Programs	16	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.