

30407

**Table 2.55A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	162,553	71,310	61,136
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	145,947	63,025	54,451
White	122,360	51,242	44,429
Black or African American	15,748	7,884	6,771
American Indian or Alaska Native	1,181	667	548
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	967	224	179
Filipino	796	496	392
Japanese	*	151	138
Asian Indian	699	431	318
Korean	592	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	16,606	8,286	6,685
Mexican	10,791	5,388	4,345
Puerto Rican	2,087	1,163	1,005
Central or South American	2,082	1,065	811
Cuban	804	*	311

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.55B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	69.1	30.3	26.0
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	70.8	30.6	26.4
White	74.0	31.0	26.9
Black or African American	58.7	29.4	25.3
American Indian or Alaska Native	79.9	45.1	37.1
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	43.8	10.2	8.1
Filipino	47.2	29.4	23.2
Japanese	*	19.2	17.5
Asian Indian	35.8	22.1	16.3
Korean	69.9	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	57.1	28.5	23.0
Mexican	56.5	28.2	22.7
Puerto Rican	64.2	35.7	30.9
Central or South American	56.0	28.6	21.8
Cuban	59.6	*	23.0

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.56A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	8,242	5,037	3,209
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	7,022	4,332	2,814
White	5,615	3,601	2,429
Black or African American	932	455	240
American Indian or Alaska Native	109	74	52
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	23	13	*
Filipino	*	16	*
Japanese	*	*	*
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	1,219	705	395
Mexican	829	468	253
Puerto Rican	178	110	68
Central or South American	130	77	44
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.56B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	33.3	20.3	13.0
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	33.7	20.8	13.5
White	36.2	23.2	15.6
Black or African American	25.8	12.6	6.6
American Indian or Alaska Native	58.1	39.2	27.7
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	10.5	5.7	*
Filipino	*	9.6	*
Japanese	*	*	*
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	31.0	17.9	10.0
Mexican	30.1	17.0	9.2
Puerto Rican	34.9	21.5	13.2
Central or South American	30.3	17.8	10.3
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.57A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	22,099	15,214	12,650
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	18,632	13,077	10,976
White	14,911	10,743	9,080
Black or African American	2,328	1,376	1,129
American Indian or Alaska Native	177	129	102
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	108	60	*
Filipino	169	99	*
Japanese	*	*	*
Asian Indian	142	97	54
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	3,467	2,136	1,674
Mexican	2,415	1,448	1,126
Puerto Rican	386	256	223
Central or South American	453	295	229
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.57B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	71.2	49.0	40.8
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	73.0	51.2	43.0
White	77.2	55.6	47.0
Black or African American	57.2	33.8	27.7
American Indian or Alaska Native	82.3	59.8	47.5
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	40.8	22.8	*
Filipino	64.5	37.8	*
Japanese	*	*	*
Asian Indian	50.0	34.2	18.8
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	63.2	38.9	30.5
Mexican	62.6	37.5	29.2
Puerto Rican	70.0	46.5	40.5
Central or South American	62.7	40.8	31.8
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.58A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	132,212	51,060	45,278
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	120,292	45,615	40,661
White	101,834	36,899	32,920
Black or African American	12,488	6,053	5,402
American Indian or Alaska Native	*	465	394
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	151	128
Filipino	*	381	304
Japanese	*	*	*
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	11,920	5,445	4,617
Mexican	7,546	3,472	2,966
Puerto Rican	1,523	797	714
Central or South American	1,498	693	537
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.58B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	73.7	28.5	25.2
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	75.3	28.6	25.5
White	78.0	28.3	25.2
Black or African American	65.3	31.7	28.3
American Indian or Alaska Native	*	43.2	36.6
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	8.8	7.5
Filipino	*	30.3	24.2
Japanese	*	*	*
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	60.6	27.7	23.5
Mexican	60.4	27.8	23.7
Puerto Rican	69.5	36.4	32.6
Central or South American	58.4	27.0	21.0
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



30407

**Table 2.59A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	154,311	66,273	57,928
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	138,924	58,693	51,637
White	116,745	47,642	42,000
Black or African American	14,816	7,429	6,531
American Indian or Alaska Native	1,072	593	496
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	943	211	176
Filipino	745	479	386
Japanese	*	146	133
Asian Indian	660	397	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	15,387	7,581	6,291
Mexican	9,962	4,920	4,092
Puerto Rican	1,909	1,053	938
Central or South American	1,951	988	766
Cuban	763	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.59B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	73.3	31.5	27.5
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	75.0	31.7	27.9
White	77.9	31.8	28.0
Black or African American	63.9	32.0	28.2
American Indian or Alaska Native	83.1	46.0	38.4
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	47.6	10.7	8.9
Filipino	49.1	31.6	25.4
Japanese	*	19.8	18.1
Asian Indian	38.0	22.9	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	61.2	30.1	25.0
Mexican	60.9	30.1	25.0
Puerto Rican	69.6	38.4	34.2
Central or South American	59.4	30.1	23.3
Cuban	61.3	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.60A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	195,452	155,476	119,820
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	173,430	138,042	107,374
White	143,571	115,451	91,042
Black or African American	20,193	14,711	10,707
American Indian or Alaska Native	1,197	906	660
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	1,573	1,337	959
Filipino	1,043	884	504
Japanese	*	*	329
Asian Indian	1,029	883	587
Korean	645	590	440
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	22,022	17,435	12,446
Mexican	14,272	11,446	8,145
Puerto Rican	2,513	1,952	1,369
Central or South American	2,778	2,092	1,522
Cuban	1,158	833	642

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.60B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	83.1	66.1	51.0
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	84.2	67.0	52.1
White	86.8	69.8	55.0
Black or African American	75.3	54.9	39.9
American Indian or Alaska Native	81.0	61.2	44.7
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	71.3	60.6	43.4
Filipino	61.7	52.4	29.9
Japanese	*	*	41.7
Asian Indian	52.7	45.2	30.1
Korean	76.2	69.7	52.0
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	75.7	60.0	42.8
Mexican	74.7	59.9	42.6
Puerto Rican	77.3	60.0	42.1
Central or South American	74.7	56.3	41.0
Cuban	85.9	61.7	47.6

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.61A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	10,747	8,564	4,365
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	8,991	7,229	3,711
White	7,114	5,884	3,123
Black or African American	1,299	894	396
American Indian or Alaska Native	96	77	43
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	44	12
Filipino	66	36	*
Japanese	*	*	*
Asian Indian	40	37	14
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	1,756	1,335	654
Mexican	1,221	915	465
Puerto Rican	239	187	76
Central or South American	178	137	62
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.61B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	43.4	34.6	17.6
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	43.2	34.7	17.8
White	45.8	37.9	20.1
Black or African American	35.9	24.7	10.9
American Indian or Alaska Native	50.8	41.0	22.6
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	19.5	5.2
Filipino	38.7	21.2	*
Japanese	*	*	*
Asian Indian	18.7	16.9	6.7
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	44.7	34.0	16.6
Mexican	44.4	33.3	16.9
Puerto Rican	46.8	36.6	14.9
Central or South American	41.3	31.7	14.4
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.62A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	26,889	24,153	18,759
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	22,432	20,383	16,024
White	17,392	16,040	12,892
Black or African American	3,306	2,816	1,968
American Indian or Alaska Native	193	*	129
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	185	175	*
Filipino	221	185	137
Japanese	*	*	*
Asian Indian	165	143	114
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	4,457	3,770	2,736
Mexican	3,107	2,606	1,860
Puerto Rican	481	420	313
Central or South American	554	468	356
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.62B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	86.7	77.9	60.5
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	87.8	79.8	62.7
White	90.1	83.1	66.8
Black or African American	81.2	69.2	48.3
American Indian or Alaska Native	89.8	*	60.0
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	69.9	66.3	*
Filipino	84.6	70.9	52.6
Japanese	*	*	*
Asian Indian	57.9	50.3	39.9
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	81.2	68.7	49.8
Mexican	80.5	67.5	48.2
Puerto Rican	87.1	76.1	56.8
Central or South American	76.7	64.8	49.3
Cuban	*	*	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



30407

**Table 2.63A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	157,816	122,759	96,696
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	142,007	110,430	87,639
White	119,065	93,527	75,027
Black or African American	15,588	11,000	8,343
American Indian or Alaska Native	*	662	489
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	1,342	*	*
Filipino	*	*	*
Japanese	*	*	*
Asian Indian	*	703	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	15,809	12,329	9,057
Mexican	9,945	7,925	5,820
Puerto Rican	1,793	1,345	980
Central or South American	2,046	1,488	1,104
Cuban	978	674	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.63B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	88.0	68.4	53.9
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	88.9	69.1	54.9
White	91.2	71.6	57.5
Black or African American	81.5	57.5	43.6
American Indian or Alaska Native	*	61.6	45.5
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	78.1	*	*
Filipino	*	*	*
Japanese	*	*	*
Asian Indian	*	48.5	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	80.4	62.7	46.1
Mexican	79.6	63.4	46.6
Puerto Rican	81.9	61.4	44.7
Central or South American	79.8	58.0	43.1
Cuban	88.5	61.0	*

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.64A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	184,705	146,912	115,455
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	164,439	130,812	103,663
White	136,457	109,567	87,920
Black or African American	18,894	13,816	10,311
American Indian or Alaska Native	1,101	828	618
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	1,527	1,293	*
Filipino	977	848	485
Japanese	*	*	326
Asian Indian	989	847	573
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	20,266	16,100	11,792
Mexican	13,051	10,531	7,680
Puerto Rican	2,274	1,765	1,293
Central or South American	2,600	1,956	1,460
Cuban	1,102	787	617

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.64B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL<sup>1</sup></b>	87.8	69.8	54.9
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	88.8	70.6	56.0
White	91.1	73.1	58.7
Black or African American	81.5	59.6	44.5
American Indian or Alaska Native	85.4	64.2	47.9
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	77.0	65.2	*
Filipino	64.3	55.9	32.0
Japanese	*	*	44.2
Asian Indian	57.0	48.8	33.0
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	80.6	64.0	46.9
Mexican	79.8	64.4	47.0
Puerto Rican	82.9	64.4	47.1
Central or South American	79.1	59.5	44.4
Cuban	88.6	63.2	49.6

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.65A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	119,820	53,787	15,860
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	107,374	46,579	14,134
White	91,042	38,727	12,340
Black or African American	10,707	5,619	1,172
American Indian or Alaska Native	660	413	128
Native Hawaiian	*	*	*
Other Pacific Islander	*	138	*
Chinese	959	171	22
Filipino	504	203	13
Japanese	329	98	25
Asian Indian	587	231	55
Korean	440	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	12,446	7,208	1,726
Mexican	8,145	5,048	1,162
Puerto Rican	1,369	765	217
Central or South American	1,522	771	140
Cuban	642	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.65B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	51.0	22.9	6.7
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	52.1	22.6	6.9
White	55.0	23.4	7.5
Black or African American	39.9	21.0	4.4
American Indian or Alaska Native	44.7	27.9	8.7
Native Hawaiian	*	*	*
Other Pacific Islander	*	21.1	*
Chinese	43.4	7.8	1.0
Filipino	29.9	12.0	0.8
Japanese	41.7	12.4	3.2
Asian Indian	30.1	11.8	2.8
Korean	52.0	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	42.8	24.8	5.9
Mexican	42.6	26.4	6.1
Puerto Rican	42.1	23.5	6.7
Central or South American	41.0	20.7	3.8
Cuban	47.6	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.66A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	4,365	2,641	630
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	3,711	2,230	544
White	3,123	1,946	503
Black or African American	396	178	22
American Indian or Alaska Native	43	34	5
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	12	*	*
Filipino	*	2	0
Japanese	*	*	*
Asian Indian	14	9	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	654	411	85
Mexican	465	291	65
Puerto Rican	76	51	5
Central or South American	62	39	10
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.66B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	17.6	10.7	2.5
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	17.8	10.7	2.6
White	20.1	12.5	3.2
Black or African American	10.9	4.9	0.6
American Indian or Alaska Native	22.6	18.2	2.9
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	5.2	*	*
Filipino	*	0.9	0.1
Japanese	*	*	*
Asian Indian	6.7	4.0	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	16.6	10.5	2.2
Mexican	16.9	10.6	2.3
Puerto Rican	14.9	10.0	1.0
Central or South American	14.4	9.0	2.2
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



**Table 2.67A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	18,759	12,699	4,625
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	16,024	10,790	4,127
White	12,892	9,036	3,665
Black or African American	1,968	1,067	239
American Indian or Alaska Native	129	95	23
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	*	*
Filipino	137	67	12
Japanese	*	*	*
Asian Indian	114	63	22
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	2,736	1,909	498
Mexican	1,860	1,356	346
Puerto Rican	313	192	53
Central or South American	356	224	57
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.67B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	60.5	40.9	14.9
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	62.7	42.3	16.2
White	66.8	46.8	19.0
Black or African American	48.3	26.2	5.9
American Indian or Alaska Native	60.0	44.1	10.6
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	*	*
Filipino	52.6	25.8	4.4
Japanese	*	*	*
Asian Indian	39.9	22.3	7.7
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	49.8	34.8	9.1
Mexican	48.2	35.1	9.0
Puerto Rican	56.8	34.8	9.6
Central or South American	49.3	31.0	8.0
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.68A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	96,696	38,447	10,605
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	87,639	33,559	9,462
White	75,027	27,745	8,171
Black or African American	8,343	4,373	911
American Indian or Alaska Native	489	284	100
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	*	*
Filipino	*	*	2
Japanese	*	*	17
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	9,057	4,888	1,143
Mexican	5,820	3,401	751
Puerto Rican	980	522	159
Central or South American	1,104	508	73
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.68B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	53.9	21.4	5.9
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	54.9	21.0	5.9
White	57.5	21.3	6.3
Black or African American	43.6	22.9	4.8
American Indian or Alaska Native	45.5	26.4	9.3
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	*	*
Filipino	*	*	0.1
Japanese	*	*	2.6
Asian Indian	*	*	*
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	46.1	24.9	5.8
Mexican	46.6	27.2	6.0
Puerto Rican	44.7	23.8	7.2
Central or South American	43.1	19.8	2.8
Cuban	*	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.69A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	115,455	51,146	15,231
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	103,663	44,349	13,590
White	87,920	36,781	11,836
Black or African American	10,311	5,440	1,150
American Indian or Alaska Native	618	379	122
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	164	*
Filipino	485	202	13
Japanese	326	97	25
Asian Indian	573	223	55
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	11,792	6,797	1,641
Mexican	7,680	4,757	1,097
Puerto Rican	1,293	714	212
Central or South American	1,460	732	130
Cuban	617	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.69B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, 2002**

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
<b>TOTAL<sup>1</sup></b>	54.9	24.3	7.2
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	56.0	23.9	7.3
White	58.7	24.5	7.9
Black or African American	44.5	23.5	5.0
American Indian or Alaska Native	47.9	29.3	9.5
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	8.3	*
Filipino	32.0	13.3	0.9
Japanese	44.2	13.1	3.4
Asian Indian	33.0	12.8	3.2
Korean	*	*	*
Vietnamese	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	46.9	27.0	6.5
Mexican	47.0	29.1	6.7
Puerto Rican	47.1	26.0	7.7
Central or South American	44.4	22.3	4.0
Cuban	49.6	*	*

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.