Table 192. Persons 18 Years and Over With Selected Diseases and Conditions by Selected Characteristics: 2008

[In thousands (225,227 represents 225,227,000). Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

		Persons with selected diseases and conditions						
Selected characteristics	Total persons	Diabe- tes 1,2	Ulcers ¹	Kidney dis- ease ^{3, 4}	Liver dis- ease ³	Arthritis diag- nosis 5	Chronic joint symp- toms ⁵	
Total 6	225,227	18,651	19,321	3,731	3,262	51,233	61,656	
SEX Male Female	108,755 116,472	8,934 9,717	8,481 10,840	1,769 1,962	1,591 1,671	20,136 31,097	27,733 33,922	
AGE 18 to 44 years	110,615 77,335 19,869 17,409	2,553 9,223 3,940 2,935	6,065 8,045 2,719 2,493	795 1,372 601 963	1,060 1,680 330 192	8,306 23,900 9,574 9,454	18,481 27,067 8,533 7,573	
RACE Race alone 7 White Black or African American American Indian or Alaska Native Asian Native Hawaiian or other Pacific Islander Two or more races 9	222,430 182,651 26,765 2,178 10,501 334 2,798	18,344 14,537 2,756 262 741 (B) 307	19,042 16,424 1,866 213 523 (B) 280	3,688 3,002 501 (B) 153 -	3,210 2,750 253 8 52 156 - 8 52	50,550 43,617 5,370 378 1,132 (B) 683	60,657 52,421 6,365 494 1,358 (B) 999	
HISPANIC ORIGIN AND RACE ¹⁰ Hispanic or Latino	30,583 19,089	2,524 1,629	1,857 1,191	483 257	531 350	3,726 2,138	5,483 3,291	

[—] Represents zero. B Figure too small to meet statistical standards for reliability of a derived figure. ¹ Respondents were asked if they had ever been told by a health professional that they had an ulcer or diabetes. A person may be represented in more than one column. ² Excludes borderline diabetes. ³ Respondents were asked if they had been told in the last 12 months by a health professional that they had weak or failing kidneys or any kind of liver condition. ⁴ Excludes kidney stones, bladder infections, or incontinence. ⁵ Respondents were asked if they had ever been told by a health professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia. Those that answered "yes" were classified as having an arthritis diagnosis. Respondents with joint symptoms (excluding back and neck) that began more than 3 months prior to interview were classified as having chronic joint symptoms. ⁶ Total includes other races not shown separately. ⁿ Refers to persons who indicated only a single race group. ⁶ Figures do not meet standard of reliability or precision. ⁶ Refers to all persons who indicated more than one race group. ⁶ Persons of Hispanic or Latino origin may be of any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2008, Vital and Health Statistics, Series 10, Number 242, 2009, http://www.cdc.gov/nchs/data/series/sr_10/sr10_242.pdf>.

Table 193. Persons 18 Years of Age and Over With Selected Circulatory Diseases by Selected Characteristics: 2008

[In thousands (225,227 represents 225,227,000). In separate questions, respondents were asked if they had ever been told by a doctor or other health professional that they had: hypertension (or high blood pressure); coronary heart disease, angina (or angina pectoris); heart attack (or myocardial infarction); any other heart condition or disease not already mentioned; or a stroke. A person may be represented in more than one column. Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

		Selected circulatory diseases				
Characteristic	Total	Heart disease		Hyper-		
	persons	All types 1	Coronary 2	tension 3	Stroke	
Total 4	225,227	26,628	14,428	56,159	6,460	
SEX						
MaleFemale	108,755 116,472	13,170 13,457	8,439 5,989	26,031 30,128	2,965 3,495	
AGE						
18 to 44 years	110,615 77,335 19,869 17,409	5,067 9,469 5,287 6,805	1,258 5,205 3,337 4,628	9,643 25,126 10,774 10.616	714 2,260 1,248 2,238	
RACE	,	-,	.,,,,,	,	_,	
Race alone ⁵ White Black or African American American Indian or Alaska Native Asian Native Hawaiian or Other Pacific Islander Two or more races ⁷	222,430 182,651 26,765 2,178 10,501 334 2,798	26,233 23,082 2,436 230 472 (B) 395	14,210 12,511 1,307 6 119 261 (B) 218	55,482 45,054 7,900 478 1,985 (B) 677	6,360 5,286 832 6 80 153 (B) 6 100	
HISPANIC ORIGIN AND RACE ⁸ Hispanic or Latino	30,583 19,089	1,817 1,032	1,217 668	4,913 2,838	562 341	

B Figure too small to meet statistical standards for reliability of a derived figure. ¹ Heart disease includes coronary heart disease, angina pectoris, heart attack, or any other heart condition or disease. ² Coronary heart disease includes coronary heart disease, angina pectoris, or heart attack. ³ Persons had to have been told on two or more different visits that they had hypertension, or high blood pressure, to be classified as hypertensive. ⁴ Includes other races not shown separately. ⁵ Refers to persons who indicated only a single race group. ⁵ Figures do not meet standard of reliability or precision. ⁵ Refers to all persons who indicated more than one race group. ⁵ Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Population: National Health Interview Survey, 2008, Vital and Health Statistics, Series 10, Number 242, 2009. See also http://www.cdc.gov/nchs/data/series/sr 10/sr10 242.pdf>.