

Table XXXI-1
BENIGN BRAIN TUMORS

A Comparison of Benign/Borderline and Malignant Brain Tumors
 Counts, Percents and Age-Adjusted Incidence Rates^a by WHO Histology Grouping, 2004-2005

WHO Histology Grouping	Benign/Borderline			Malignant		
	Count	Percent	Rate	Count	Percent	Rate
BRAIN						
Diffuse astrocytoma (protoplasma, fibrillary)	-	-	-	130	1.2%	0.1
Anaplastic astrocytoma	-	-	-	577	5.5%	0.4
Glioblastoma	-	-	-	4,700	45.0%	3.2
Pilocytic astrocytoma	-	-	-	398	3.8%	0.3
Unique astrocytoma variants	89	0.5%	0.1	38	0.4%	0.0
Oligodendroglioma	-	-	-	428	4.1%	0.3
Anaplastic oligodendroglioma	-	-	-	198	1.9%	0.1
Ependymoma/anaplastic ependymoma	-	-	-	197	1.9%	0.1
Ependymoma variants	-	-	-	-	-	-
Mixed glioma	-	-	-	274	2.6%	0.2
Astrocytoma, NOS	-	-	-	608	5.8%	0.4
Glioma, NOS	-	-	-	503	4.8%	0.3
Choroid plexus	66	0.4%	0.0	22	0.2%	0.0
Neuroepithelial	-	-	-	29	0.3%	0.0
Neuronal/glial, neuronal and mixed	280	1.6%	0.2	22	0.2%	0.0
Embryonal/primitive/medulloblastoma	-	-	-	335	3.2%	0.2
Nerve sheath	212	1.2%	0.1	-	-	-
Meningioma	360	2.1%	0.2	56	0.5%	0.0
Hemangioma and hemangioblastoma	356	2.1%	0.2	-	-	-
Germ cell tumors, cysts, and heterotopias	26	0.2%	0.0	42	0.4%	0.0
Chordoma/chondrosarcoma	-	-	-	-	-	-
Craniopharyngioma	41	0.2%	0.0	-	-	-
Neoplasm, unspecified	385	2.3%	0.3	413	4.0%	0.3
Other histologies ^b	-	-	-	-	-	-
INTRACRANIAL MENINGES						
Neuroepithelial	-	-	-	-	-	-
Nerve sheath	-	-	-	-	-	-
Meningioma	8,027	47.3%	5.4	130	1.2%	0.1
Hemangioma and hemangioblastoma	-	-	-	-	-	-
Chordoma/chondrosarcoma	-	-	-	-	-	-
Neoplasm, unspecified	22	0.1%	0.0	-	-	-
Other histologies ^b	-	-	-	-	-	-
CRANIAL NERVES AND OTHER CNS						
Glioblastoma	-	-	-	-	-	-
Pilocytic astrocytoma	-	-	-	-	-	-
Astrocytoma, NOS	-	-	-	-	-	-
Glioma, NOS	-	-	-	54	0.5%	0.0
Neuronal/glial, neuronal and mixed	-	-	-	-	-	-
Nerve sheath	1,907	11.2%	1.3	-	-	-
Meningioma	18	0.1%	0.0	-	-	-
Hemangioma and hemangioblastoma	-	-	-	-	-	-
Germ cell tumors, cysts, and heterotopias	-	-	-	-	-	-
Chordoma/chondrosarcoma	-	-	-	-	-	-
Neoplasm, unspecified	-	-	-	-	-	-
Other histologies ^b	-	-	-	-	-	-

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

Count and percent may not sum to total due to suppression and rounding.

- Statistic not shown due to fewer than 16 cases during the time period.

^a Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

The histologic groupings exclude lymphomas, mesotheliomas, and Kaposi Sarcoma.

^b Includes histologies not included in current groupings.

Table XXXI-1 - continued
BENIGN BRAIN TUMORS

A Comparison of Benign/Borderline and Malignant Brain Tumors
 Counts, Percents and Age-Adjusted Incidence Rates^a by WHO Histology Grouping, 2004-2005

WHO Histology Grouping	Benign/Borderline			Malignant		
	Count	Percent	Rate	Count	Percent	Rate
TUMORS OF THE SELLAR REGION						
Glioblastoma	-	-	-	-	-	-
Pilocytic astrocytoma	-	-	-	-	-	-
Ependymoma/anaplastic ependymoma	-	-	-	-	-	-
Glioma, NOS	-	-	-	-	-	-
Pineal parenchymal	20	0.1%	0.0	28	0.3%	0.0
Embryonal/primitive/medulloblastoma	-	-	-	-	-	-
Nerve sheath	-	-	-	-	-	-
Meningioma	-	-	-	-	-	-
Germ cell tumors, cysts, and heterotopias	-	-	-	62	0.6%	0.0
Chordoma/chondrosarcoma	-	-	-	-	-	-
Pituitary	3,644	21.5%	2.4	18	0.2%	0.0
Craniopharyngioma	210	1.2%	0.1	-	-	-
Neoplasm, unspecified	81	0.5%	0.1	-	-	-
Other histologies ^b	-	-	-	-	-	-
SPINAL CORD						
Diffuse astrocytoma (protoplasma, fibrillary)	-	-	-	-	-	-
Anaplastic astrocytoma	-	-	-	-	-	-
Glioblastoma	-	-	-	-	-	-
Pilocytic astrocytoma	-	-	-	29	0.3%	0.0
Unique astrocytoma variants	-	-	-	-	-	-
Ependymoma/anaplastic ependymoma	-	-	-	179	1.7%	0.1
Ependymoma variants	147	0.9%	0.1	-	-	-
Mixed glioma	-	-	-	-	-	-
Astrocytoma, NOS	-	-	-	36	0.3%	0.0
Glioma, NOS	-	-	-	-	-	-
Neuronal/glial, neuronal and mixed	22	0.1%	0.0	-	-	-
Embryonal/primitive/medulloblastoma	-	-	-	-	-	-
Nerve sheath	369	2.2%	0.2	-	-	-
Meningioma	42	0.2%	0.0	-	-	-
Hemangioma and hemangioblastoma	50	0.3%	0.0	-	-	-
Chordoma/chondrosarcoma	-	-	-	-	-	-
Neoplasm, unspecified	-	-	-	-	-	-
Other histologies ^b	-	-	-	-	-	-
SPINAL MENINGES						
Ependymoma/anaplastic ependymoma	-	-	-	-	-	-
Neuronal/glial, neuronal and mixed	-	-	-	-	-	-
Nerve sheath	38	0.2%	0.0	-	-	-
Meningioma	446	2.6%	0.3	-	-	-
Hemangioma and hemangioblastoma	-	-	-	-	-	-
Neoplasm, unspecified	-	-	-	-	-	-
Other histologies ^b	-	-	-	-	-	-
TOTAL	16,984	100.0%	11.4	10,443	100.0%	7.0

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

Count and percent may not sum to total due to suppression and rounding.

- Statistic not shown due to fewer than 16 cases during the time period.

^a Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

The histologic groupings exclude lymphomas, mesotheliomas, and Kaposi Sarcoma.

^b Includes histologies not included in current groupings.

Table XXXI-2
BENIGN BRAIN TUMORS

Age-Adjusted SEER Incidence Rates^a for Benign Brain Tumors, 2004-2005
 By Race, Sex and Age

Brain and Other Nervous System(Benign/Borderline)
 Excluding Endocrine Glands and Related Structures

Age	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
All Ages	8.8	6.6	10.7	8.8	6.7	10.7	8.8	6.0	10.9
<20	1.1	1.2	1.0	1.1	1.3	1.0	0.7	0.7	0.7
20-44	4.4	3.3	5.4	4.4	3.5	5.5	4.1	2.7	5.3
45-64	13.7	9.7	17.5	13.9	9.9	17.7	12.7	8.6	16.1
65-74	25.3	19.4	30.3	25.2	19.5	30.1	26.4	19.7	31.2
75-84	33.9	24.0	40.8	33.7	24.0	40.4	41.2	26.5	49.9
85+	41.4	33.3	45.2	41.9	34.8	45.2	48.5	-	58.9

Brain and Other Nervous System(Benign/Borderline)
 Including Endocrine Glands and Related Structures

Age	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
All Ages	11.4	9.2	13.4	11.3	9.2	13.3	13.3	10.5	15.5
<20	1.7	1.6	1.8	1.7	1.6	1.8	1.3	1.1	1.4
20-44	6.8	5.1	8.7	6.9	5.2	8.6	7.4	5.0	9.6
45-64	17.6	13.9	21.1	17.3	13.7	20.9	19.5	16.4	22.2
65-74	31.2	26.6	34.9	30.3	26.1	34.0	39.2	33.9	43.1
75-84	39.8	32.3	45.0	39.2	32.0	44.2	53.7	42.4	60.5
85+	44.7	38.3	47.6	44.5	39.3	46.9	59.6	-	69.7

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

- Rate not shown due to fewer than 16 cases during the time period.

^a Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

Table XXXI-3

Brain Tumor Histology Groupings^a

Site Group	ICD-0-3 Morphology
TUMORS OF NEUROEPITHELIAL TISSUE	
Diffuse astrocytoma (protoplasma, fibrillary)	9410, 9420
Anaplastic astrocytoma	9401, 9411
Glioblastoma	9440, 9441, 9442/3
Pilocytic astrocytoma	9421
Unique astrocytoma variants	9383, 9384, 9424
Oligodendroglioma	9450
Anaplastic oligodendroglioma	9451, 9460
Ependymoma/anaplastic ependymoma	9391, 9392, 9393
Ependymoma variants	9394
Mixed glioma	9382
Astrocytoma, NOS	9400
Glioma, NOS	9380
Choroid plexus	9390
Neuroepithelial	9381, 9423, 9430, 9444
Benign and Malignant neuronal/glial, neuronal and mixed	8680/1, 8680/3, 8681, 8682, 8690, 8693, 9412, 9413, 9442/1, 9490-9493, 9500, 9505, 9506, 9522, 9523
Pineal parenchymal	9360, 9361, 9362
Embryonal/primitive/medulloblastoma	8963, 9363, 9364, 9470-9474, 9501-9503, 9508
TUMORS OF CRANIAL AND SPINAL NERVES	
Nerve sheath, benign and malignant	9540, 9541, 9550, 9560, 9561, 9570, 9571
TUMORS OF THE INTRACRANIAL MENINGES	
Meningioma, benign and malignant	9530-9534, 9537-9539
Other mesenchymal, benign and malignant	8324, 8728, 8800-8806, 8810, 8815, 8824, 8830, 8831, 8850, 8851, 8857, 8861, 8890, 8897, 8900, 8910, 8920, 8990, 9040, 9150, 9180, 9210, 9241, 9260, 9480
Hemangioblastoma and hemangioblastoma	9120-9123, 9125, 9130, 9131, 9133, 9140, 9161, 9535
GERM CELL TUMORS AND CYSTS	
Germ cell tumors, cysts, and heterotopias	8020, 9060, 9061, 9064, 9065, 9070-9072, 9080-9085, 9100
LOCAL EXTENSIONS FROM REGIONAL TUMORS	
Chordoma/chondrosarcoma	9220, 9231, 9240, 9370-9373
TUMORS OF THE SELLAR REGION	
Pituitary	8022, 8040, 8140, 8146, 8246, 8260, 8270, 8271, 8272, 8280, 8281, 8290, 8300, 8310, 8323, 8333, 8334, 9582
Craniopharyngioma	9350, 9351, 9352
UNCLASSIFIED TUMORS	
Neoplasm, unspecified	8000-8005, 8010, 8013, 8021
All other	any remaining histologies not included in above categories

Source: Modified from CBTRUS (2005). Statistical Report: Primary Brain Tumors in the United States, 1998-2002. Published by the Central Brain Tumor Registry of the United States.

^a The histologic groupings exclude lymphomas, mesotheliomas, and Kaposi Sarcoma.